

2007 DIAMOND DRILLING, GEOLOGICAL AND GEOCHEMICAL REPORT

Volume II

Appendix I – Statements of Qualifications
Appendix II – Tenure Details
Appendix III – DDH Logs
Appendix IV – Sample Locations and Descriptions

For the

Blende Property
Mix 1-16, Trix 1-56, Trax 1-28, Max 1-161 Claims
Mayo Mining District, Yukon
NTS 106D07
Latitude 64⁰24' N, Longitude 134⁰38' W
UTM Zone 8 517677E / 7141640N

Period of Work February 1, 2007 to November 30, 2007

Prepared for:

EAGLE PLAINS RESOURCES LTD.

200-16 11th Ave. S
Cranbrook, B.C. V1C 2P1

and

Blind Creek Resources Ltd.

15th Floor, 675 West Hastings St.
Vancouver, B.C. V6B1N2

APPENDIX I – Statement of Qualifications

CERTIFICATE OF QUALIFICATION

CERTIFICATE OF CHIRS S. GALLAGHER, M. SC.

I, Christopher Shannon Charles LeRoy Gallagher, M. Sc. do hereby certify that:

I am currently employed as Chief GeoTechnologist, Eagle Plains Resources Ltd. with business address: 200-16, 11 Ave. S., Cranbrook, BC V1C 2P5. I am also Chief GeoTechnologist for Bootleg Resources Inc., a wholly owned subsidiary of Eagle Plains Resources Inc. and having the same business address.

I graduated with a Masters of Science Degree from the Carleton University in 1999.

I have worked as a geologist for a total of 6 years since my graduation from university.

I supervised or assisted in the supervision of the 2006 and 2007 diamond drilling programs on the property.

This report is supported by diamond drill, geology and geochemical data and samples collected during fieldwork on the Blende Property in the Mayo Mining District, YK, NTS 106D07, during the period February 1st to November 30th, 2007.

I have co-authored this assessment report titled "2007 DIAMOND DRILLING, GEOLOGICAL AND GEOCHEMICAL REPORT FOR THE BLENDE PROPERTY" and dated February 8th 2008 relating to the 2007 exploration program conducted by Eagle Plains Resources.

I am an insider with Eagle Plains Resources Ltd. since December 2004 and currently hold 0 shares and options to purchase 135,000 shares of the company at \$0.50 - \$0.75 per share.

Dated at Cranbrook, British Columbia, Canada, this 7th day of February, 2008

Christopher S. Gallagher, M. Sc.
Chief GeoTechnologist, Bootleg Exploration

CERTIFICATE OF QUALIFICATION

CERTIFICATE OF CHUCK DOWNIE, P.GEO

I, Charles C. Downie, P. Geo. do hereby certify that:

I am currently employed as Vice President Exploration for Eagle Plains Resources Ltd. with business address: 200-16, 11 Ave. S., Cranbrook, BC V1C 2P5. I am also Exploration Manager for Bootleg Resources Inc., a wholly owned subsidiary of Eagle Plains Resources Inc and having the same business address.

I graduated with a Bachelor of Science Degree from the University of Alberta in 1988.

I have worked as a geologist for a total of 17 years since my graduation from university, and have been involved in the mining and exploration industry since 1980.

I am a member of the Association of Professional Engineers and Geoscientists of the Province of British Columbia (ID 20137) and I am entitled to use the seal which is affixed to this report.

I have co-authored this assessment report titled "2007 DIAMOND DRILLING, GEOLOGICAL AND GEOCHEMICAL REPORT FOR THE BLENDE PROPERTY" and dated February 8th 2008 relating to the 2007 exploration program conducted by Eagle Plains Resources.

This report is supported by diamond drill, geology and geochemical data and samples collected during fieldwork on the Blende Property in the Mayo Mining District, YK, NTS 106D07, during the period February 1st to November 30th, 2007.

I am a director of two public companies, Eagle Plains Resources Ltd. and Copper Canyon Resources Ltd.

Dated at Cranbrook, British Columbia, Canada, this 7th day of February, 2008

Respectfully submitted

Charles C. Downie, P.Geo
Exploration Manager, Bootleg Exploration Inc.

APPENDIX II – Tenure Details

Grant #	Claim Name	Claim #	OpRecDate	ExpiryDate	Renewal	New Expiry Date
YC09985	Mix	1	28/03/2002	28/03/2012	4	21/04/2016
YC09986	Mix	2	28/03/2002	28/03/2012	4	21/04/2016
YC09987	Mix	3	28/03/2002	28/03/2012	4	21/04/2016
YC09988	Mix	4	28/03/2002	28/03/2012	4	21/04/2016
YC09989	Mix	5	28/03/2002	28/03/2012	4	21/04/2016
YC09990	Mix	6	28/03/2002	28/03/2012	4	21/04/2016
YC09991	Mix	7	28/03/2002	28/03/2012	4	21/04/2016
YC09992	Mix	8	28/03/2002	28/03/2012	4	21/04/2016
YC09993	Mix	9	28/03/2002	28/03/2012	4	21/04/2016
YC09994	Mix	10	28/03/2002	28/03/2012	4	21/04/2016
YC09995	Mix	11	28/03/2002	28/03/2012	4	21/04/2016
YC09996	Mix	12	28/03/2002	28/03/2012	4	21/04/2016
YC09997	Mix	13	28/03/2002	28/03/2012	4	21/04/2016
YC09998	Mix	14	28/03/2002	28/03/2012	4	21/04/2016
YC09999	Mix	15	28/03/2002	28/03/2012	4	21/04/2016
YC10000	Mix	16	28/03/2002	28/03/2012	4	21/04/2016
YC11723	Trix	1	21/04/2004	21/04/2012	4	21/04/2016
YC11724	Trix	2	21/04/2004	21/04/2012	4	21/04/2016
YC11725	Trix	3	21/04/2004	21/04/2012	4	21/04/2016
YC11726	Trix	4	21/04/2004	21/04/2012	4	21/04/2016
YC11727	Trix	5	21/04/2004	21/04/2012	4	21/04/2016
YC11728	Trix	6	21/04/2004	21/04/2012	4	21/04/2016
YC11729	Trix	7	21/04/2004	21/04/2012	4	21/04/2016
YC11730	Trix	8	21/04/2004	21/04/2012	4	21/04/2016
YC11731	Trix	9	21/04/2004	21/04/2012	4	21/04/2016
YC11732	Trix	10	21/04/2004	21/04/2012	4	21/04/2016
YC11733	Trix	11	21/04/2004	21/04/2012	4	21/04/2016
YC11734	Trix	12	21/04/2004	21/04/2012	4	21/04/2016
YC11735	Trix	13	21/04/2004	21/04/2012	4	21/04/2016
YC11736	Trix	14	21/04/2004	21/04/2012	4	21/04/2016
YC11737	Trix	15	21/04/2004	21/04/2012	4	21/04/2016
YC11738	Trix	16	21/04/2004	21/04/2012	4	21/04/2016
YC11739	Trix	17	21/04/2004	21/04/2012	4	21/04/2016
YC11740	Trix	18	21/04/2004	21/04/2012	4	21/04/2016
YC11741	Trix	19	21/04/2004	21/04/2012	4	21/04/2016
YC11742	Trix	20	21/04/2004	21/04/2012	4	21/04/2016
YC11743	Trix	21	21/04/2004	21/04/2012	4	21/04/2016
YC11744	Trix	22	21/04/2004	21/04/2012	4	21/04/2016
YC11745	Trix	23	21/04/2004	21/04/2012	4	21/04/2016
YC11746	Trix	24	21/04/2004	21/04/2012	4	21/04/2016
YC11747	Trix	25	21/04/2004	21/04/2012	4	21/04/2016
YC11748	Trix	26	21/04/2004	21/04/2012	4	21/04/2016
YC11749	Trix	27	21/04/2004	21/04/2012	4	21/04/2016
YC11750	Trix	28	21/04/2004	21/04/2012	4	21/04/2016
YC11751	Trix	29	21/04/2004	21/04/2012	4	21/04/2016
YC11752	Trix	30	21/04/2004	21/04/2012	4	21/04/2016
YC11753	Trix	31	21/04/2004	21/04/2012	4	21/04/2016
YC11754	Trix	32	21/04/2004	21/04/2012	4	21/04/2016
YC11755	Trix	33	21/04/2004	21/04/2012	4	21/04/2016
YC11756	Trix	34	21/04/2004	21/04/2012	4	21/04/2016

Grant #	Claim Name	Claim #	OpRecDate	ExpiryDate	Renewal	New Expiry Date
YC11757	Trix	35	21/04/2004	21/04/2012	4	21/04/2016
YC11758	Trix	36	21/04/2004	21/04/2012	4	21/04/2016
YC11759	Trix	37	21/04/2004	21/04/2012	4	21/04/2016
YC11760	Trix	38	21/04/2004	21/04/2012	4	21/04/2016
YC11761	Trix	39	21/04/2004	21/04/2012	4	21/04/2016
YC11762	Trix	40	21/04/2004	21/04/2012	4	21/04/2016
YC11763	Trix	41	21/04/2004	21/04/2012	4	21/04/2016
YC11764	Trix	42	21/04/2004	21/04/2012	4	21/04/2016
YC11765	Trix	43	21/04/2004	21/04/2012	4	21/04/2016
YC11766	Trix	44	21/04/2004	21/04/2012	4	21/04/2016
YC11767	Trix	45	21/04/2004	21/04/2012	4	21/04/2016
YC11768	Trix	46	21/04/2004	21/04/2012	4	21/04/2016
YC32293	Trix	47	10/08/2004	21/09/2014	4	21/09/2018
YC32294	Trix	48	10/08/2004	21/09/2014	4	21/09/2018
YC32295	Trix	49	10/08/2004	21/09/2014	4	21/09/2018
YC32296	Trix	50	10/08/2004	21/09/2014	4	21/09/2018
YC32297	Trix	51	10/08/2004	21/09/2014	4	21/09/2018
YC32298	Trix	52	10/08/2004	21/09/2014	4	21/09/2018
YC32299	Trix	53	10/08/2004	21/09/2014	4	21/09/2018
YC32300	Trix	54	10/08/2004	21/09/2014	4	21/09/2018
YC32301	Trix	55	10/08/2004	21/09/2014	4	21/09/2018
YC32302	Trix	56	10/08/2004	21/09/2014	4	21/09/2018
YC39822	Trax	1	21/09/2005	21/09/2011	4	21/09/2015
YC39823	Trax	2	21/09/2005	21/09/2011	4	21/09/2015
YC39824	Trax	3	21/09/2005	21/09/2011	4	21/09/2015
YC39825	Trax	4	21/09/2005	21/09/2011	4	21/09/2015
YC39826	Trax	5	21/09/2005	21/09/2011	4	21/09/2015
YC39827	Trax	6	21/09/2005	21/09/2011	4	21/09/2015
YC39828	Trax	7	21/09/2005	21/09/2011	4	21/09/2015
YC39829	Trax	8	21/09/2005	21/09/2011	4	21/09/2015
YC39830	Trax	9	21/09/2005	21/09/2011	4	21/09/2015
YC39831	Trax	10	21/09/2005	21/09/2011	4	21/09/2015
YC39832	Trax	11	21/09/2005	21/09/2011	4	21/09/2015
YC39833	Trax	12	21/09/2005	21/09/2011	4	21/09/2015
YC39834	Trax	13	21/09/2005	21/09/2011	4	21/09/2015
YC39835	Trax	14	21/09/2005	21/09/2011	4	21/09/2015
YC39836	Trax	15	21/09/2005	21/09/2011	4	21/09/2015
YC39837	Trax	16	21/09/2005	21/09/2011	4	21/09/2015
YC39838	Trax	17	21/09/2005	21/09/2011	4	21/09/2015
YC39839	Trax	18	21/09/2005	21/09/2011	4	21/09/2015
YC39840	Trax	19	21/09/2005	21/09/2011	4	21/09/2015
YC39841	Trax	20	21/09/2005	21/09/2011	4	21/09/2015
YC39842	Trax	21	21/09/2005	21/09/2011	4	21/09/2015
YC39843	Trax	22	21/09/2005	21/09/2011	4	21/09/2015
YC39844	Trax	23	21/09/2005	21/09/2011	4	21/09/2015
YC39845	Trax	24	21/09/2005	21/09/2011	4	21/09/2015
YC39846	Trax	25	21/09/2005	21/09/2011	4	21/09/2015
YC39847	Trax	26	21/09/2005	21/09/2011	4	21/09/2015
YC39848	Trax	27	21/09/2005	21/09/2011	4	21/09/2015
YC39849	Trax	28	21/09/2005	21/09/2011	4	21/09/2015
YC50636	Max	1	23/08/2006	23/08/2012	4	23/08/2016

Grant #	Claim Name	Claim #	OpRecDate	ExpiryDate	Renewal	New Expiry Date
YC50637	Max	2	23/08/2006	23/08/2012	4	23/08/2016
YC50638	Max	3	23/08/2006	23/08/2012	4	23/08/2016
YC50639	Max	4	23/08/2006	23/08/2012	4	23/08/2016
YC50640	Max	5	23/08/2006	23/08/2012	4	23/08/2016
YC50641	Max	6	23/08/2006	23/08/2012	4	23/08/2016
YC50642	Max	7	23/08/2006	23/08/2012	4	23/08/2016
YC50643	Max	8	23/08/2006	23/08/2012	4	23/08/2016
YC50644	Max	9	23/08/2006	23/08/2012	4	23/08/2016
YC50645	Max	10	23/08/2006	23/08/2012	4	23/08/2016
YC50646	Max	11	23/08/2006	23/08/2012	4	23/08/2016
YC50647	Max	12	23/08/2006	23/08/2012	4	23/08/2016
YC50648	Max	13	23/08/2006	23/08/2012	4	23/08/2016
YC50649	Max	14	23/08/2006	23/08/2012	4	23/08/2016
YC50650	Max	15	23/08/2006	23/08/2012	4	23/08/2016
YC50651	Max	16	23/08/2006	23/08/2012	4	23/08/2016
YC50652	Max	17	23/08/2006	23/08/2012	4	23/08/2016
YC50653	Max	18	23/08/2006	23/08/2012	4	23/08/2016
YC50654	Max	19	23/08/2006	23/08/2012	4	23/08/2016
YC50655	Max	20	23/08/2006	23/08/2012	4	23/08/2016
YC50656	Max	21	23/08/2006	23/08/2012	4	23/08/2016
YC50657	Max	22	23/08/2006	23/08/2012	4	23/08/2016
YC50658	Max	23	23/08/2006	23/08/2012	4	23/08/2016
YC50659	Max	24	23/08/2006	23/08/2012	4	23/08/2016
YC50660	Max	25	23/08/2006	23/08/2012	4	23/08/2016
YC50661	Max	26	23/08/2006	23/08/2012	4	23/08/2016
YC50662	Max	27	23/08/2006	23/08/2012	4	23/08/2016
YC50663	Max	28	23/08/2006	23/08/2012	4	23/08/2016
YC50664	Max	29	23/08/2006	23/08/2012	4	23/08/2016
YC50665	Max	30	23/08/2006	23/08/2012	4	23/08/2016
YC50666	Max	31	23/08/2006	23/08/2012	4	23/08/2016
YC50667	Max	32	23/08/2006	23/08/2012	4	23/08/2016
YC50668	Max	33	23/08/2006	23/08/2012	4	23/08/2016
YC50669	Max	34	23/08/2006	23/08/2012	4	23/08/2016
YC50670	Max	35	23/08/2006	23/08/2012	4	23/08/2016
YC50671	Max	36	23/08/2006	23/08/2012	4	23/08/2016
YC50672	Max	37	23/08/2006	23/08/2012	4	23/08/2016
YC50673	Max	38	23/08/2006	23/08/2012	4	23/08/2016
YC50674	Max	39	23/08/2006	23/08/2012	4	23/08/2016
YC50675	Max	40	23/08/2006	23/08/2012	4	23/08/2016
YC50676	Max	41	23/08/2006	23/08/2012	4	23/08/2016
YC50677	Max	42	23/08/2006	23/08/2012	4	23/08/2016
YC50678	Max	43	23/08/2006	23/08/2012	4	23/08/2016
YC50679	Max	44	23/08/2006	23/08/2012	4	23/08/2016
YC50680	Max	45	23/08/2006	23/08/2012	4	23/08/2016
YC50681	Max	46	23/08/2006	23/08/2012	4	23/08/2016
YC50682	Max	47	23/08/2006	23/08/2012	4	23/08/2016
YC50683	Max	48	23/08/2006	23/08/2012	4	23/08/2016
YC50684	Max	49	23/08/2006	23/08/2012	4	23/08/2016
YC50685	Max	50	23/08/2006	23/08/2012	4	23/08/2016
YC50686	Max	51	23/08/2006	23/08/2012	4	23/08/2016
YC50687	Max	52	23/08/2006	23/08/2012	4	23/08/2016

Grant #	Claim Name	Claim #	OpRecDate	ExpiryDate	Renewal	New Expiry Date
YC50688	Max	53	23/08/2006	23/08/2012	4	23/08/2016
YC50689	Max	54	23/08/2006	23/08/2012	4	23/08/2016
YC50690	Max	55	23/08/2006	23/08/2012	4	23/08/2016
YC50691	Max	56	23/08/2006	23/08/2012	4	23/08/2016
YC50692	Max	57	23/08/2006	23/08/2012	4	23/08/2016
YC50693	Max	58	23/08/2006	23/08/2012	4	23/08/2016
YC50694	Max	59	23/08/2006	23/08/2012	4	23/08/2016
YC50695	Max	60	23/08/2006	23/08/2012	4	23/08/2016
YC50696	Max	61	23/08/2006	23/08/2012	4	23/08/2016
YC50697	Max	62	23/08/2006	23/08/2012	4	23/08/2016
YC50698	Max	63	23/08/2006	23/08/2012	4	23/08/2016
YC50699	Max	64	23/08/2006	23/08/2012	4	23/08/2016
YC50700	Max	66	23/08/2006	23/08/2012	4	23/08/2016
YC50701	Max	67	23/08/2006	23/08/2012	4	23/08/2016
YC50702	Max	68	23/08/2006	23/08/2012	4	23/08/2016
YC50703	Max	69	23/08/2006	23/08/2012	4	23/08/2016
YC50704	Max	70	23/08/2006	23/08/2012	4	23/08/2016
YC50705	Max	71	23/08/2006	23/08/2012	4	23/08/2016
YC50706	Max	72	23/08/2006	23/08/2012	4	23/08/2016
YC50707	Max	73	23/08/2006	23/08/2012	4	23/08/2016
YC50708	Max	74	23/08/2006	23/08/2012	4	23/08/2016
YC50709	Max	75	23/08/2006	23/08/2012	4	23/08/2016
YC50710	Max	76	23/08/2006	23/08/2012	4	23/08/2016
YC50711	Max	77	23/08/2006	23/08/2012	4	23/08/2016
YC50712	Max	78	23/08/2006	23/08/2012	4	23/08/2016
YC50713	Max	79	23/08/2006	23/08/2012	4	23/08/2016
YC50714	Max	80	23/08/2006	23/08/2012	4	23/08/2016
YC50715	Max	81	23/08/2006	23/08/2012	4	23/08/2016
YC50716	Max	82	23/08/2006	23/08/2012	4	23/08/2016
YC50717	Max	83	23/08/2006	23/08/2012	4	23/08/2016
YC50718	Max	84	23/08/2006	23/08/2012	4	23/08/2016
YC50719	Max	85	23/08/2006	23/08/2012	4	23/08/2016
YC50720	Max	86	23/08/2006	23/08/2012	4	23/08/2016
YC50721	Max	87	23/08/2006	23/08/2012	4	23/08/2016
YC50722	Max	88	23/08/2006	23/08/2012	4	23/08/2016
YC50723	Max	89	23/08/2006	23/08/2012	4	23/08/2016
YC50724	Max	90	23/08/2006	23/08/2012	4	23/08/2016
YC50725	Max	91	23/08/2006	23/08/2012	4	23/08/2016
YC50726	Max	92	23/08/2006	23/08/2012	4	23/08/2016
YC50727	Max	93	23/08/2006	23/08/2012	4	23/08/2016
YC50728	Max	94	23/08/2006	23/08/2012	4	23/08/2016
YC50729	Max	95	23/08/2006	23/08/2012	4	23/08/2016
YC50730	Max	96	23/08/2006	23/08/2012	4	23/08/2016
YC50731	Max	97	23/08/2006	23/08/2012	4	23/08/2016
YC50732	Max	98	23/08/2006	23/08/2012	4	23/08/2016
YC50733	Max	99	23/08/2006	23/08/2012	4	23/08/2016
YC50734	Max	100	23/08/2006	23/08/2012	4	23/08/2016
YC50735	Max	101	23/08/2006	23/08/2012	4	23/08/2016
YC50736	Max	102	23/08/2006	23/08/2012	4	23/08/2016
YC50737	Max	103	23/08/2006	23/08/2012	4	23/08/2016
YC50738	Max	104	23/08/2006	23/08/2012	4	23/08/2016

Grant #	Claim Name	Claim #	OpRecDate	ExpiryDate	Renewal	New Expiry Date
YC50739	Max	105	23/08/2006	23/08/2012	4	23/08/2016
YC50740	Max	106	23/08/2006	23/08/2012	4	23/08/2016
YC50741	Max	107	23/08/2006	23/08/2012	4	23/08/2016
YC50742	Max	108	23/08/2006	23/08/2012	4	23/08/2016
YC50743	Max	109	23/08/2006	23/08/2012	4	23/08/2016
YC50744	Max	110	23/08/2006	23/08/2012	4	23/08/2016
YC50745	Max	111	23/08/2006	23/08/2012	4	23/08/2016
YC50746	Max	112	23/08/2006	23/08/2012	4	23/08/2016
YC50747	Max	113	23/08/2006	23/08/2012	4	23/08/2016
YC50748	Max	114	23/08/2006	23/08/2012	4	23/08/2016
YC50749	Max	115	23/08/2006	23/08/2012	4	23/08/2016
YC50750	Max	116	23/08/2006	23/08/2012	4	23/08/2016
YC50751	Max	117	23/08/2006	23/08/2012	4	23/08/2016
YC50752	Max	118	23/08/2006	23/08/2012	4	23/08/2016
YC50753	Max	119	23/08/2006	23/08/2012	4	23/08/2016
YC50754	Max	120	23/08/2006	23/08/2012	4	23/08/2016
YC50755	Max	121	23/08/2006	23/08/2012	4	23/08/2016
YC50756	Max	122	23/08/2006	23/08/2012	4	23/08/2016
YC50757	Max	123	23/08/2006	23/08/2012	4	23/08/2016
YC50758	Max	124	23/08/2006	23/08/2012	4	23/08/2016
YC50759	Max	125	23/08/2006	23/08/2012	4	23/08/2016
YC50760	Max	126	23/08/2006	23/08/2012	4	23/08/2016
YC50761	Max	127	23/08/2006	23/08/2012	4	23/08/2016
YC50762	Max	128	23/08/2006	23/08/2012	4	23/08/2016
YC50763	Max	129	23/08/2006	23/08/2012	4	23/08/2016
YC50764	Max	130	23/08/2006	23/08/2012	4	23/08/2016
YC50765	Max	131	23/08/2006	23/08/2012	4	23/08/2016
YC50766	Max	132	23/08/2006	23/08/2012	4	23/08/2016
YC50767	Max	133	23/08/2006	23/08/2012	4	23/08/2016
YC50768	Max	134	23/08/2006	23/08/2012	4	23/08/2016
YC50769	Max	135	23/08/2006	23/08/2012	4	23/08/2016
YC50770	Max	136	23/08/2006	23/08/2012	4	23/08/2016
YC50771	Max	137	23/08/2006	23/08/2012	4	23/08/2016
YC50772	Max	138	23/08/2006	23/08/2012	4	23/08/2016
YC50773	Max	139	23/08/2006	23/08/2012	4	23/08/2016
YC50774	Max	140	23/08/2006	23/08/2012	4	23/08/2016
YC50775	Max	141	23/08/2006	23/08/2012	4	23/08/2016
YC50776	Max	142	23/08/2006	23/08/2012	4	23/08/2016
YC50777	Max	143	23/08/2006	23/08/2012	4	23/08/2016
YC50778	Max	144	23/08/2006	23/08/2012	4	23/08/2016
YC50779	Max	145	23/08/2006	23/08/2012	4	23/08/2016
YC50780	Max	146	23/08/2006	23/08/2012	4	23/08/2016
YC50781	Max	147	23/08/2006	23/08/2012	4	23/08/2016
YC50782	Max	148	23/08/2006	23/08/2012	4	23/08/2016
YC50783	Max	149	23/08/2006	23/08/2012	4	23/08/2016
YC50784	Max	150	23/08/2006	23/08/2012	4	23/08/2016
YC50785	Max	151	23/08/2006	23/08/2012	4	23/08/2016
YC50786	Max	152	23/08/2006	23/08/2012	4	23/08/2016
YC50787	Max	153	23/08/2006	23/08/2012	4	23/08/2016
YC54978	Max	154	08/12/2006	08/12/2007	5	08/12/2012
YC54979	Max	155	08/12/2006	08/12/2007	5	08/12/2012

Grant #	Claim Name	Claim #	OpRecDate	ExpiryDate	Renewal	New Expiry Date
YC54980	Max	156	08/12/2006	08/12/2007	5	08/12/2012
YC54981	Max	157	08/12/2006	08/12/2007	5	08/12/2012
YC54982	Max	158	08/12/2006	08/12/2007	5	08/12/2012
YC54983	Max	159	08/12/2006	08/12/2007	5	08/12/2012
YC54984	Max	160	08/12/2006	08/12/2007	5	08/12/2012
YC54985	Max	161	08/12/2006	08/12/2007	5	08/12/2012
					1048	

APPENDIX III – DDH Logs

3.1 – DDH Logs

3.2 – Strip Logs

3.1 – DDH Logs

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07111	313.7	40	-50	97.62	Central Zone	516738.2	7141806.8	1736.8	15/06/2007	Mike Moroskat

Host Rock Summary

Top of the hole, to 39.8m contains red interlayers with grey dolomitic siltstone, well layered. The rest of the hole is made of grey dolomitic siltstone, all of the Upper Gillespie Lake Group. Primary structures range from bedded to laminated with short (<20 cm) stromatolitic and oolitic horizons. Soft sediment deformation features are readily seen throughout the hole and cleavage is, locally, seen cross-cutting the bedding fabric. A few local broken sections are present, one with possible slickensides, possibly indicating faulting of the host. There is very little alteration of the host rock, but short (<50 cm) oxidized zones are found, likely from weathering of pyrite.

Mineralization Summary

Five meters of significant mineralization intersected at 202 m. Sphalerite galena is found hosted in breccia matrix as well as within coarse, euhedral dolomite/quartz veins. Galena is more abundant in the breccia hosted mineralization, whereas sphalerite is present in greater amount within the coarse vein hosted mineralization. Veining is common throughout the hole, with most of the veins unmineralized with respect to sphalerite and galena.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	3.05	OBN	Overburden				No Recovery
3.05	12.9	G2	Dolomitic Siltstone		grey	bedded	Sections of green alt? Some soft sediment deformation, but rock generally has planar laminations.
12.9	24.3	G2	Dolomitic Siltstone		grey	bedded	Same as previous with red layers inter bedded with grey dol Siltstone; Some soft sed deformation of fine laminations; Local cleavage development.
24.3	39.8	G2	Dolomitic Siltstone		grey	bedded	Local red zones throughout; Local pyrite nodules (oxidized); Soft sediment def and local cleavage development; Broken ground @ 37-39 m (fault?).
39.8	78.5	G2	Dolomitic Siltstone		grey	bedded	Changes between bedded and laminated throughout interval; no colour contrast between layers.
78.5	81.2	G2	Dolomitic Siltstone		grey	soft sediment deformation	Abundant soft sed deformation with short laminated section within.
81.2	109	G2	Dolomitic Siltstone		grey	banded	Unaltered and generally unveined but few unmineralized dolomite vein's present.
109	112	G2	Dolomitic Siltstone		grey	stromatolitic	10 cm breccia at base of interval with sphalerite(?).
112	145.2	G2	Dolomitic Siltstone		grey	bedded	Texture changes between bedded and laminated. Small (20 cm) oxidized zones w/in interval.
145.2	313.7	G2	Dolomitic Siltstone		grey	bedded	Alternating bedded and laminated w/ soft sed def found locally.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
183.2	183.5	VEINED	sphalerite	40	galena	40	pyrite	10	Hosted in one course dolomite vein. Vein is x-cutting a thin oolitic layer.
201.9	206.1	BRECCIATED	galena	75	sphalerite	20	pyrite	5	Mineralization hosted in breccia matrix.
207.1	212.3	VEINED	galena	50	sphalerite	45	pyrite	5	
232.5	233.9	VEINED	sphalerite	48	galena	48	pyrite	4	Mineralization only in the veins, not outside veins in the host dolomitic siltstone.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
61.6	62.1	Float Breccia	Rubble	SUBANGULAR		Mixed	Dolomite	Quartz	Pyrite within matrix. BX matrix oxidized without oxidation of host rock clasts.
73	73.3	Pack Breccia	Rubble	SUBROUNDED		Particulate	Dolomite	Quartz	Clasts of host and vein material present. Minor oxidation. Unmineralized.
127.3	128.7	Pack Breccia	Dissolution	SUBANGULAR					Bottom of interval is heavily oxidized, but oxidized rims found throughout breccia.
201.9	206.2	Pack Breccia	Dissolution	SUBANGULAR		Mixed	Dolomite	Quartz	Dolomite/quartz veins within interval. Mineralized throughout.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
134	134.6	2	6.6667		White	MASSIVE	Dolomite	Quartz	Some brecciation texture within the veins. At least 2 vein sets present, Early unmineralized x-cut by pyrite-mineralized coarser veins with slight oxidation.
207	212.3		3.7736		White	MULTISTAGE	Dolomite	Quartz	mineralized veins with earlier unmineralized quartz/dolomite veins.
232.5	233.9	1.5	5.7143		White	BRECCIATED	Dolomite	Quartz	Texture brecciated to crystalline. Quartz and dolomite in center of vein with galena and sphalerite at outer edge.

Vein - Point

Depth (m)	Width (cm)	Angle (to CA)	Colour	Primary Texture	Mineralogy 1	Mineralogy 2	Alteration 1	Note:
10.67	1	55	white	MASSIVE	Dolomite			
11.64	1	56	white	MASSIVE	Dolomite		TOURMALINE	
42.06	3.5	45	white	MASSIVE	Dolomite			
43.84	3	32	white	MASSIVE	Dolomite			
56.5	1	35	white	MASSIVE	Dolomite			mm scale veins cross cutting primary vein.
57.42	2	55	white	MASSIVE	Dolomite			
66	1	32	white	MASSIVE	Dolomite			
67.72	0.3	15	white	MASSIVE	Dolomite			
73.18	1.5	56	white	MASSIVE	Dolomite			
77.17	2	70	pinkish	MASSIVE	Dolomite	Quartz		Vein cross cuts primary fabric. Vein cross cut by more quartz rich mm scale veins.
84.56	1	40	white	MASSIVE	Dolomite			
85.26	1	45	white	MASSIVE	Dolomite			multiple mm scale veins present. may be same generation as dominant vein.
85.3	1.5	90	brownish	MASSIVE	Pyrite			No tourmaline.
88	2	0	greyish	MASSIVE	Dolomite	Quartz		
95.75	2	47	white	MASSIVE	Dolomite			both contacts of dolomite vein in contact with mm scale weathered pyrite layers.
102.28	2	45	white	MASSIVE	Dolomite	Quartz		
104.9	0.7	40	white	MASSIVE	Dolomite			
108	1	15	white	MASSIVE	Dolomite			
128.2	3	60	brownish	MASSIVE	Dolomite			Surrounded by alteration area.
140.6	0.5	25	black	SHEETED				Carbonaceous layer surrounded by brecciated dolostone.
143.6	0.2	30	brownish	MASSIVE	Calcite			
145.9	2	80	white	MASSIVE	Dolomite			
146.2	2	56	white	MASSIVE	Dolomite			
146.3	1	50	white	MASSIVE	Dolomite			
148.1	1.5	23	white	MASSIVE	Dolomite			
154.7	1.5	25	white	MASSIVE	Dolomite			
158.45	0.5	8	white	MASSIVE	Dolomite			Vein cross cuts contact of 65 cm. thick dark grey carbonaceous laminated bedding and light grey dolostone.
165.9	2	45	white	MASSIVE	Dolomite			
171.1	1.5	35	white	MASSIVE	Dolomite	Calcite		Areas of oxidization.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
172.4	4	32	brownish	MASSIVE	Dolomite			Some alteration at vein contacts. Oxidization present.
183.1	1.5	30	white	MASSIVE	Dolomite			
191.85	1	43	brownish	MASSIVE	Calcite	Dolomite		
192.25	1	32	brownish	MASSIVE	Dolomite	Calcite		
205.8	0.5	56	white	MASSIVE	Dolomite			Dolomite vein contact with host rock consists of band of galena followed by band of pyrite.
206.25	0.75	45	brownish	MASSIVE	Dolomite	Calcite		
208	2	0	white	MASSIVE	Dolomite	Calcite		
210.8	1.5	40	white	MASSIVE	Dolomite			
270.5	0.5	26	white	MASSIVE	Dolomite			

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
7.44	7.44	bedding	32	
9.34	9.34	cleavage	30	
14.7	14.7	bedding	30	
16.89	16.89	bedding	32	
21.18	21.18	bedding	30	
25.04	25.04	cleavage	55	
28.13	28.13	bedding	29	
32.87	32.87	bedding	30	
35.21	35.21	bedding	35	
68	68	bedding	30	
77.92	77.92	bedding	35	
98.13	98.13	bedding	36	
102.2	102.2	bedding	25	2 cm depth of dark grey bedding. Darker than surrounding fabric which does not display bedding.
113.9	113.9	bedding	26	
115.4	115.4	bedding	20	
119.2	119.2	bedding	30	
123.4	123.4	bedding	30	
127.1	127.1	bedding	33	
150.95	150.95	bedding	15	Dark laminated carbonaceous bedding.
151.8	151.8	bedding	18	Dark wavy laminated carbonaceous bedding.
160.5	160.5	bedding	36	
176.45	176.45	bedding	45	
180.6	180.6	bedding	40	
183.3	183.3	bedding	23	
193.5	193.5	bedding	17	Wavy.
220.2	220.2	bedding	32	

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
228.1	228.1	bedding	36	
243.4	243.4	bedding	20	
278.05	278.05	bedding	32	
295.15	295.15	bedding	30	
303.45	303.45	bedding	30	
306	306	bedding	30	

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
128.1	128.4	CLAY		NONE		NONE		Predominately calcite alteration.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-001	3.05	3.8	0.75	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.88	0.01
BE07111-002	3.8	4.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.74	0.01
BE07111-003	4.8	6.8	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.93	0.00
BE07111-004	6.8	7.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.14	0.01
BE07111-005	7.8	8.8	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	1.72	0.03
BE07111-006	8.8	9.8	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	0.00	1.91	0.04
BE07111-007	9.8	10.9	1.10	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.15	0.02
BE07111-008	10.9	11.8	0.90	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.38	0.02
BE07111-009	11.8	12.8	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.53	0.04
BE07111-010	12.8	13.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.99	0.01
BE07111-011	13.8	14.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.97	0.01
BE07111-012	14.8	15.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.6	0.01
BE07111-013	15.8	16.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.9	0.01
BE07111-014	16.8	17.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.53	0.00
BE07111-015	17.8	18.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.75	0.01
BE07111-016	18.8	19.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.06	0.00
BE07111-017	19.8	20.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.11	0.00
BE07111-018	20.8	21.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.26	0.01
BE07111-019	21.8	22.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.97	0.01
BE07111-020	22.8	23.8	1.00	2.65	1.67	4.32	2.65	1.67	4.32	0.00	0	0	17.10	1.79	2.92
BE07111-021	23.8	24.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.64	0.01
BE07111-022	24.8	25.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.73	0.01
BE07111-023	25.8	26.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.05	0.01
BE07111-024	26.8	27.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.13	0.01
BE07111-025	27.8	28.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.43	0.01
BE07111-026	28.8	29.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.58	0.01
BE07111-027	29.8	30.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.57	0.01
BE07111-028	30.8	31.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.95	0.01
BE07111-029	31.8	32.8	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.25	0.02
BE07111-030	32.8	33.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.78	0.01
BE07111-031	33.8	34.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.30	5.34	0.01
BE07111-032	34.8	35.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	2.02	0.01
BE07111-033	35.8	36.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.77	0.00
BE07111-034	36.8	37.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.53	0.00
BE07111-035	37.8	38.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.4	0.01
BE07111-036	38.8	39.8	1.00	0.00	0.11	0.11	0.00	0.11	0.11	0.00	0	0	0.00	1.32	0.11
BE07111-037	39.8	40.8	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.18	0.02
BE07111-038	40.8	41.8	1.00	0.00	0.13	0.13	0.00	0.13	0.13	0.00	0	0	0.00	1.35	0.13
BE07111-039	41.8	42.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.49	0.01
BE07111-040	42.8	43.8	1.00	1.93	2.48	4.41	1.93	2.48	4.41	0.00	0	0	118.00	1.16	4.61
BE07111-041	43.8	44.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.55	0.00
BE07111-042	44.8	45.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.24	0.01
BE07111-043	45.8	46.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.53	0.01
BE07111-044	46.8	47.8	1.00	0.08	0.56	0.64	0.08	0.56	0.64	0.00	0	0	3.40	5.03	0.63

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-045	47.8	48.8	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.30	2.95	0.03
BE07111-046	48.8	49.8	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.45	0.01
BE07111-047	49.8	50.8	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	2.29	0.02
BE07111-048	50.8	51.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.31	0.01
BE07111-049	51.8	52.8	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.66	0.02
BE07111-050	52.8	53.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.3	0.01
BE07111-051	53.8	54.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.08	0.00
BE07111-052	54.8	56.8	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.17	0.00
BE07111-053	56.8	57.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.44	0.01
BE07111-054	57.8	58.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.39	0.01
BE07111-055	58.8	59.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.19	0.01
BE07111-056	59.8	60.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.35	0.01
BE07111-057	60.8	61.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.11	0.01
BE07111-058	61.8	62.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	2.23	0.01
BE07111-059	62.8	63.8	1.00							0.00	0	0			
BE07111-060	63.8	64.8	1.00	1.90	2.42	4.32	1.90	2.42	4.32	0.00	0	0	122.00	1.14	4.58
BE07111-061	64.8	65.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.31	0.00
BE07111-062	65.8	66.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.98	0.00
BE07111-063	66.8	67.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.97	0.00
BE07111-064	67.8	68.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.91	0.00
BE07111-065	68.8	69.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.99	0.00
BE07111-066	69.8	70.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.1	0.00
BE07111-067	70.8	71.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.03	0.00
BE07111-068	71.8	72.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.07	0.00
BE07111-069	72.8	73.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.65	0.00
BE07111-070	73.8	74.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.41	0.00
BE07111-071	74.8	75.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.01	0.00
BE07111-072	75.8	76.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.06	0.00
BE07111-073	76.8	77.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.61	0.01
BE07111-074	77.8	78.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.3	0.01
BE07111-075	78.8	79.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.28	0.00
BE07111-076	79.8	80.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.06	0.00
BE07111-077	80.8	81.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.01	0.00
BE07111-078	81.8	82.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.1	0.00
BE07111-079	82.8	83.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.1	0.00
BE07111-080	83.8	84.8	1.00	1.97	2.42	4.39	1.97	2.42	4.39	0.00	0	0	123.00	1.05	4.62
BE07111-081	84.8	85.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.73	0.00
BE07111-082	85.8	86.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.01	0.00
BE07111-083	86.8	87.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.1	0.00
BE07111-084	87.8	88.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.3	0.00
BE07111-085	88.8	89.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.11	0.00
BE07111-086	89.8	90.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.27	0.00
BE07111-087	90.8	91.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.2	0.00
BE07111-088	91.8	92.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.93	0.00

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-089	92.8	93.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.95	0.00
BE07111-090	93.8	94.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.93	0.00
BE07111-091	94.8	95.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.95	0.00
BE07111-092	95.8	96.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.87	0.00
BE07111-093	96.8	97.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.12	0.00
BE07111-094	97.8	98.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.14	0.00
BE07111-095	98.8	99.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.03	0.00
BE07111-096	99.8	100.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.19	0.00
BE07111-097	100.8	101.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.43	0.00
BE07111-098	101.8	102.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.31	0.00
BE07111-099	102.8	103.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.04	0.00
BE07111-100	103.8	104.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.03	0.00
BE07111-101	104.8	105.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.03	0.00
BE07111-102	105.8	106.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.06	0.00
BE07111-103	106.8	107.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.1	0.00
BE07111-104	107.8	108.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.01	0.00
BE07111-105	108.8	109.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	0.89	0.00
BE07111-106	109.8	110.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	0.85	0.00
BE07111-107	110.8	111.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	0.96	0.01
BE07111-108	111.8	112.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.89	0.00
BE07111-109	112.8	113.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	0.92	0.00
BE07111-110	113.8	114.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.03	0.01
BE07111-111	114.8	115.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.25	0.01
BE07111-112	115.8	116.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.14	0.01
BE07111-113	116.8	117.8	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.75	0.02
BE07111-114	117.8	118.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.15	0.01
BE07111-115	118.8	119.8	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.09	0.00
BE07111-116	119.8	120.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.17	0.01
BE07111-117	120.8	121.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.15	0.01
BE07111-118	121.8	122.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.36	0.01
BE07111-119	122.8	123.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.33	0.01
BE07111-120	123.8	124.8	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.7	0.02
BE07111-121	124.8	125.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.23	0.01
BE07111-122	125.8	126.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.45	0.01
BE07111-123	126.8	127.8	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.35	0.01
BE07111-124	127.8	128.8	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	2.21	0.02
BE07111-125	128.8	129.5	0.70	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.69	0.00
BE07111-126	129.5	130.8	1.30	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.15	0.00
BE07111-127	130.8	131.8	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	1.34	0.01
BE07111-128	131.8	132.8	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.00	1.4	0.01
BE07111-129	132.8	133.9	1.10	0.02	0.01	0.03	0.02	0.01	0.03	0.00	0	0	0.30	1.68	0.02
BE07111-130	133.9	134.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	0.97	0.01
BE07111-131	134.9	135.9	1.00	0.01	0.08	0.09	0.01	0.08	0.09	0.00	0	0	0.00	1.46	0.09
BE07111-132	135.9	136.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.03	0.01

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-133	136.9	137.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30	1.22	0.03
BE07111-134	137.9	138.9	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.00	1.11	0.02
BE07111-135	138.9	139.9	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.30	1.23	0.02
BE07111-136	139.9	140.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.5	0.02
BE07111-150	140.9	141.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.39	0.01
BE07111-137	141.9	142.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.89	0.01
BE07111-138	142.9	143.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.06	0.01
BE07111-139	143.9	144.9	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	2.79	0.01
BE07111-140	144.9	145.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	1.76	0.02
BE07111-141	145.9	146.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.31	0.01
BE07111-142	146.9	147.9	1.00	0.02	0.01	0.02	0.02	0.01	0.02	0.00	0	0	0.40	2.04	0.02
BE07111-143	147.9	148.9	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.20	1.52	0.04
BE07111-144	148.9	149.9	1.00	0.02	0.03	0.05	0.02	0.03	0.05	0.00	0	0	0.70	2.4	0.04
BE07111-145	149.9	150.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.2	0.01
BE07111-146	150.9	151.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.26	0.01
BE07111-147	151.9	152.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20	1.32	0.01
BE07111-148	152.9	153.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.1	0.00
BE07111-149	153.9	154.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.5	0.02
BE07111-151	154.9	155.9	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.00	1.61	0.03
BE07111-152	155.9	156.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.26	0.01
BE07111-153	156.9	157.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.31	0.01
BE07111-154	157.9	158.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.03	0.01
BE07111-155	158.9	159.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.92	0.01
BE07111-156	159.9	160.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30	1.46	0.03
BE07111-157	160.9	161.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.52	0.02
BE07111-158	161.9	162.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.74	0.01
BE07111-159	162.9	163.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.89	0.01
BE07111-160	163.9	164.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.89	0.01
BE07111-161	164.9	165.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.53	0.01
BE07111-162	165.9	166.9	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.86	0.03
BE07111-163	166.9	167.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.81	0.01
BE07111-164	167.9	168.9	1.00	0.01	0.05	0.05	0.01	0.05	0.05	0.00	0	0	0.30	1.91	0.05
BE07111-165	168.9	169.9	1.00	0.01	0.20	0.21	0.01	0.20	0.21	0.00	0	0	0.30	1.27	0.21
BE07111-166	169.9	170.9	1.00	0.00	0.25	0.25	0.00	0.25	0.25	0.00	0	0	0.20	1.19	0.25
BE07111-167	170.9	171.9	1.00	0.03	0.37	0.39	0.03	0.37	0.39	0.00	0	0	0.60	1.38	0.38
BE07111-168	171.9	172.9	1.00	0.16	0.17	0.33	0.16	0.17	0.33	0.00	0	0	1.60	1.22	0.25
BE07111-169	172.9	173.9	1.00	1.36	0.94	2.30	0.75	0.55	1.30	0.61	0.39	1	10.70	1.82	1.61
BE07111-170	173.9	174.9	1.00	0.08	0.04	0.12	0.08	0.04	0.12	0.00	0	0	1.10	1.36	0.08
BE07111-171	174.9	175.9	1.00	0.07	0.01	0.08	0.07	0.01	0.08	0.00	0	0	1.10	1.06	0.05
BE07111-172	175.9	176.9	1.00	0.05	0.04	0.09	0.05	0.04	0.09	0.00	0	0	0.90	1.06	0.07
BE07111-173	176.9	177.9	1.00	0.02	0.01	0.03	0.02	0.01	0.03	0.00	0	0	0.30	1.05	0.02
BE07111-174	177.9	178.9	1.00	0.04	0.04	0.08	0.04	0.04	0.08	0.00	0	0	1.80	1.15	0.08
BE07111-175	178.9	179.65	0.75	0.04	0.02	0.06	0.04	0.02	0.06	0.00	0	0	0.60	0.96	0.04
BE07111-176	179.65	180.9	1.25	0.13	0.21	0.35	0.13	0.21	0.35	0.00	0	0	1.70	1.03	0.28

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-177	180.9	181.9	1.00	0.08	0.17	0.25	0.08	0.17	0.25	0.00	0	0	0.90	0.9	0.22
BE07111-178	181.9	182.9	1.00	0.02	0.02	0.05	0.02	0.02	0.05	0.00	0	0	0.30	0.9	0.04
BE07111-179	182.9	183.9	1.00	0.16	0.37	0.52	0.16	0.37	0.52	0.00	0	0	2.10	0.94	0.45
BE07111-180	183.9	184.9	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.00	1	0.03
BE07111-181	184.9	185.9	1.00	0.01	0.20	0.20	0.01	0.20	0.20	0.00	0	0	0.00	0.97	0.20
BE07111-182	185.9	186.9	1.00	0.04	0.05	0.08	0.04	0.05	0.08	0.00	0	0	0.40	1.09	0.07
BE07111-183	186.9	187.9	1.00	0.03	0.07	0.10	0.03	0.07	0.10	0.00	0	0	0.30	1.02	0.09
BE07111-184	187.9	188.9	1.00	0.11	0.21	0.32	0.11	0.21	0.32	0.00	0	0	1.20	1.7	0.27
BE07111-185	188.9	189.9	1.00	0.09	1.05	1.14	0.04	0.82	0.86	0.05	0.23	0.28	1.00	2.4	1.10
BE07111-186	189.9	190.9	1.00	0.02	0.07	0.09	0.02	0.07	0.09	0.00	0	0	0.20	1.3	0.08
BE07111-187	190.9	191.9	1.00	0.02	0.01	0.03	0.02	0.01	0.03	0.00	0	0	0.40	1.07	0.02
BE07111-188	191.9	192.9	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.20	1.31	0.01
BE07111-189	192.9	193.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	1.27	0.03
BE07111-190	193.9	194.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.27	0.01
BE07111-191	194.9	195.9	1.00	0.01	0.01	0.03	0.01	0.01	0.03	0.00	0	0	0.40	1.2	0.02
BE07111-192	195.9	196.9	1.00	0.02	0.03	0.05	0.02	0.03	0.05	0.00	0	0	0.30	1.09	0.04
BE07111-193	196.9	197.9	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.50	1.25	0.03
BE07111-194	197.9	198.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	1.09	0.01
BE07111-195	198.9	199.9	1.00	0.02	0.02	0.04	0.02	0.02	0.04	0.00	0	0	0.50	1.36	0.03
BE07111-196	199.9	200.9	1.00	0.04	0.02	0.06	0.04	0.02	0.06	0.00	0	0	0.60	1.11	0.04
BE07111-197	200.9	201.9	1.00	0.09	0.02	0.11	0.09	0.02	0.11	0.00	0	0	1.20	1.35	0.07
BE07111-198	201.9	202.9	1.00	2.26	2.18	4.44	0.26	0.88	1.14	2.00	1.3	3.3	17.70	1.88	3.29
BE07111-199	202.9	203.9	1.00	3.66	1.88	5.54	0.86	0.58	1.44	2.80	1.3	4.1	20.60	2.36	3.58
BE07111-200	203.9	204.9	1.00	6.90	2.50	9.40	2.90	1.70	4.60	4.00	0.8	4.8	39.10	2.04	5.71
BE07111-201	204.9	205.9	1.00	1.25	1.17	2.42	0.40	0.65	1.05	0.85	0.52	1.37	8.10	1.22	1.76
BE07111-202	205.9	206.9	1.00	0.38	0.45	0.83	0.38	0.45	0.83	0.00	0	0	2.90	1.15	0.63
BE07111-203	206.9	207.9	1.00	0.17	0.20	0.37	0.17	0.20	0.37	0.00	0	0	1.50	0.96	0.28
BE07111-204	207.9	208.9	1.00	0.26	0.31	0.57	0.26	0.31	0.57	0.00	0	0	2.20	1.08	0.44
BE07111-205	208.9	209.9	1.00	1.40	2.30	3.70	0.70	1.96	2.66	0.70	0.34	1.04	9.30	1.21	2.97
BE07111-206	209.9	210.9	1.00	0.40	0.50	0.90	0.40	0.50	0.90	0.00	0	0	3.30	1.02	0.70
BE07111-207	210.9	211.9	1.00	0.30	0.53	0.83	0.30	0.53	0.83	0.00	0	0	2.90	0.96	0.68
BE07111-208	211.9	212.9	1.00	0.23	0.42	0.65	0.23	0.42	0.65	0.00	0	0	2.20	0.99	0.54
BE07111-209	212.9	213.9	1.00	0.12	0.08	0.20	0.12	0.08	0.20	0.00	0	0	1.40	1.14	0.14
BE07111-210	213.9	214.9	1.00	0.20	0.03	0.22	0.20	0.03	0.22	0.00	0	0	2.20	1.12	0.13
BE07111-211	214.9	215.9	1.00	0.05	0.03	0.08	0.05	0.03	0.08	0.00	0	0	0.90	1.56	0.06
BE07111-212	215.9	216.9	1.00	0.03	0.03	0.06	0.03	0.03	0.06	0.00	0	0	0.40	1.43	0.05
BE07111-213	216.9	217.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30	1.43	0.03
BE07111-214	217.9	218.9	1.00	0.02	0.03	0.06	0.02	0.03	0.06	0.00	0	0	0.50	1.51	0.05
BE07111-215	218.9	219.9	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.20	1.3	0.02
BE07111-216	219.9	220.9	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.60	1.33	0.05
BE07111-217	220.9	221.9	1.00	0.01	0.06	0.07	0.01	0.06	0.07	0.00	0	0	0.30	1.38	0.06
BE07111-218	221.9	222.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.23	0.02
BE07111-219	222.9	223.9	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.20	1.52	0.03
BE07111-220	223.9	224.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.49	0.02

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-221	224.9	225.9	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.64	0.01
BE07111-222	225.9	226.9	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.30	1.35	0.02
BE07111-223	226.9	227.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.3	0.01
BE07111-224	227.9	228.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.68	0.01
BE07111-225	228.9	229.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.68	0.01
BE07111-226	229.9	230.9	1.00	0.01	0.33	0.34	0.01	0.33	0.34	0.00	0	0	0.60	3.13	0.34
BE07111-227	230.9	231.9	1.00	0.00	0.06	0.07	0.00	0.06	0.07	0.00	0	0	0.20	1.86	0.07
BE07111-228	231.9	232.9	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.60	1.27	0.08
BE07111-229	232.9	233.9	1.00	0.58	0.83	1.41	0.58	0.83	1.41	0.00	0	0	3.20	1.12	1.10
BE07111-230	233.9	234.9	1.00	0.14	0.33	0.48	0.14	0.33	0.48	0.00	0	0	1.70	1.03	0.41
BE07111-231	234.9	235.9	1.00	0.03	0.08	0.10	0.03	0.08	0.10	0.00	0	0	0.50	0.83	0.09
BE07111-232	235.9	236.9	1.00	0.02	0.10	0.12	0.02	0.10	0.12	0.00	0	0	0.50	0.87	0.11
BE07111-233	236.9	237.9	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.80	1	0.07
BE07111-234	237.9	238.9	1.00	0.00	0.17	0.18	0.00	0.17	0.18	0.00	0	0	0.00	0.85	0.17
BE07111-235	238.9	239.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	0.92	0.01
BE07111-236	239.9	240.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.15	0.01
BE07111-237	240.9	241.9	1.00	0.01	0.40	0.40	0.01	0.40	0.40	0.00	0	0	0.30	1.13	0.40
BE07111-238	241.9	242.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	0.92	0.02
BE07111-239	242.9	243.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.08	0.02
BE07111-240	243.9	244.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.03	0.00
BE07111-241	244.9	245.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.02	0.00
BE07111-242	245.9	246.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.27	0.00
BE07111-243	246.9	247.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.36	0.01
BE07111-244	247.9	248.9	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.65	0.01
BE07111-245	248.9	249.9	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.43	0.04
BE07111-309	249.9	250.9	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	0.50	0.97	0.06
BE07111-246	250.9	251.9	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.30	0.96	0.05
BE07111-247	251.9	252.9	1.00	0.00	0.16	0.16	0.00	0.16	0.16	0.00	0	0	0.20	0.95	0.16
BE07111-248	252.9	253.9	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	0.00	0.94	0.08
BE07111-249	253.9	254.9	1.00	0.01	1.06	1.07	0.01	0.65	0.66	0.00	0.41	0.41	0.30	1.17	1.07
BE07111-250	254.9	255.9	1.00	0.01	0.05	0.05	0.01	0.05	0.05	0.00	0	0	0.00	0.98	0.05
BE07111-251	255.9	256.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	0.98	0.02
BE07111-252	256.9	257.9	1.00	0.01	0.13	0.13	0.01	0.13	0.13	0.00	0	0	0.00	1.09	0.13
BE07111-253	257.9	258.8	0.90	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.00	0.88	0.03
BE07111-254	258.8	259.9	1.10	0.03	0.23	0.27	0.03	0.23	0.27	0.00	0	0	0.50	1.01	0.25
BE07111-255	259.9	260.9	1.00	0.02	0.12	0.14	0.02	0.12	0.14	0.00	0	0	1.60	1.3	0.14
BE07111-256	260.9	261.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	1.10	1.29	0.02
BE07111-257	261.9	262.9	1.00	0.02	0.01	0.02	0.02	0.01	0.02	0.00	0	0	0.60	1.59	0.02
BE07111-258	262.9	263.9	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.40	1.31	0.01
BE07111-259	263.9	264.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.01	0.01
BE07111-260	264.9	265.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.34	0.01
BE07111-261	265.9	266.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.70	1.2	0.03
BE07111-262	266.9	267.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.30	1.07	0.01
BE07111-263	267.9	268.9	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.20	1.3	0.01

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-264	268.9	269.9	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.00	1.44	0.01
BE07111-265	269.9	270.9	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.20	1.34	0.01
BE07111-266	270.9	271.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.01	0.01
BE07111-267	271.9	272.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.04	0.01
BE07111-268	272.9	273.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.22	0.01
BE07111-269	273.9	274.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.60	1.32	0.02
BE07111-270	274.9	275.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	1.52	0.02
BE07111-271	275.9	276.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.4	0.01
BE07111-272	276.9	277.9	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.00	1.26	0.03
BE07111-273	277.9	278.9	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.00	1.16	0.01
BE07111-274	278.9	279.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.17	0.00
BE07111-275	279.9	280.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.40	1.46	0.02
BE07111-276	280.9	281.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.29	0.00
BE07111-277	281.9	282.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.24	0.01
BE07111-278	282.9	283.9	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.20	1.88	0.01
BE07111-279	283.9	284.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20	1.87	0.01
BE07111-280	284.9	285.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.58	0.01
BE07111-281	285.9	286.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.21	0.00
BE07111-282	286.9	287.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.3	0.00
BE07111-283	287.9	288.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.36	0.00
BE07111-284	288.9	289.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.44	0.00
BE07111-285	289.9	290.9	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	1.10	1.73	0.02
BE07111-286	290.9	291.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.91	0.01
BE07111-287	291.9	292.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.48	0.01
BE07111-288	292.9	293.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	1.10	1.61	0.03
BE07111-289	293.9	294.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.40	1.31	0.02
BE07111-290	294.9	295.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.38	0.00
BE07111-291	295.9	296.9	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.30	1.16	0.01
BE07111-292	296.9	297.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.31	0.01
BE07111-293	297.9	298.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.46	0.01
BE07111-294	298.9	299.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.32	0.01
BE07111-295	299.9	300.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.31	0.01
BE07111-296	300.9	301.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.09	0.01
BE07111-297	301.9	302.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.30	1.31	0.01
BE07111-298	302.9	303.9	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.30	1.16	0.01
BE07111-299	303.9	304.9	1.00	0.01	0.01	0.03	0.01	0.01	0.03	0.00	0	0	0.50	1.37	0.02
BE07111-300	304.9	305.9	1.00	0.03	0.01	0.05	0.03	0.01	0.05	0.00	0	0	1.40	1.45	0.04
BE07111-301	305.9	306.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.30	1.08	0.02
BE07111-302	306.9	307.9	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.01	0.01
BE07111-303	307.9	308.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.05	0.01
BE07111-304	308.9	309.9	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.40	1.34	0.02
BE07111-305	309.9	310.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.47	0.01
BE07111-306	310.9	311.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.28	0.01
BE07111-307	311.9	312.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.14	0.01

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07111-308	312.9	313.7	0.80	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.09	0.00

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07112	325.6	30	-50	99.69	Far East Zone	519809.7	7139405.7	1750.3	18/06/2007	Mike Moroskat

Host Rock Summary

The majority of the hole is dolomitic siltstone of the Upper Gillespie Lake Group, and there are two intersections of diorite of the Hart River Intrusive Suite, in the bottom half of the drill hole. Sedimentary textures within the dolomitic siltstone range from bedded to laminated to locally stromatolitic, with soft sediment deformation found throughout. Red and green alteration, thought to be from hematite and talc/serpentine, respectively, is abundant throughout the hole.

Mineralization Summary

Ten meters of dolomite/quartz vein-hosted sphalerite mineralization intersected deep in the drill hole.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	2.4	OVBN	Overburden				No Recovery
2.4	4.8	G2	Dolomitic Siltstone		greyish	soft sediment deformation	Lighter grey colour than typical; Slightly silicified.
4.8	7.9	G2	Dolomitic Siltstone		grey	bedded	Unaltered dolomitic siltstone; Unveined.
7.9	12.4	G2	Dolomitic Siltstone		grey	laminated	Slight silicification and beginning to see hematization; Primary features difficult to see.
12.4	18.7	G2	Dolomitic Siltstone		grey	massive	Generally unaltered except minor silicification; Small dol/qtz veins throughout interval.
18.7	23.5	G2	Dolomitic Siltstone		grey	massive	Where layering is present, they are deformed prior to lithification; Slightly silicified with some possible hematite alteration of quartz.
23.5	70.8	G2	Dolomitic Siltstone		green	altered	Very altered, silicified with talc/serpentine? Hematite found throughout as well. Unmineralized.
70.8	74	G2	Dolomitic Siltstone		grey	massive	Moderately altered with no mineralization.
74	98.75	G2	Dolomitic Siltstone		green	altered	Heavily altered by serpentine/talc, with red hematite staining; Unmineralized.
98.75	121.9	G2	Dolomitic Siltstone		grey	massive	Small qtz/dol veins throughout interval, rarely py bearing; Where primary structure seen, deformed pre-lithification.
121.9	125.3	G2	Dolomitic Siltstone		grey	stromatolitic	Unmineralized/unaltered; Few small dol/qtz veins.
125.3	133.5	G2	Dolomitic Siltstone		grey	massive	Slightly altered; Some primary laminations, but they are rare.
133.5	136.3	G2	Dolomitic Siltstone		grey	laminated	Alternating fine beds and oolitic layers; Bedding crosscut and offset by cleavage and small dol/qtz veins; Minor Fe-oxide/ hematite staining.
136.3	139	G2	Dolomitic Siltstone		grey	massive	Small qtz/dol veins within; Slightly altered, giving lighter colour; Minor yellow Fe oxide alteration, assoc with veins.
139	145.4	G2	Dolomitic Siltstone		grey	laminated	Laminations offset and deformed by cleavage development/slip along cleavage plane. Some orange colouration along small cleavage parallel veins from oxidation.

Lithology

<i>From (m)</i>	<i>To (m)</i>	<i>Map Unit</i>	<i>Major Rock Type</i>	<i>Minor Rock Type</i>	<i>Primary Colour</i>	<i>Primary Texture</i>	<i>Notes:</i>
145.4	176.75	G2	Dolomitic Siltstone		grey	bedded	Moderately altered, bedding still evident throughout; Basal contact with mafic intrusive; Alteration decreases as hole approaches the intrusive.
176.75	177.3	HRI	Diorite		green	massive	Sharp contact with host (70 deg to CA); Contacts have prominent alteration halos at diorite contacts; no strong alt of surrounding host.
177.3	193.1	G2	Dolomitic Siltstone		grey	banded	Generally unaltered, some minor green discolouration; Small unmineralized dolomite veins throughout.
193.1	201.4	G2	Dolomitic Siltstone		green	altered	Strongly talc/serp altered; Rare hematite veins.
201.4	225	G2	Dolomitic Siltstone		grey	bedded	Moderately altered; Small dol veins throughout exhibit hematite alteration.
225	255.4	G2	Dolomitic Siltstone		grey	bedded	Mineralized at bottom half of interval; Unaltered.
255.4	261.3	G2	Dolomitic Siltstone		green	bedded	Primary bedding well preserved but alteration has given rock a green colouration; Bottom contact is with mafic intrusive.
261.3	277.7	HRI	Diorite		green	massive	
277.7	288.8	G2	Dolomitic Siltstone		grey	laminated	Extensive alteration not apparent; Darker colour may be mild alteration.
288.8	296.7	HRI	Diorite		green	massive	Mild alteration at the margins of the dyke.
296.7	325.6	G2	Dolomitic Siltstone		grey green	laminated	Altered +/- hematite; unmineralized.

Mineralization

From (m)	To (m)	Mineralization Style	Mineralization 1	%	Mineralization 2	%	Mineralization 3	%	Notes:
225.9	228.3	VEINED	sphalerite	70	galena	10	pyrite	20	Min is spread out and hosted in brecciated veins. Crosscuts bedding.
229.5	232.6	VEINED	sphalerite		pyrite				Min hosted in small spaced veins. Crosscutting bedding.
234.4	239.3	VEINED	sphalerite	90	pyrite	10			Min hosted in dol/qtz bearing veins, crosscutting bedding. One larger veins bordering on breccia.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
225.9	239.3		0		White	BRECCIATED	Dolomite	Quartz	Most veins in interval mineralized with sphalerite, some are discrete veins and most have brecciated texture.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
30.9	1	64	brown	MASSIVE	Pyrite			Weathered.
32	1.5	65	white	MASSIVE	Dolomite			Reddish staining.
52.15	3	63	reddish	MASSIVE	Hematite	Dolomite		Reddish hematite in reddish black matrix.
69.55	1	36	white	MASSIVE	Dolomite			
83.7	2	62	white	MASSIVE	Dolomite			
125.4	1	12	white	MASSIVE	Dolomite	Hematite		Dolomite stained by hematite.
144.35	5	60	yellowish	MASSIVE	Dolomite			
164.1	4	56	reddish	MASSIVE	Dolomite	Hematite		Dolomite stained by hematite.
234.65	3	32	tan	MASSIVE	Dolomite			
246.55	1.5	60	brownish	MASSIVE	Dolomite	Pyrite		Weathered pyrite.
247.2	1.5	63	white	MASSIVE	Dolomite			
250.2	3	75	brownish	MASSIVE	Pyrite	Calcite		Weathered pyrite.

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
38.2	38.2	cleavage	56	
38.3	38.3	bedding	45	
51.35	51.35	cleavage	55	
136.05	136.05	cleavage	65	
176.7	176.7	bedding	55	
176.75	177.3	dike	70	Dyke is cross cutting the bedding laminations of the host dolomitic siltstone.
234.7	234.7	bedding	32	Carbonaceous layers.
244.45	244.45	bedding	50	

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
2.4	4.8	SILICA	1					Alt distinguished by lighter colour and increased hardness.
7.9	12.4	SILICA	1	HEMATITE	1			Red colour in silicified host and small chunks of vein-hosted hematite.
12.4	18.3	HEMATITE	1					Gives rock slight red colour. Some talc-bearing veins within.
18.3	23.5	HEMATITE	2	TALC	1			
23.5	70.8	TALC	4	HEMATITE	2	SILICA	1	Talc may be serpentine? Alteration is extensive. Host rock destroyed, very rarely see primary fabrics. Hematite as red staining and within veins.
70.8	98.75	TALC	4	SERPENTINITE	4	HEMATITE	3	Heavily altered with reddish green colour. Talc/serpentine concentrated into planar fabric that crosscuts any primary bedding/laminations... Seems to be consistent with axial planar cleavage orientation?
145.4	165.5	TALC	2	SERPENTINITE	2	HEMATITE	3	Slight green colouration from the talc/serp and red colouration from hematite. Hem concentrated around/within dol veins.
193.1	201.4	TALC	3	SERPENTINITE	3			
201.4	225	SERPENTINITE	2	HEMATITE	2			
255.3	262.3	SERPENTINITE	3					Primary features preserved through alteration.
296.7	301.2	CLAY	4	TALC	3			
301.2	325.5	TALC	3	SERPENTINITE	3	HEMATITE	3	

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-001	2.4	3.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.00	1.71	0.06
BE07112-002	3.4	4.4	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	0.00	1.87	0.08
BE07112-003	4.4	5.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.61	0.01
BE07112-004	5.4	6.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.43	0.03
BE07112-005	6.4	7.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.43	0.03
BE07112-006	7.4	8.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.39	0.02
BE07112-007	8.4	9.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.47	0.02
BE07112-008	9.4	10.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.00	1.47	0.05
BE07112-009	10.4	11.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.00	2.9	0.06
BE07112-010	11.4	12.4	1.00	0.00	0.07	0.08	0.00	0.07	0.08	0.00	0	0	0.00	1.92	0.07
BE07112-011	12.4	13.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.55	0.02
BE07112-012	13.4	14.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.67	0.03
BE07112-013	14.4	15.4	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.00	1.97	0.07
BE07112-014	15.4	16.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.00	1.9	0.05
BE07112-015	16.4	17.4	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	0.00	1.85	0.08
BE07112-016	17.4	18.4	1.00	0.00	0.16	0.16	0.00	0.16	0.16	0.00	0	0	0.00	2.14	0.16
BE07112-017	18.4	19.4	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.00	2.16	0.07
BE07112-018	19.4	20.4	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	0.00	1.58	0.05
BE07112-019	20.4	21.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.00	1.76	0.05
BE07112-020	21.4	22.4	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	0.00	1.85	0.08
BE07112-021	22.4	23.4	1.00	0.00	0.07	0.08	0.00	0.07	0.08	0.00	0	0	0.00	2.1	0.08
BE07112-022	23.4	24.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	2.64	0.04
BE07112-023	24.4	25.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.82	0.04
BE07112-024	25.4	26.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	3.61	0.01
BE07112-025	26.4	27.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	5.25	0.02
BE07112-026	27.4	28.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	2.95	0.04
BE07112-027	28.4	29.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2.48	0.03
BE07112-028	29.4	30.4	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.00	2.18	0.07
BE07112-029	30.4	31.4	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	0.00	1.84	0.05
BE07112-030	31.4	32.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.97	0.04
BE07112-031	32.4	33.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2.35	0.03
BE07112-032	33.4	34.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2	0.03
BE07112-033	34.4	35.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	2	0.02
BE07112-034	35.4	36.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2	0.03
BE07112-035	36.4	37.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.00	2.2	0.04
BE07112-036	37.4	38.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2.11	0.03
BE07112-037	38.4	39.4	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.00	1.75	0.02
BE07112-038	39.4	40.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.6	0.02
BE07112-039	40.4	41.4	1.00	0.00	0.09	0.09	0.00	0.09	0.09	0.00	0	0	0.00	1.76	0.09
BE07112-040	41.4	42.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.56	0.03
BE07112-041	42.4	43.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.57	0.03
BE07112-042	43.4	44.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2	0.03
BE07112-043	44.4	45.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.89	0.04
BE07112-044	45.4	46.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.84	0.03

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-045	46.4	47.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.45	0.04
BE07112-046	47.4	48.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.00	1.39	0.06
BE07112-047	48.4	49.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.53	0.04
BE07112-048	49.4	50.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.68	0.02
BE07112-049	50.4	51.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.00	1.76	0.04
BE07112-050	51.4	52.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.30	2.9	0.06
BE07112-051	52.4	53.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.51	0.04
BE07112-052	53.4	54.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.37	0.03
BE07112-053	54.4	55.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.47	0.01
BE07112-054	55.4	56.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.28	0.01
BE07112-055	56.4	57.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.20	1.67	0.04
BE07112-056	57.4	58.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.20	1.97	0.04
BE07112-057	58.4	59.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.55	0.03
BE07112-058	59.4	60.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.56	0.03
BE07112-059	60.4	61.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.49	0.02
BE07112-060	61.4	62.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.16	0.02
BE07112-061	62.4	63.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.30	1.45	0.05
BE07112-062	63.4	64.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.09	0.02
BE07112-063	64.4	65.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.13	0.03
BE07112-064	65.4	66.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	0.98	0.02
BE07112-065	66.4	67.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.20	1.04	0.03
BE07112-066	67.4	68.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.17	0.02
BE07112-067	68.4	69.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.06	0.02
BE07112-068	69.4	70.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.2	0.02
BE07112-069	70.4	71.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.20	0.97	0.03
BE07112-070	71.4	72.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	4.69	0.01
BE07112-070	71.4	72.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.30	1.03	0.06
BE07112-071	72.4	73.4	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	0.30	6.44	0.05
BE07112-071	72.4	73.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.20	0.96	0.04
BE07112-072	73.4	74.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.40	1.14	0.05
BE07112-072	73.4	74.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	5.89	0.01
BE07112-073	74.4	75.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.20	9.65	0.05
BE07112-073	74.4	75.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.22	0.02
BE07112-074	75.4	76.4	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	7.5	0.03
BE07112-074	75.4	76.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.19	0.02
BE07112-075	76.4	77.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	5.76	0.02
BE07112-075	76.4	77.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.21	0.02
BE07112-076	77.4	78.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.44	0.01
BE07112-076	77.4	78.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	4.13	0.01
BE07112-077	78.4	79.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.73	0.00
BE07112-077	78.4	79.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	4	0.01
BE07112-078	79.4	80.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.84	0.01
BE07112-078	79.4	80.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.20	1.27	0.02
BE07112-079	80.4	81.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	2.74	0.02

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-079	80.4	81.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.69	0.01
BE07112-080	81.4	82.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.57	0.01
BE07112-081	82.4	83.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.83	0.02
BE07112-082	83.4	84.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.31	0.03
BE07112-083	84.4	85.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.20	1.51	0.03
BE07112-084	85.4	86.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.34	0.01
BE07112-085	86.4	87.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.4	0.00
BE07112-086	87.4	88.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.58	0.01
BE07112-087	88.4	89.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.79	0.01
BE07112-088	89.4	90.4	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.66	0.00
BE07112-089	90.4	91.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.8	0.01
BE07112-090	91.4	92.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.63	0.02
BE07112-091	92.4	93.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.57	0.02
BE07112-092	93.4	94.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.48	0.02
BE07112-093	94.4	95.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.27	0.03
BE07112-094	95.4	96.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.63	0.01
BE07112-095	96.4	97.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.5	0.01
BE07112-096	97.4	98.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.68	0.01
BE07112-097	98.4	99.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.2	0.01
BE07112-098	99.4	100.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.30	1.18	0.03
BE07112-099	100.4	101.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	1.66	0.02
BE07112-100	101.4	102.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	1.00	1.65	0.03
BE07112-101	102.4	103.4	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	1.10	1.29	0.04
BE07112-102	103.4	104.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.90	1.3	0.02
BE07112-103	104.4	105.4	1.00	0.01	0.05	0.05	0.01	0.05	0.05	0.00	0	0	1.20	1.35	0.06
BE07112-104	105.4	106.4	1.00	0.02	0.04	0.06	0.02	0.04	0.06	0.00	0	0	1.30	1.43	0.07
BE07112-105	106.4	107.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	1.20	1.1	0.06
BE07112-106	107.4	108.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	1.10	1.01	0.05
BE07112-107	108.4	109.4	1.00	0.01	0.04	0.04	0.01	0.04	0.04	0.00	0	0	1.20	0.95	0.05
BE07112-108	109.4	110.4	1.00	0.01	0.12	0.13	0.01	0.12	0.13	0.00	0	0	1.30	1.47	0.14
BE07112-109	110.4	111.4	1.00	0.01	0.08	0.09	0.01	0.08	0.09	0.00	0	0	1.40	1.49	0.10
BE07112-110	111.4	112.4	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	1.20	1.17	0.04
BE07112-111	112.4	113.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	1.20	1.04	0.03
BE07112-112	113.4	114.4	1.00	0.02	0.15	0.17	0.02	0.15	0.17	0.00	0	0	1.30	1.67	0.18
BE07112-113	114.4	115.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	1.10	1.28	0.06
BE07112-114	115.4	116.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	1.00	1.35	0.03
BE07112-115	116.4	117.4	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.90	1.42	0.03
BE07112-116	117.4	118.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	1.00	1.46	0.05
BE07112-117	118.4	119.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.90	1.33	0.03
BE07112-118	119.4	120.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	1.56	0.04
BE07112-119	120.4	121.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	1.00	1.4	0.04
BE07112-120	121.4	122.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	1.00	1.07	0.05
BE07112-121	122.4	123.4	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	1.10	1.1	0.07
BE07112-122	123.4	124.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	1.54	0.04

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-123	124.4	125.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	1.00	1.36	0.04
BE07112-124	125.4	126.4	1.00	0.01	0.06	0.06	0.01	0.06	0.06	0.00	0	0	0.80	1.68	0.07
BE07112-125	126.4	127.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.50	2.16	0.06
BE07112-126	127.4	128.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.60	1.97	0.06
BE07112-127	128.4	129.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.70	1.8	0.05
BE07112-128	129.4	130.4	1.00	0.01	0.08	0.09	0.01	0.08	0.09	0.00	0	0	0.90	1.72	0.10
BE07112-129	130.4	131.4	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	1.00	1.54	0.06
BE07112-130	131.4	132.4	1.00	0.01	0.06	0.07	0.01	0.06	0.07	0.00	0	0	1.60	1.27	0.08
BE07112-131	132.4	133.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	1.00	1.46	0.05
BE07112-132	133.4	134.4	1.00	0.01	0.07	0.08	0.01	0.07	0.08	0.00	0	0	0.70	2.28	0.08
BE07112-133	134.4	135.4	1.00	0.01	0.07	0.08	0.01	0.07	0.08	0.00	0	0	0.80	1.97	0.09
BE07112-134	135.4	136.4	1.00	0.02	0.09	0.11	0.02	0.09	0.11	0.00	0	0	0.80	1.86	0.11
BE07112-135	136.4	137.4	1.00	0.01	0.09	0.09	0.01	0.09	0.09	0.00	0	0	0.80	2.1	0.10
BE07112-136	137.4	138.4	1.00	0.02	0.13	0.15	0.02	0.13	0.15	0.00	0	0	0.50	2.22	0.14
BE07112-137	138.4	139.4	1.00	0.00	0.05	0.06	0.00	0.05	0.06	0.00	0	0	0.50	2.22	0.06
BE07112-138	139.4	140.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	26.60	3.16	0.34
BE07112-139	140.4	141.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.50	2.19	0.02
BE07112-140	141.4	142.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.40	3.17	0.03
BE07112-141	142.4	143.5	1.10	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.60	2.37	0.03
BE07112-142	143.5	144.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.50	2.47	0.05
BE07112-143	144.5	145.5	1.00	0.00	0.07	0.08	0.00	0.07	0.08	0.00	0	0	0.60	2.75	0.08
BE07112-144	145.5	146.5	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.30	2.51	0.06
BE07112-145	146.5	147.5	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.40	2.29	0.06
BE07112-146	147.5	148.5	1.00	0.00	0.09	0.10	0.00	0.09	0.10	0.00	0	0	0.50	2.82	0.10
BE07112-147	148.5	149.5	1.00	0.00	0.18	0.18	0.00	0.18	0.18	0.00	0	0	0.50	2.18	0.19
BE07112-148	149.5	150.5	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	0.60	2.31	0.08
BE07112-149	150.5	151.5	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.60	2.37	0.04
BE07112-150	151.5	152.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.40	2.4	0.04
BE07112-151	152.5	153.5	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.50	2.3	0.04
BE07112-152	153.5	154.5	1.00	0.00	0.05	0.06	0.00	0.05	0.06	0.00	0	0	0.40	2.45	0.06
BE07112-153	154.5	155.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.40	2.54	0.04
BE07112-154	155.5	156.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.60	2.41	0.05
BE07112-155	156.5	157.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.50	2.31	0.05
BE07112-156	157.5	158.5	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.20	2.64	0.04
BE07112-157	158.5	159.5	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.60	2.1	0.03
BE07112-158	159.5	160.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.90	1.91	0.04
BE07112-159	160.5	161.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	1.94	0.04
BE07112-160	161.5	162.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.70	2.17	0.03
BE07112-161	162.5	163.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.70	3.59	0.02
BE07112-162	163.5	164.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.60	2.51	0.04
BE07112-163	164.5	165.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.60	2.21	0.03
BE07112-164	165.5	166.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.50	2.11	0.02
BE07112-165	166.5	167.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.50	2.05	0.03
BE07112-166	167.5	168.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.60	2.38	0.03

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-167	168.5	169.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.70	2.29	0.03
BE07112-168	169.5	170.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.50	2.34	0.02
BE07112-169	170.5	171.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.50	2.27	0.03
BE07112-170	171.5	172.5	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.50	2.44	0.02
BE07112-171	172.5	173.5	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.60	4.87	0.03
BE07112-172	173.5	174.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.80	2.9	0.03
BE07112-173	174.5	175.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.80	3	0.03
BE07112-174	175.5	176.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.60	2.8	0.03
BE07112-175	176.5	177.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.50	6.09	0.02
BE07112-176	177.5	178.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.60	2.9	0.02
BE07112-177	178.5	179.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.60	2.57	0.02
BE07112-178	179.5	180.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.70	2.86	0.02
BE07112-179	180.5	181.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.60	2.36	0.03
BE07112-180	181.5	182.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.80	3.04	0.04
BE07112-181	182.5	183.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	2.62	0.04
BE07112-182	183.5	184.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.60	2.41	0.05
BE07112-183	184.5	185.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	2.44	0.04
BE07112-184	185.5	186.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.60	2.38	0.04
BE07112-185	186.5	187.5	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.70	3.94	0.05
BE07112-186	187.5	188.5	1.00	0.01	0.04	0.04	0.01	0.04	0.04	0.00	0	0	0.90	3.95	0.05
BE07112-187	188.5	189.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	3.37	0.04
BE07112-188	189.5	190.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	1.30	2.69	0.04
BE07112-189	190.5	191.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.80	2.28	0.04
BE07112-190	191.5	192.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.80	2.53	0.04
BE07112-191	192.5	193.5	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.50	3.21	0.07
BE07112-192	193.5	194.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.70	2.66	0.05
BE07112-193	194.5	195.5	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.60	3.49	0.07
BE07112-194	195.5	196.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.40	3.15	0.04
BE07112-195	196.5	197.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.80	3.67	0.03
BE07112-196	197.5	198.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	2.14	0.04
BE07112-197	198.5	199.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.90	1.45	0.04
BE07112-198	199.5	200.5	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.60	2.91	0.04
BE07112-199	200.5	201.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.60	2.62	0.05
BE07112-200	201.5	202.5	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.60	2.2	0.04
BE07112-201	202.5	203.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.80	1.84	0.05
BE07112-202	203.5	204.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.80	1.72	0.04
BE07112-203	204.5	205.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	1.6	0.04
BE07112-204	205.5	206.5	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	0.70	1.74	0.05
BE07112-205	206.5	207.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	1.62	0.04
BE07112-206	207.5	208.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.80	1.48	0.04
BE07112-207	208.5	209.5	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	1.00	1.7	0.07
BE07112-208	209.5	210.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	1.47	0.04
BE07112-209	210.5	211.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.80	1.62	0.05
BE07112-210	211.5	212.5	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.90	1.45	0.04

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-211	212.5	213.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	1.55	0.05
BE07112-212	213.5	214.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	1.00	1.57	0.04
BE07112-213	214.5	215.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	1.51	0.04
BE07112-214	215.5	216.5	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.80	1.6	0.06
BE07112-215	216.5	217.5	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.90	1.81	0.08
BE07112-216	217.5	218.5	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.90	1.54	0.08
BE07112-217	218.5	219.5	1.00	0.01	0.10	0.11	0.01	0.10	0.11	0.00	0	0	1.40	4.01	0.12
BE07112-218	219.5	220.5	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.80	1.56	0.05
BE07112-219	220.5	221.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.50	1.29	0.02
BE07112-220	221.5	222.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.80	1.47	0.03
BE07112-221	222.5	223.5	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.90	1.5	0.06
BE07112-222	223.5	224.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.90	1.37	0.04
BE07112-223	224.5	225.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.80	1.37	0.04
BE07112-224	225.5	226.5	1.00	0.01	0.06	0.07	0.01	0.06	0.07	0.00	0	0	1.00	1.64	0.08
BE07112-225	226.5	227.5	1.00	0.03	0.56	0.59	0.03	0.56	0.59	0.00	0	0	0.30	2.97	0.57
BE07112-226	227.5	228.5	1.00	0.02	1.64	1.66	0.01	0.84	0.85	0.01	0.8	0.81	1.50	1.5	1.67
BE07112-227	228.5	229.5	1.00	0.01	0.30	0.30	0.01	0.30	0.30	0.00	0	0	1.00	1.42	0.31
BE07112-228	229.5	230.5	1.00	0.02	0.78	0.80	0.02	0.78	0.80	0.00	0	0	1.30	1.73	0.81
BE07112-229	230.5	231.5	1.00	0.05	0.80	0.85	0.05	0.80	0.85	0.00	0	0	1.60	1.17	0.84
BE07112-230	231.5	232.5	1.00	0.02	0.20	0.22	0.02	0.20	0.22	0.00	0	0	1.20	1.07	0.22
BE07112-231	232.5	233.5	1.00	0.01	0.18	0.19	0.01	0.18	0.19	0.00	0	0	0.90	1.57	0.19
BE07112-232	233.5	234.5	1.00	0.01	0.11	0.12	0.01	0.11	0.12	0.00	0	0	0.70	1.35	0.12
BE07112-233	234.5	235.5	1.00	0.01	2.56	2.57	0.00	2.44	2.44	0.01	0.12	0.13	1.10	1.46	2.58
BE07112-234	235.5	236.5	1.00	0.01	0.34	0.35	0.01	0.34	0.35	0.00	0	0	1.10	1.29	0.36
BE07112-235	236.5	237.5	1.00	0.02	1.93	1.95	0.02	1.72	1.74	0.00	0.21	0.21	2.00	1.41	1.96
BE07112-236	237.5	238.5	1.00	0.00	0.99	0.99	0.00	0.99	0.99	0.00	0	0	1.20	1.25	1.00
BE07112-237	238.5	239.5	1.00	0.00	0.53	0.54	0.00	0.53	0.54	0.00	0	0	1.00	1.5	0.55
BE07112-238	239.5	240.5	1.00	0.01	0.61	0.62	0.01	0.61	0.62	0.00	0	0	0.70	3.09	0.62
BE07112-239	240.5	241.5	1.00	0.01	0.53	0.54	0.01	0.53	0.54	0.00	0	0	0.80	3.85	0.55
BE07112-240	241.5	242.5	1.00	0.00	0.09	0.10	0.00	0.09	0.10	0.00	0	0	0.90	1.52	0.11
BE07112-241	242.5	243.5	1.00	0.00	0.15	0.16	0.00	0.15	0.16	0.00	0	0	1.00	1.31	0.17
BE07112-242	243.5	244.5	1.00	0.02	0.26	0.28	0.02	0.26	0.28	0.00	0	0	1.50	2.5	0.29
BE07112-243	244.5	245.5	1.00	0.01	0.56	0.57	0.01	0.56	0.57	0.00	0	0	0.90	1.45	0.58
BE07112-244	245.5	246.5	1.00	0.01	0.33	0.34	0.01	0.33	0.34	0.00	0	0	0.90	1.21	0.35
BE07112-245	246.5	247.5	1.00	0.02	0.41	0.43	0.02	0.41	0.43	0.00	0	0	1.00	1.31	0.43
BE07112-246	247.5	248.5	1.00	0.01	0.28	0.29	0.01	0.28	0.29	0.00	0	0	1.00	1.3	0.30
BE07112-247	248.5	249.5	1.00	0.01	0.61	0.62	0.01	0.61	0.62	0.00	0	0	1.20	1.39	0.63
BE07112-248	249.5	250.5	1.00	0.01	0.34	0.35	0.01	0.34	0.35	0.00	0	0	1.40	2.57	0.36
BE07112-249	250.5	251.4	0.90	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.80	1.69	0.06
BE07112-250	251.4	252.4	1.00	0.00	1.00	1.00	0.00	0.52	0.52	0.00	0.48	0.48	1.70	2.05	1.02
BE07112-251	252.4	253.4	1.00	0.01	0.46	0.47	0.01	0.46	0.47	0.00	0	0	2.10	3.07	0.49
BE07112-252	253.4	254.4	1.00	0.00	0.50	0.50	0.00	0.50	0.50	0.00	0	0	1.30	1.69	0.51
BE07112-253	254.4	255.4	1.00	0.00	0.35	0.35	0.00	0.35	0.35	0.00	0	0	3.60	1.56	0.39
BE07112-254	255.4	256.4	1.00	0.00	0.30	0.30	0.00	0.30	0.30	0.00	0	0	1.60	3.9	0.32

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-255	256.4	257.4	1.00	0.00	0.05	0.06	0.00	0.05	0.06	0.00	0	0	1.00	3.04	0.07
BE07112-256	257.4	258.4	1.00	0.00	0.06	0.07	0.00	0.06	0.07	0.00	0	0	3.30	3.93	0.10
BE07112-257	258.4	259.4	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	2.30	3.67	0.10
BE07112-258	259.4	260.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.80	3.02	0.06
BE07112-259	260.4	261.4	1.00	0.00	0.05	0.06	0.00	0.05	0.06	0.00	0	0	0.80	3.12	0.07
BE07112-260	261.4	262.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	1.00	4.95	0.06
BE07112-261	262.4	263.4	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	1.00	6.85	0.06
BE07112-262	263.4	264.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	1.00	5.73	0.03
BE07112-263	264.4	265.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	1.20	7.85	0.05
BE07112-264	265.4	266.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	1.40	8.1	0.06
BE07112-265	266.4	267.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	1.30	8.29	0.05
BE07112-266	267.4	268.4	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	1.20	7.98	0.06
BE07112-267	268.4	269.5	1.10	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	1.40	8.39	0.09
BE07112-268	269.5	270.5	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	1.20	8.19	0.06
BE07112-269	270.5	271.5	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	1.20	8.08	0.06
BE07112-270	271.5	272.5	1.00							0.00	0	0			
BE07112-271	272.5	273.5	1.00							0.00	0	0			
BE07112-272	273.5	274.5	1.00							0.00	0	0			
BE07112-273	274.5	275.5	1.00							0.00	0	0			
BE07112-274	275.5	276.5	1.00							0.00	0	0			
BE07112-275	276.5	277.5	1.00							0.00	0	0			
BE07112-276	277.5	278.5	1.00							0.00	0	0			
BE07112-277	278.5	279.5	1.00							0.00	0	0			
BE07112-278	279.5	280.5	1.00							0.00	0	0			
BE07112-279	280.5	281.5	1.00							0.00	0	0			
BE07112-280	281.5	282.5	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.20	4.15	0.02
BE07112-281	282.5	283.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	3.99	0.01
BE07112-282	283.5	284.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	3.44	0.00
BE07112-283	284.5	285.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.83	0.00
BE07112-284	285.5	286.5	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.00	5.71	0.01
BE07112-285	286.5	287.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	3.42	0.01
BE07112-286	287.5	288.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.30	3.68	0.01
BE07112-287	288.5	289.5	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	7	0.02
BE07112-288	289.5	290.5	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	6.85	0.02
BE07112-289	290.5	291.5	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.00	7.45	0.01
BE07112-290	291.5	292.5	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	8.07	0.01
BE07112-291	292.5	293.5	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	8.56	0.01
BE07112-292	293.5	294.5	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	8.5	0.01
BE07112-293	294.5	295.5	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.00	8.33	0.01
BE07112-294	295.5	296.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.20	6.1	0.01
BE07112-295	296.5	297.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	3.64	0.00
BE07112-296	297.5	298.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	2.84	0.01
BE07112-297	298.5	299.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.16	0.00
BE07112-298	299.5	300.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.17	0.00

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07112-299	300.5	301.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.99	0.00
BE07112-300	301.5	302.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	3.11	0.00
BE07112-301	302.5	303.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.50	5.07	0.01
BE07112-302	303.5	304.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.90	3.81	0.03
BE07112-303	304.5	305.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.80	3.85	0.03
BE07112-304	305.5	306.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.60	2.81	0.02
BE07112-305	306.5	307.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.90	3.73	0.03
BE07112-306	307.5	308.5	1.00	0.00	0.04	0.05	0.00	0.04	0.05	0.00	0	0	0.90	3.9	0.06
BE07112-307	308.5	309.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.70	3.31	0.04
BE07112-308	309.5	310.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.80	3.92	0.04
BE07112-309	310.5	311.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.40	3.48	0.02
BE07112-310	311.5	312.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.90	3.24	0.02
BE07112-311	312.5	313.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	1.00	2.61	0.02
BE07112-312	313.5	314.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.90	2.55	0.01
BE07112-313	314.5	315.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.80	2.7	0.02
BE07112-314	315.5	316.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.80	3.17	0.01
BE07112-315	316.5	317.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.70	2.47	0.01
BE07112-316	317.5	318.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.80	2.52	0.02
BE07112-317	318.5	319.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.60	2.4	0.01
BE07112-318	319.5	320.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.60	2.77	0.01
BE07112-319	320.5	321.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.80	4.2	0.02
BE07112-320	321.5	322.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.60	2.63	0.01
BE07112-321	322.5	323.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.70	2.45	0.02
BE07112-322	323.5	324.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.70	2.71	0.02
BE07112-323	324.5	325.6	1.10	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.80	2.48	0.02

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07113	350	30	-60	99.35	Far East Zone	519809.7	7139405.7	1750.3	21/06/2007	Mike Moroskat

Host Rock Summary

Much of the drill hole is laminated dolomitic siltstone of the Upper Gillespie Lake Group, with some massive sections and abundant alteration. Alteration is pervasive throughout the hole and consists of talc/serpentine and hematite, seen as green and red colouration, respectively. There are also two intersections with diorite of the Hart River Intrusive Suite.

Mineralization Summary

No significant mineralization was intersected.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	2.7	OBN	Overburden				No recovery.
2.7	24.7	G2	Dolomitic Siltstone		grey	laminated	Few qtz/dol veins; Mild alteration at bottom half of interval
24.7	29.9	G2	Dolomitic Siltstone		grey	altered	Breccia unmineralized; Slight red colour from hem?
29.9	116.4	G2	Dolomitic Siltstone		green	altered	Talc (?) altered; Brown alteration mineral concentrated in parallel planes (cleavage?). Primary fabric indistinguishable. Unmineralized.
116.4	122.6	G2	Dolomitic Siltstone		grey	massive	Unmineralized/unaltered; Few small qtz/dol veins present.
122.6	141.4	G2	Dolomitic Siltstone		grey	laminated	One mildly altered interval; Unmineralized.
141.4	153.6	G2	Dolomitic Siltstone		green	altered	
153.6	174.5	G2	Dolomitic Siltstone		grey	laminated	Unaltered/unmineralized. Short alteration zone at base of interval along contacts with mafic intrusive.
174.5	182.3	HRI	Diorite		green	massive	Few unmineralized qtz/dol veins within; Unmineralized; Contact aureoles at contacts.
182.3	215.7	G2	Dolomitic Siltstone		grey	laminated	Unmineralized/unaltered; Scattered small qtz/dol veins.
215.7	236.6	G2	Dolomitic Siltstone		green	altered	Heavily altered; Unmineralized.
236.6	245.8	G2	Dolomitic Siltstone		grey	laminated	Generally unveined; Unmineralized.
245.8	289	G2	Dolomitic Siltstone		grey	laminated	Mostly unveined; Increased oxidation (to limonite) last 10 m of interval.
289	323.6	G2	Dolomitic Siltstone		brown	altered	Oxidized; If any sulphides are present they are oxidized.
323.6	327	HRI	Diorite		green	massive	
327	350	G2	Dolomitic Siltstone		grey	laminated	Unmineralized; Mostly unaltered with some oxidation.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
7.7	5	50	white	COMB	Dolomite	Quartz		'rodded' texture
22.4	0.5	55	white		Quartz	Dolomite	HEMATITE	
94.1	1	45	red	DRUSY	Quartz	Dolomite	HEMATITE	
141.4	3	20	white	DRUSY	Quartz	Dolomite	OXIDATION	Possibly oxidized sulphides within veins. Original sulphides unknown.
175.6	2	40	white	DRUSY	Dolomite	Quartz		Within mafic intrusive.
179.3	0.5	64	white		Quartz	Dolomite		
199.7	1.5	50	white	DRUSY	Quartz	Dolomite	RECRYSTALLIZATION	
257.9	2	30	white	DRUSY	Quartz	Dolomite		
258.1	1	38	white	DRUSY	Dolomite	Quartz		
272.3	1.5	38	white	MASSIVE	Dolomite	Quartz		

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
7.1	7.1	bedding	65	
47	47	cleavage	55	Defined by talc (?) alteration.
49.6	49.6	cleavage	53	Defined by talc (?) alteration.
90.2	90.2	cleavage	55	
164.3	164.3	compositional layering	80	
165.6	165.6	compositional layering	85	
172.9	172.9	compositional layering	75	
193.8	193.8	compositional layering	78	
346.6	346.6	cleavage	70	
348.2	348.2	cleavage	55	

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
12.1	24.7	SILICA	1	HEMATITE	1			
24.7	110.1	TALC	4	SERPENTINITE	2	HEMATITE	2	Light green to brown alteration. Overprints primary fabric of host rock.
110.1	116.4	SILICA	1					
135.4	140.2	TALC	2	HEMATITE	1			
140.2	153.4	TALC	3	HEMATITE	3			
174.3	174.8	SILICA	2					
182	182.5	SILICA	2					Over contact between mafic intrusive and host dolomitic siltstone.
215.7	236.6	TALC	3	SERPENTINITE	4	HEMATITE	4	Alteration gives dark red and green coloration. Overprints primary fabric of host.
242.8	245.8	HEMATITE	1					
282.9	289	OXIDATION	2					
289	298.2	OXIDATION	4					
298.2	310.4	OXIDATION	3					
310.4	318.6	OXIDATION	1					
318.6	321.3	OXIDATION	5					
321.3	323.8	OXIDATION	2					
331.7	334.3	OXIDATION	2					

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07113-001	28.9	29.9	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.94	0.02
BE07113-002	29.9	30.9	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	4.52	0.01
BE07113-003	30.9	31.9	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.60	3.42	0.03
BE07113-004	31.9	32.9	1.00	0.00	0.09	0.09	0.00	0.09	0.09	0.00	0	0	0.40	2.35	0.09
BE07113-005	139.4	140.4	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	0.00	1.65	0.08
BE07113-006	140.4	141.4	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.00	1.99	0.07
BE07113-007	141.4	142.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.00	2.99	0.06
BE07113-008	142.4	143.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.20	2.79	0.06
BE07113-009	271.7	272.7	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.40	1.18	0.01
BE07113-010	272.7	273.7	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.40	1.45	0.01
BE07113-011	273.7	274.7	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.40	1.53	0.01
BE07113-012	274.7	275.7	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.40	1.56	0.03
BE07113-013	275.7	276.7	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	1.10	1.67	0.03
BE07113-014	276.7	277.7	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.20	2.21	0.07
BE07113-015	277.7	278.7	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.60	2.31	0.04
BE07113-016	278.7	279.7	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.87	0.01
BE07113-017	279.7	280.7	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.40	1.8	0.03
BE07113-018	280.7	281.7	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.20	1.98	0.03
BE07113-019	281.7	282.7	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	2.53	0.02
BE07113-020	282.7	283.7	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.00	2.66	0.07
BE07113-021	283.7	284.7	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.40	2.25	0.07
BE07113-022	284.7	285.7	1.00	0.00	0.10	0.10	0.00	0.10	0.10	0.00	0	0	0.20	2.22	0.10
BE07113-023	285.7	286.7	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.40	1.7	0.07
BE07113-024	286.7	287.7	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	0.00	1.45	0.07
BE07113-025	287.7	288.7	1.00	0.00	0.10	0.10	0.00	0.10	0.10	0.00	0	0	0.00	1.99	0.10
BE07113-026	288.7	289.7	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.40	1.9	0.04
BE07113-027	289.7	290.7	1.00	0.00	0.07	0.08	0.00	0.07	0.08	0.00	0	0	0.40	2.11	0.08
BE07113-028	290.7	291.7	1.00	0.00	0.05	0.05	0.00	0.05	0.05	0.00	0	0	0.20	1.92	0.05
BE07113-029	291.7	292.7	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	0.00	2.74	0.06
BE07113-030	292.7	293.7	1.00	0.02	0.43	0.45	0.02	0.43	0.45	0.00	0	0	3.60	2.54	0.48
BE07113-031	293.7	294.7	1.00	0.01	0.34	0.35	0.01	0.34	0.35	0.00	0	0	1.80	2.41	0.37
BE07113-032	294.7	295.7	1.00	0.00	0.30	0.30	0.00	0.30	0.30	0.00	0	0	1.60	4.72	0.32
BE07113-033	295.7	296.7	1.00	0.00	0.14	0.14	0.00	0.14	0.14	0.00	0	0	5.80	3.68	0.21
BE07113-034	296.7	297.7	1.00	0.00	0.08	0.08	0.00	0.08	0.08	0.00	0	0	2.40	2.39	0.11
BE07113-035	297.7	298.7	1.00	0.00	0.16	0.17	0.00	0.16	0.17	0.00	0	0	3.40	3.87	0.20
BE07113-036	298.7	299.7	1.00	0.00	0.26	0.27	0.00	0.26	0.27	0.00	0	0	5.90	3	0.33
BE07113-037	299.7	300.7	1.00	0.00	0.23	0.23	0.00	0.23	0.23	0.00	0	0	2.20	4.09	0.26
BE07113-038	300.7	301.7	1.00	0.00	0.07	0.08	0.00	0.07	0.08	0.00	0	0	15.80	4.17	0.26
BE07113-039	301.7	302.7	1.00	0.00	0.09	0.09	0.00	0.09	0.09	0.00	0	0	15.00	2.9	0.26
BE07113-040	302.7	303.7	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.60	2.36	0.04
BE07113-041	303.7	304.7	1.00	0.00	0.18	0.19	0.00	0.18	0.19	0.00	0	0	0.80	2.12	0.19
BE07113-042	304.7	305.7	1.00	0.00	0.10	0.11	0.00	0.10	0.11	0.00	0	0	1.00	2.42	0.12
BE07113-043	305.7	306.7	1.00	0.01	0.09	0.09	0.01	0.09	0.09	0.00	0	0	0.60	2.34	0.10
BE07113-044	306.7	307.7	1.00	0.01	0.07	0.08	0.01	0.07	0.08	0.00	0	0	1.00	2.49	0.09

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07113-045	307.7	308.7	1.00	0.01	0.09	0.10	0.01	0.09	0.10	0.00	0	0	3.00	2.79	0.13
BE07113-046	308.7	309.7	1.00	0.00	0.11	0.11	0.00	0.11	0.11	0.00	0	0	2.40	2.73	0.14
BE07113-047	309.7	310.7	1.00	0.00	0.07	0.07	0.00	0.07	0.07	0.00	0	0	6.40	3.1	0.14
BE07113-048	310.7	311.7	1.00	0.00	0.13	0.13	0.00	0.13	0.13	0.00	0	0	0.80	4.11	0.14
BE07113-049	311.7	312.7	1.00	0.00	0.17	0.18	0.00	0.17	0.18	0.00	0	0	0.00	3.73	0.17
BE07113-050	312.7	313.7	1.00	0.01	0.11	0.11	0.01	0.11	0.11	0.00	0	0	0.80	2.24	0.12
BE07113-051	313.7	314.7	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.60	1.88	0.02
BE07113-052	314.7	315.7	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	1.00	5.21	0.03
BE07113-053	315.7	316.7	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.40	4.84	0.02
BE07113-054	316.7	317.7	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	1.40	3.45	0.06
BE07113-055	317.7	318.7	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	1.00	3.28	0.03
BE07113-056	318.7	319.7	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	1.80	10	0.07
BE07113-057	319.7	320.7	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	1.20	8.92	0.03
BE07113-058	320.7	321.7	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	1.40	5.46	0.02
BE07113-059	321.7	322.7	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	1.00	4.85	0.03
BE07113-060	322.7	324.1	1.40	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.60	3.55	0.02
BE07113-061	324.1	325.1	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	1.00	5.84	0.04

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07114	374.7	0	-55	98.01	Far East Zone	519809.7	7139405.7	1750.3	24/06/2007	Mike Moroskat

Host Rock Summary

The host rock is dominantly dolomitic siltstone of the Upper Gillespie Lake Group, along with two intersections of diorite of the Hart River Intrusive Suite. Sedimentary textures of the dolomitic siltstone range from laminated to bedded with a local oolitic horizon. Altered sections are common throughout the hole, consisting of red and green hematite and talc/serpentine alteration, respectively. Alteration haloes are present on both contacts of the mafic intrusive with the host dolomitic siltstone.

Mineralization Summary

Breccia hosted sphalerite mineralization is intersected near the bottom of the hole, after the end of talc/serpentine/hematite alteration. Sphalerite is present as a cement within the breccia. A few small mineralized veins are present between the breccia and the end of hole.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	3.4	OVBN	Overburden				No Recovery
3.4	24.9	G2	Dolomitic Siltstone		grey	laminated	Unaltered; Generally unveined and unmineralized; 30 cm oolitic horizon at 16.6m.
24.9	106.9	G2	Dolomitic Siltstone		green	altered	Heavily altered host; Talc/serpentine alteration with red hematite staining; Samples within alteration to test oxidized veins/breccia (2@5cm).
106.9	120.3	G2	Dolomitic Siltstone		grey	massive	
120.3	123.7	G2	Dolomitic Siltstone		grey	oolitic	
123.7	130.8	G2	Dolomitic Siltstone		grey	laminated	
130.8	135	G2	Dolomitic Siltstone		grey	bedded	
135	144.5	G2	Dolomitic Siltstone		grey	laminated	
144.5	160.6	G2	Dolomitic Siltstone		grey	laminated	Mild alteration through interval.
160.6	172.5	G2	Dolomitic Siltstone	Arg Dolomite	grey	banded	Argillaceous bands within typical dolomitic siltstone.
172.5	202.8	G2	Dolomitic Siltstone		grey	bedded	
202.8	203.7	HRI	Diorite		green	massive	Few small cm-scale veins within; Contact @ 58 deg.
203.7	210.3	G2	Dolomitic Siltstone		grey	bedded	Unmineralized and altered at contact with diorite intrusive.
210.3	223.2	HRI	Diorite		green	massive	Altered at both contacts; calcite veining throughout, some py or cpy bearing veins.
223.2	235.2	G2	Dolomitic Siltstone		grey	massive	Minor pyrite veining.
235.2	243	HRI	Diorite		green	massive	Alteration at both contacts; Py-bearing (\pm chalcopyrite) calcite veins throughout.
243	246.1	G2	Dolomitic Siltstone		green	altered	Heavily altered interval of GLG; Primary features no longer present.

Lithology

<i>From (m)</i>	<i>To (m)</i>	<i>Map Unit</i>	<i>Major Rock Type</i>	<i>Minor Rock Type</i>	<i>Primary Colour</i>	<i>Primary Texture</i>	<i>Notes:</i>
246.1	278.2	G2	Dolomitic Siltstone		grey	laminated	Fine veining throughout, veins oxidized, appear unmineralized; Core generally incompetent, some rubble within; 275.6-276.8m very soft...fault gouge?
278.2	329	G2	Dolomitic Siltstone		orange	altered	Interval extremely altered and partly oxidized; Soft gouge? Sections within contain minor talc/serpentine alteration.
329	374.7	G2	Dolomitic Siltstone		grey	laminated	Unaltered; Veins scattered throughout; Sph-bearing breccia within interval, as well as py throughout.

Mineralization

From (m)	To (m)	Mineralization Style	Mineralization 1	%	Mineralization 2	%	Mineralization 3	%	Notes:
334.9	338	BRECCIATED	sphalerite	5	pyrite	3	galena	1	Both typical drk yellow as well as brown sphalerite present.
351.6	357	VEINED	pyrite	5					
359.5	363.4	VEINED	pyrite	4					
365.6	367.6	VEINED	sphalerite	3.5	pyrite	2			

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
334.9	338	Pack Breccia	Mosaic	SUBROUNDED		Cement			Breccia matrix is sphalerite with minor qtz/dol.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
106.4	113.4	3	7		White	Select	Quartz	Dolomite	Some pyrite-bearing. Sample to test for other sulphides.
352.2	374.7	1	6.6667		White	DRUSY	Quartz	Dolomite	Not all veins mineralized. Some exhibit brecciated texture.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
13.9	2	45	white	MASSIVE	Dolomite			
73	2	56	brownish	MASSIVE	Limonite			
104.85	2	37	tan	MASSIVE	Dolomite			Areas of recrystallization corresponding to bedding.
112.6	4	35	white	MASSIVE	Dolomite			Areas of red possibly due to hematite staining.
116.6	2	35	tan	MASSIVE	Dolomite			
122	0.25	23	white	MASSIVE	Dolomite	None		Grains of chalcopyrite.
129.2	2	23	white	MASSIVE	Dolomite	Limonite		
213.3	1	50	white	DRUSY	Calcite			Within intrusive
219.4	0.5	35	white	DRUSY	Calcite			In intrusive
242	1	22	white	DRUSY	Calcite			Within intrusive.

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
12.3	12.3	bedding	45	
16.6	16.6	bedding	65	
57.8	57.8	cleavage	50	
109.75	109.75	bedding	55	
119.3	119.3	bedding	56	
133.95	133.95	bedding	73	
321.3	321.3	bedding	64	

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
24.9	31.4	HEMATITE	4	SERPENTINITE	2			Dark red colour.
31.4	76.8	SERPENTINITE	4	TALC	4	HEMATITE	3	Ooids altered but preserved @ 76.1 m.
76.8	91.1	SERPENTINITE	3	SILICA	2			
91.1	106.9	SERPENTINITE	1	HEMATITE	1	SILICA	1	Mild alteration. Most primary fabrics preserved.
135	144.5	SERPENTINITE	3	HEMATITE	1	OXIDATION	1	
144.5	160.2	SERPENTINITE	1	HEMATITE	1			
172.5	179.5	TALC	2	SERPENTINITE	2			
206.5	210.6	TALC	3					At contact with intrusive.
222.9	223.6	TALC	3					
233.9	235.5	SILICA	2					
243.1	246	TALC	4					
246	278.1	OXIDATION	2					Oxidization of fine veins.
278.1	318	OXIDATION	3	TALC	4	CLAY	2	
318	321.8	TALC	3	SERPENTINITE	3			Green colour.
321.8	329	OXIDATION	4	TALC	3			Orange coloration.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07114-078	58.5	59.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00		0.01
BE07114-001	59.5	60.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.44	0.01
BE07114-002	60.5	61.5	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.86	0.02
BE07114-003	61.5	62.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.37	0.01
BE07114-004	62.5	63.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.21	0.01
BE07114-005	69.8	70.8	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.72	0.02
BE07114-006	70.8	71.8	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.00	1.25	0.03
BE07114-007	71.8	72.8	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.2	0.03
BE07114-008	72.8	73.8	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.00	2.04	0.03
BE07114-009	73.8	74.8	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.69	0.03
BE07114-010	106.4	107.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.00	1.29	0.04
BE07114-011	107.4	108.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.04	0.03
BE07114-012	108.4	109.4	1.00	0.00	0.03	0.04	0.00	0.03	0.04	0.00	0	0	0.00	1.03	0.03
BE07114-013	109.4	110.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.00	1.12	0.03
BE07114-014	110.4	111.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	0.99	0.02
BE07114-015	111.4	112.4	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.04	0.04
BE07114-016	112.4	113.4	1.00	0.00	0.08	0.09	0.00	0.08	0.09	0.00	0	0	0.00	1.47	0.08
BE07114-017	113.4	114.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.57	0.03
BE07114-018	114.4	115.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.29	0.03
BE07114-019	115.4	116.4	1.00	0.01	0.04	0.04	0.01	0.04	0.04	0.00	0	0	0.00	1.21	0.04
BE07114-020	116.4	117.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.03	0.03
BE07114-021	117.4	118.4	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	1.12	0.03
BE07114-022	118.4	119.4	1.00	0.02	0.07	0.08	0.02	0.07	0.08	0.00	0	0	0.40	1.78	0.08
BE07114-023	119.4	120.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.20	1.27	0.03
BE07114-024	120.4	121.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.20	1.72	0.04
BE07114-025	121.4	122.4	1.00	0.01	0.06	0.07	0.01	0.06	0.07	0.00	0	0	0.40	1.3	0.07
BE07114-026	122.4	123.4	1.00	0.03	0.12	0.16	0.03	0.12	0.16	0.00	0	0	0.40	2.62	0.14
BE07114-027	123.4	124.4	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	0.20	1.64	0.05
BE07114-028	124.4	125.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.20	1.47	0.04
BE07114-029	125.4	126.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.20	1.74	0.05
BE07114-030	126.4	127.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.33	0.02
BE07114-031	127.4	128.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.36	0.03
BE07114-032	128.4	129.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.00	1.69	0.04
BE07114-033	129.4	130.4	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	0.20	2.3	0.06
BE07114-034	130.4	131.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.33	0.01
BE07114-035	131.4	132.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	1.69	0.02
BE07114-036	194.8	195.8	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.70	1.49	0.04
BE07114-037	195.8	196.8	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.32	0.02
BE07114-038	196.8	197.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.70	1.18	0.02
BE07114-039	197.8	198.8	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.00	1.54	0.02
BE07114-040	198.8	199.8	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00	1.24	0.04
BE07114-041	199.8	200.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.40	2.49	0.02
BE07114-042	200.8	201.8	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.40	2.14	0.02
BE07114-043	201.8	202.8	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.20	1.82	0.02

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07114-044	202.8	203.8	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.00	7.41	0.01
BE07114-045	210.1	211.1	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.50	6.06	0.02
BE07114-046	211.1	212.1	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.30	8.32	0.02
BE07114-047	212.1	213.1	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.30	7.06	0.02
BE07114-048	213.1	214.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	5.35	0.01
BE07114-049	214.1	215.1	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	6.61	0.01
BE07114-050	215.1	216.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20		0.01
BE07114-051	216.1	217.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.40		0.03
BE07114-052	217.1	218.1	1.00	0.04	0.03	0.06	0.04	0.03	0.06	0.00	0	0	0.60		0.05
BE07114-053	218.1	219.1	1.00	0.02	0.04	0.06	0.02	0.04	0.06	0.00	0	0	0.70		0.05
BE07114-054	219.1	220.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.70		0.03
BE07114-055	220.1	221.1	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00		0.01
BE07114-056	221.1	222.1	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00		0.01
BE07114-057	222.1	223.1	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00		0.02
BE07114-058	223.1	224.1	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20		0.01
BE07114-059	224.1	225.1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00		0.00
BE07114-060	225.1	226.1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00		0.00
BE07114-061	226.1	227.1	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00		0.01
BE07114-062	227.1	228.1	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00		0.02
BE07114-063	228.1	229.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00		0.01
BE07114-064	229.1	230.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00		0.01
BE07114-065	230.1	231.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.30		0.01
BE07114-066	231.1	232.1	1.00	0.00	0.04	0.04	0.00	0.04	0.04	0.00	0	0	0.00		0.04
BE07114-067	232.1	233.1	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.70		0.03
BE07114-068	233.1	234.1	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	1.50		0.06
BE07114-069	234.1	235.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.30		0.01
BE07114-070	235.1	236.1	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00		0.02
BE07114-071	236.1	237.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30		0.03
BE07114-072	237.1	238.1	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.20		0.02
BE07114-073	238.1	239.1	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.00		0.02
BE07114-074	239.1	240.1	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.40		0.02
BE07114-075	240.1	241.1	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.00		0.02
BE07114-076	241.1	242.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00		0.02
BE07114-077	242.1	243	0.90	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.20		0.02
BE07114-079	330	331	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.40		0.02
BE07114-080	331	332	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.40		0.03
BE07114-081	332	333	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.30		0.02
BE07114-082	333	334	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.30		0.02
BE07114-083	334	335	1.00	0.01	0.11	0.11	0.01	0.11	0.11	0.00	0	0	0.40		0.11
BE07114-084	335	336	1.00	0.01	0.13	0.13	0.01	0.13	0.13	0.00	0	0	0.40		0.13
BE07114-085	336	337	1.00	0.04	4.27	4.31	0.04	4.27	4.31	0.00	0	0	4.20		4.33
BE07114-086	337	338	1.00	0.05	0.87	0.92	0.05	0.87	0.92	0.00	0	0	1.10		0.91
BE07114-087	338	339	1.00	0.00	0.05	0.06	0.00	0.05	0.06	0.00	0	0	0.00		0.06
BE07114-088	339	340	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20		0.01

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07114-089	340	341	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00		0.02
BE07114-090	341	342	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00		0.01
BE07114-091	342	343	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00		0.01
BE07114-092	343	344	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00		0.01
BE07114-093	344	345	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20		0.01
BE07114-094	345	346	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20		0.01
BE07114-095	346	347	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20		0.01
BE07114-096	347	348	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00		0.03
BE07114-097	348	349	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00		0.02
BE07114-098	349	350	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00		0.01
BE07114-099	350	351	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20		0.01
BE07114-100	351	352	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	2.57	0.01
BE07114-101	352	353	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.30	4.26	0.02
BE07114-102	353	354	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.40	4.68	0.02
BE07114-103	354	355	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.50	5.36	0.02
BE07114-104	355	356	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.40	3.87	0.02
BE07114-105	356	357	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.30	4.02	0.01
BE07114-106	357	358	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.20	2.64	0.03
BE07114-107	358	359	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30	2.93	0.03
BE07114-108	359	360	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.30	2.73	0.04
BE07114-109	360	361	1.00	0.02	0.34	0.35	0.02	0.34	0.35	0.00	0	0	0.70	4.3	0.35
BE07114-110	361	362	1.00	0.06	2.80	2.86	0.06	2.80	2.86	0.00	0	0	2.50	6.42	2.85
BE07114-111	362	363	1.00	0.02	0.19	0.21	0.02	0.19	0.21	0.00	0	0	0.40	3.01	0.20
BE07114-112	363	364	1.00	0.01	0.45	0.46	0.01	0.45	0.46	0.00	0	0	0.40	2.82	0.46
BE07114-113	364	365	1.00	0.01	0.10	0.10	0.01	0.10	0.10	0.00	0	0	0.20	1.77	0.10
BE07114-114	365	366	1.00	0.02	0.94	0.97	0.02	0.94	0.97	0.00	0	0	0.80	2.52	0.96
BE07114-115	366	367	1.00	0.11	2.80	2.91	0.11	2.80	2.91	0.00	0	0	2.50	4.29	2.87
BE07114-116	367	368	1.00	0.04	0.57	0.61	0.04	0.57	0.61	0.00	0	0	1.30	2.86	0.60
BE07114-117	368	369	1.00	0.02	0.64	0.66	0.02	0.64	0.66	0.00	0	0	0.70	3.24	0.66
BE07114-118	369	370	1.00	0.01	0.37	0.38	0.01	0.37	0.38	0.00	0	0	0.30	2.89	0.38
BE07114-119	370	371	1.00	0.01	0.46	0.47	0.01	0.46	0.47	0.00	0	0	0.50	2.78	0.47
BE07114-120	371	372	1.00	0.01	0.16	0.17	0.01	0.16	0.17	0.00	0	0	0.50	3.11	0.17
BE07114-121	372	373	1.00	0.01	0.10	0.11	0.01	0.10	0.11	0.00	0	0	0.40	3.67	0.11
BE07114-122	373	374	1.00	0.00	0.11	0.12	0.00	0.11	0.12	0.00	0	0	0.20	3.11	0.12
BE07114-123	374	374.7	0.70	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	2.07	0.03

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07115	291.4	200	-45	97.13	Far West Zone	515489.367	7142764.439	1593.5	27/06/2007	Emily Vanderstaal

Host Rock Summary

The top half of the hole is light to medium grey dolomitic siltstone of the Upper Gillespie Lake Group. The siltstone is alternating between areas of banded/wavy to massive textures with minor sections of sedimentary breccia. An intrusive body of the Hart River group is intersected at 82.3 - 97m depth. The diorite intrusion is light green at contacts with colour deepening toward center of dike. Areas of soft sediment deformation occur at intrusive contacts. Following the intrusive the dolomitic siltstone becomes argillaceous with alternating massive and banded textures. There is a one meter interval of dark broken ground with clay like texture at 130.6 m and approximately a 2 m interval of broken ground with a rubblely texture with areas of consolidation at 138.6 m. Soft Clay alteration is present 244.4 – 245 m.

Mineralization Summary

The host of mineralization for the majority of this hole is veined. From 11.7 – 23 m the veins consist of galena and pyrite with trace amounts of chalcopyrite. Any mineralization proceeding a depth of 42.4 m consists of sphalerite with lesser amounts of pyrite, galena, and chalcopyrite. Breccia hosted mineralization occurs at a depth of 23- 42.4 m. The pack breccia has a rubblely texture and is composed of subangular clasts of host rock ranging from 3 – 60 mm. The dominant minerals are galena and pyrite. Trace amounts of chalcopyrite and also disseminated azurite and malachite occur for approximately half meter intervals at 36.1 and 39.7. Mineralization is less concentrated at breccia contacts.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0.01	2.7	OBN	Overburden				No recovery.
2.7	59.1	G2	Dolomitic Siltstone		grey	banded	Alternating intervals of banded and massive textures; Half meter interval of sedimentary breccia at 54.1m with angular clasts varying from 2-20 mm.
59.1	82.3	G2	Dolomitic Siltstone		grey	wavy bedded	Contains areas with massive texture amongst areas of soft sediment deformation; Interval terminates at visible contact with igneous intrusive; 70 cm interval of off-set bedding at 69.9 m.
82.3	97	HRI	Diorite		green	massive	1-3 meter areas of lighter intrusive material at contacts w/ colour deepening toward center of dike due to silica alteration. Small mm-scale veins of green serpentine/talc.
97	110.6	G2	Dolomitic Siltstone		grey	wavy bedded	Soft sediment deformation; 40 cm section of broken ground at end of interval.
110.6	229.8	G2	Dolomitic Siltstone	Arg Dolomite	grey	banded	Sections of massive and/or banded argillaceous material throughout. Approx. one meter interval of dark broken ground with a clay like texture at 130.6 m. Approx. 2 m interval of broken ground with a rubblely texture with areas of consolidation at 138.6 m.
229.8	265.9	G2	Arg Dolomite		grey	banded	Areas of soft sediment deformation near contact; Off-set bedding at 256.5 due to small scale faulting.
265.9	291.4	G2	Dolomitic Siltstone		grey	banded	

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
11.7	23	VEINED	pyrite	7	galena	5	chalcopyrite		Trace amounts of chalcopyrite.
23	42.4	BRECCIATED	galena	7	pyrite	5	chalcopyrite		Weathering of pyrite in areas. Trace amounts of chalcopyrite. At 39.7 m disseminated malachite and azurite for 30 cm interval and for a 20 cm interval at 36.1 m. Mineralization decreases as breccia terminates.
42.4	82.3	VEINED	sphalerite	10	pyrite	3	galena	2	Trace amounts of chalcopyrite. Areas of concentrated sphalerite min. between 55-58 m. Less concentrated areas of mineralization preceding intrusive contact. 15 cm of brecciated min. at 43.9 m -galena, pyrite, and avg. 1 cm oxidized clasts of host rock.
97.3	108	VEINED	sphalerite	10	pyrite				Trace amounts of disseminated pyrite. Mineralization continuation of previous interval cut by dike.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
23	42.4	Pack Breccia	Rubble	SUBANGULAR	10	Mixed	Dolomite	Pyroxene	Areas adjacent to contacts have a crackle texture and progress into a rubbly texture.
144	149.4	Pack Breccia	Rubble	SUBANGULAR	15	Particulate	None		Minor areas of massive texture within interval.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
22.1	0.5	15	white	MASSIVE	Dolomite	Pyrite		Oxidation concentrated at vein contact.
47.3	2	36	white		Dolomite			
51.9	1.5	39	white	MASSIVE	Dolomite	None		Mineralization concentrated at vein contact with host rock.
55.5	5	39	white	MASSIVE	Dolomite			Dolomite recrystallized in areas.
68.6	1.5	27	white	MASSIVE	Dolomite			Trace amounts of cpy. Sph concentrated at vein contact.
83	0.4	50	green	MASSIVE	Talc			Hardness indicates it may be serpentine.
132	3	36	white	MASSIVE	Dolomite			
145.3	1	43	white	MASSIVE	Dolomite			
153.5	1	50	white	MASSIVE	Dolomite	Calcite		
184	4	45	white	MASSIVE	Dolomite	Calcite		
265.2	1	35	white	MASSIVE	Dolomite			

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
11.2	11.2	bedding	50	
68.3	68.3	bedding	56	
111.5	111.5	bedding	85	
121.2	121.2	bedding	85	
127.4	127.4	bedding	50	
141.6	141.6	bedding	42	
149	149	bedding	54	
158	158	bedding	5	
161	161	bedding	35	
197.8	197.8	bedding	50	
232.7	232.7	bedding	0	Approx. m. interval of bedding parallel to core axis amongst massive host rock.
234.7	234.7	bedding	36	
244.4	244.4	bedding	35	
283.6	283.6	bedding	45	

Shear Zone

<i>From (m)</i>	<i>To (m)</i>	<i>Deformation</i>	<i>Angle (to CA)</i>	<i>Mineralogy 1 %</i>	<i>Mineralogy 2 %</i>	<i>Alteration 1</i>	<i>Deg</i>	<i>Gauge</i>	<i>Clay</i>	<i>Oxidized</i>	<i>Clean</i>	<i>Note:</i>
130.6	131.6	Brittle				SELECT		3	3	3	3	Soft. Black;. Argillaceous.

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
244.4	245	CLAY	2	NONE				Soft consistency with a rubbly texture.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07115-001	2.7	3.7	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	1.12	0.03
BE07115-002	3.7	4.7	1.00	0.02	0.03	0.04	0.02	0.03	0.04	0.00	0	0	1.10	1.11	0.05
BE07115-003	4.7	5.7	1.00	0.02	0.03	0.05	0.02	0.03	0.05	0.00	0	0	0.40	1.15	0.04
BE07115-004	5.7	6.7	1.00	0.18	0.30	0.48	0.18	0.30	0.48	0.00	0	0	2.50	1.31	0.40
BE07115-005	6.7	7.7	1.00	0.34	0.12	0.46	0.34	0.12	0.46	0.00	0	0	3.80	1.19	0.30
BE07115-006	7.7	8.7	1.00	0.18	0.06	0.24	0.18	0.06	0.24	0.00	0	0	3.00	1.44	0.17
BE07115-007	8.7	9.7	1.00	0.05	0.03	0.08	0.05	0.03	0.08	0.00	0	0	0.70	0.95	0.06
BE07115-008	9.7	10.7	1.00	0.39	0.08	0.46	0.39	0.08	0.46	0.00	0	0	4.10	1.05	0.28
BE07115-009	10.7	11.7	1.00	0.20	0.33	0.53	0.20	0.33	0.53	0.00	0	0	2.20	1.07	0.44
BE07115-010	11.7	12.7	1.00	0.50	1.33	1.83	0.50	1.33	1.83	0.00	0	0	7.30	1.29	1.61
BE07115-011	12.7	13.7	1.00							0.00	0	0			
BE07115-012	13.7	14.7	1.00	0.71	1.11	1.82	0.71	1.11	1.82	0.00	0	0	9.90	1.21	1.51
BE07115-013	14.7	15.7	1.00	0.16	0.05	0.21	0.16	0.05	0.21	0.00	0	0	2.20	1.31	0.14
BE07115-014	15.7	16.7	1.00	0.77	0.41	1.17	0.77	0.41	1.17	0.00	0	0	13.50	1.78	0.87
BE07115-015	16.7	17.7	1.00	1.24	0.87	2.11	1.24	0.87	2.11	0.00	0	0	18.00	1.34	1.57
BE07115-016	17.7	18.7	1.00	3.50	2.90	6.40	3.50	2.90	6.40	0.00	0	0	40.50	2.76	4.76
BE07115-017	18.7	19.7	1.00	3.30	2.30	5.60	3.30	2.30	5.60	0.00	0	0	42.30	3.29	4.10
BE07115-018	19.7	20.7	1.00	0.96	0.76	1.72	0.96	0.76	1.72	0.00	0	0	9.20	2.07	1.25
BE07115-019	20.7	21.7	1.00	1.07	1.33	2.40	1.07	1.33	2.40	0.00	0	0	13.10	3.67	1.91
BE07115-020	21.7	22.7	1.00	2.35	1.19	3.54	2.35	1.19	3.54	0.00	0	0	24.30	2.54	2.41
BE07115-021	22.7	23.7	1.00	2.63	0.59	3.22	2.63	0.59	3.22	0.00	0	0	27.10	1.76	1.95
BE07115-022	23.7	24.7	1.00	1.09	0.87	1.96	1.09	0.87	1.96	0.00	0	0	10.90	1.85	1.43
BE07115-023	24.7	25.7	1.00	1.93	1.18	3.11	1.93	1.18	3.11	0.00	0	0	66.30	2.37	2.71
BE07115-024	25.7	26.7	1.00	6.90	9.20	16.10	6.90	9.20	16.10	0.00	0	0	74.20	4.11	12.80
BE07115-025	26.7	27.7	1.00	1.53	4.20	5.73	1.53	4.20	5.73	0.00	0	0	19.60	1.39	5.04
BE07115-026	27.7	28.7	1.00	0.91	3.20	4.11	0.91	3.20	4.11	0.00	0	0	36.30	1.91	3.98
BE07115-027	28.7	29.7	1.00	0.75	2.70	3.45	0.75	2.70	3.45	0.00	0	0	26.10	1.3	3.30
BE07115-028	29.7	30.7	1.00	0.76	0.30	1.06	0.76	0.30	1.06	0.00	0	0	13.70	1.76	0.76
BE07115-029	30.7	31.7	1.00	0.16	0.45	0.61	0.16	0.45	0.61	0.00	0	0	4.40	0.98	0.57
BE07115-030	31.7	32.7	1.00	0.88	1.13	2.01	0.88	1.13	2.01	0.00	0	0	42.60	1.27	1.97
BE07115-031	32.7	33.7	1.00	0.68	0.93	1.61	0.68	0.93	1.61	0.00	0	0	18.60	1.28	1.42
BE07115-032	33.7	34.7	1.00	0.14	0.11	0.24	0.14	0.11	0.24	0.00	0	0	2.60	0.93	0.19
BE07115-033	34.7	35.7	1.00	1.03	0.27	1.30	1.03	0.27	1.30	0.00	0	0	18.90	1.04	0.90
BE07115-034	35.7	36.7	1.00	1.22	0.23	1.45	1.22	0.23	1.45	0.00	0	0	42.20	1.33	1.20
BE07115-035	36.7	37.7	1.00	0.12	0.14	0.26	0.12	0.14	0.26	0.00	0	0	7.00	0.89	0.27
BE07115-036	37.7	38.7	1.00	2.65	1.10	3.75	2.65	1.10	3.75	0.00	0	0	96.70	1.18	3.27
BE07115-037	38.7	39.7	1.00	3.40	0.89	4.29	3.40	0.89	4.29	0.00	0	0	154.00	1.21	4.02
BE07115-038	39.7	40.7	1.00	1.01	0.16	1.17	1.01	0.16	1.17	0.00	0	0	42.20	1.08	1.05
BE07115-039	40.7	41.7	1.00	0.42	0.40	0.82	0.42	0.40	0.82	0.00	0	0	30.10	1.38	0.91
BE07115-040	41.7	42.7	1.00	0.40	2.50	2.90	0.40	2.50	2.90	0.00	0	0	34.40	1.32	3.06
BE07115-041	42.7	43.7	1.00	4.03	5.90	9.93	4.03	5.90	9.93	0.00	0	0	149.00	1.37	9.22
BE07115-042	43.7	44.7	1.00	3.94	1.60	5.54	3.94	1.60	5.54	0.00	0	0	132.00	1.55	4.69
BE07115-043	44.7	45.7	1.00	0.22	0.57	0.79	0.22	0.57	0.79	0.00	0	0	8.30	1.05	0.75
BE07115-044	45.7	46.7	1.00	1.35	0.62	1.97	1.35	0.62	1.97	0.00	0	0	42.50	1.11	1.65

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07115-045	46.7	47.7	1.00	0.22	0.25	0.48	0.22	0.25	0.48	0.00	0	0	14.60	0.87	0.51
BE07115-046	47.7	48.7	1.00	0.40	0.41	0.81	0.40	0.41	0.81	0.00	0	0	19.40	1.53	0.79
BE07115-047	48.7	49.7	1.00	0.40	0.29	0.70	0.40	0.29	0.70	0.00	0	0	11.60	1.83	0.59
BE07115-048	49.7	50.7	1.00	1.01	0.23	1.24	1.01	0.23	1.24	0.00	0	0	34.50	1.32	1.03
BE07115-049	50.7	51.7	1.00	0.37	0.58	0.94	0.37	0.58	0.94	0.00	0	0	11.70	1.4	0.86
BE07115-050	51.7	52.7	1.00	0.41	1.85	2.26	0.32	1.82	2.14	0.09	0.03	0.12	14.30	1.03	2.18
BE07115-051	52.7	53.7	1.00	0.91	0.84	1.75	0.91	0.84	1.75	0.00	0	0	19.90	1.46	1.43
BE07115-052	53.7	54.7	1.00	0.54	0.20	0.74	0.54	0.20	0.74	0.00	0	0	6.70	1.19	0.50
BE07115-053	54.7	55.7	1.00	0.71	3.47	4.18	0.46	3.43	3.89	0.25	0.04	0.29	14.90	1.42	3.93
BE07115-054	55.7	56.7	1.00	1.17	4.27	5.44	0.78	4.21	4.99	0.39	0.06	0.45	23.70	1.86	5.01
BE07115-055	56.7	57.7	1.00							0.00	0	0			
BE07115-056	57.7	58.7	1.00	0.38	2.00	2.38	0.27	1.93	2.20	0.11	0.07	0.18	9.10	2.37	2.26
BE07115-057	58.7	59.7	1.00	0.18	0.26	0.44	0.18	0.26	0.44	0.00	0	0	5.30	2.32	0.39
BE07115-058	59.7	60.7	1.00	0.06	0.64	0.70	0.06	0.64	0.70	0.00	0	0	8.50	1.58	0.76
BE07115-059	60.7	61.7	1.00	1.01	0.79	1.80	0.72	0.77	1.49	0.29	0.02	0.31	33.80	1.85	1.58
BE07115-060	61.7	62.7	1.00	0.34	0.36	0.70	0.34	0.36	0.70	0.00	0	0	11.10	2.82	0.62
BE07115-061	62.7	63.7	1.00	0.08	0.31	0.39	0.08	0.31	0.39	0.00	0	0	1.30	2.05	0.36
BE07115-062	63.7	64.7	1.00	3.02	0.31	3.33	2.19	0.30	2.49	0.83	0.01	0.84	36.30	3.22	1.93
BE07115-063	64.7	65.7	1.00	3.03	0.27	3.30	2.25	0.26	2.51	0.78	0.01	0.79	44.20	3.56	1.99
BE07115-064	65.7	66.7	1.00	0.38	1.92	2.30	0.29	1.86	2.15	0.09	0.06	0.15	8.80	3.16	2.17
BE07115-065	66.7	67.7	1.00	0.08	0.59	0.66	0.08	0.59	0.66	0.00	0	0	2.50	1.76	0.65
BE07115-066	67.7	68.7	1.00	0.33	0.48	0.81	0.33	0.48	0.81	0.00	0	0	14.30	1.35	0.77
BE07115-067	68.7	69.7	1.00	1.01	0.66	1.67	0.73	0.64	1.37	0.28	0.02	0.3	14.30	1.84	1.23
BE07115-068	69.7	70.7	1.00	0.16	1.00	1.16	0.12	0.97	1.09	0.04	0.03	0.07	6.70	1.75	1.14
BE07115-069	70.7	71.7	1.00	0.07	1.17	1.24	0.05	1.14	1.19	0.02	0.03	0.05	4.20	1.82	1.25
BE07115-070	71.7	72.7	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.96	0.01
BE07115-071	72.7	73.7	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.20	2.38	0.01
BE07115-072	73.7	74.7	1.00	0.05	0.43	0.48	0.05	0.43	0.48	0.00	0	0	0.80	1.56	0.46
BE07115-073	74.7	75.7	1.00	0.14	0.24	0.38	0.14	0.24	0.38	0.00	0	0	6.20	1.22	0.37
BE07115-074	75.7	76.7	1.00	0.13	0.05	0.18	0.13	0.05	0.18	0.00	0	0	6.90	1.1	0.18
BE07115-075	76.7	77.7	1.00	0.06	0.04	0.10	0.06	0.04	0.10	0.00	0	0	1.70	0.98	0.09
BE07115-076	77.7	78.7	1.00	0.27	0.16	0.43	0.27	0.16	0.43	0.00	0	0	3.90	1.09	0.31
BE07115-077	78.7	79.7	1.00	0.14	0.20	0.34	0.14	0.20	0.34	0.00	0	0	1.50	1.15	0.27
BE07115-078	79.7	80.7	1.00	0.19	0.22	0.41	0.19	0.22	0.41	0.00	0	0	2.20	1.55	0.32
BE07115-079	80.7	81.7	1.00	0.19	0.53	0.73	0.19	0.53	0.73	0.00	0	0	10.10	2.05	0.73
BE07115-080	81.7	82.3	0.60	0.15	0.04	0.19	0.15	0.04	0.19	0.00	0	0	3.80	3.42	0.14
BE07115-081	82.3	83.3	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.50	0.88	0.01
BE07115-082	83.3	84.3	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.80	1.92	0.01
BE07115-083	84.3	85.3	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.50	4.44	0.01
BE07115-084	85.3	86.3	1.00	0.01	0.02	0.04	0.01	0.02	0.04	0.00	0	0	0.30	9.61	0.03
BE07115-085	86.3	87.3	1.00	0.04	0.05	0.09	0.04	0.05	0.09	0.00	0	0	0.50	8.77	0.07
BE07115-086	87.3	88.3	1.00	0.09	0.08	0.17	0.09	0.08	0.17	0.00	0	0	1.10	7.91	0.13
BE07115-087	88.3	89.3	1.00	0.04	0.03	0.07	0.04	0.03	0.07	0.00	0	0	0.60	8.29	0.06
BE07115-088	89.3	90.3	1.00	0.03	0.03	0.06	0.03	0.03	0.06	0.00	0	0	0.50	7.85	0.04

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07115-089	90.3	91.3	1.00	0.05	0.03	0.08	0.05	0.03	0.08	0.00	0	0	0.60	8.74	0.06
BE07115-090	91.3	92.3	1.00	0.03	0.04	0.07	0.03	0.04	0.07	0.00	0	0	0.50	8.15	0.06
BE07115-091	92.3	93.3	1.00	0.05	0.03	0.08	0.05	0.03	0.08	0.00	0	0	0.70	8.25	0.06
BE07115-092	93.3	94.3	1.00	0.05	0.03	0.07	0.05	0.03	0.07	0.00	0	0	0.70	8.67	0.05
BE07115-093	94.3	95.3	1.00	0.07	0.03	0.09	0.07	0.03	0.09	0.00	0	0	0.90	8.83	0.06
BE07115-094	95.3	96.3	1.00	0.02	0.02	0.03	0.02	0.02	0.03	0.00	0	0	0.80	8.63	0.03
BE07115-095	96.3	97	0.70	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.70	7.55	0.04
BE07115-096	97	98	1.00	0.61	1.50	2.11	0.30	1.45	1.75	0.31	0.05	0.36	28.70	2.97	2.07
BE07115-097	98	99	1.00	0.83	2.45	3.28	0.61	2.41	3.02	0.22	0.04	0.26	21.20	1.31	3.03
BE07115-098	99	100	1.00	0.11	0.90	1.02	0.11	0.90	1.02	0.00	0	0	7.20	1.03	1.03
BE07115-099	100	101	1.00	0.28	1.82	2.10	0.15	1.71	1.86	0.13	0.11	0.24	8.00	1.05	2.02
BE07115-100	101	102	1.00	0.65	8.10	8.75	0.49	8.01	8.50	0.16	0.09	0.25	80.70	1.05	9.29
BE07115-101	102	103	1.00	0.23	3.73	3.96	0.17	3.70	3.87	0.06	0.03	0.09	7.70	0.85	3.91
BE07115-102	103	104	1.00	0.34	8.45	8.79	0.22	8.38	8.60	0.12	0.07	0.19	11.20	0.98	8.71
BE07115-103	104	105	1.00	0.12	9.40	9.52	0.08	9.34	9.42	0.04	0.06	0.1	8.00	1.02	9.54
BE07115-104	105	106	1.00	0.10	9.70	9.80	0.06	9.60	9.66	0.04	0.1	0.14	4.90	0.96	9.80
BE07115-105	106	107	1.00	0.74	3.21	3.95	0.49	3.08	3.57	0.25	0.13	0.38	21.30	0.95	3.75
BE07115-106	107	108	1.00	1.40	4.40	5.80	0.85	4.21	5.06	0.55	0.19	0.74	28.80	1.14	5.29
BE07115-107	108	109	1.00	0.02	0.03	0.05	0.02	0.03	0.05	0.00	0	0	1.10	1.19	0.05
BE07115-108	109	110	1.00	0.02	0.19	0.21	0.02	0.19	0.21	0.00	0	0	1.60	1.03	0.22
BE07115-109	110	111	1.00	0.01	0.05	0.07	0.01	0.05	0.07	0.00	0	0	1.10	1.53	0.07

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07116	273.4	200	-60	99.41	Far West Zone	515489.367	7142764.439	1593.5	29/06/2007	Mike Moroskat

Host Rock Summary

The drill hole is dominantly dolomitic siltstone of the Upper Gillespie Lake Group, with a single intersection of diorite of the Hart River Intrusive Suite at ~80m. Fault gouge is intersected at 135m, marking a sharp transition into Gillespie Lake Group with an increased black argillaceous content. Sedimentary textures within the host dolomitic siltstone range from massive to bedded to laminated.

Mineralization Summary

Both breccia and vein-hosted sphalerite and galena mineralization is present, as well as locally occurring chalcopyrite, with the sphalerite and galena as well as within the mafic intrusive intervals. Mineralization is present within the top half of the hole, prior to intersection of the fault gouge. Deeper past the gouge, no mineralization is present.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	3	OVB	Overburden				No recovery.
3	24.3	G2	Dolomitic Siltstone		grey	laminated	Top of interval very rubbly; Veined, brecciated and mineralized sections throughout; Bedding changes between steep and shallow core-axis angles.
24.3	60.5	G2	Dolomitic Siltstone		grey	laminated	Oxidation throughout associated with veining and mineralization; Light alteration from mild silica(?) alteration; Mineralized and rubbly sections.
60.5	78.2	G2	Dolomitic Siltstone		grey	bedded	Generally unmineralized except one vein at end of interval.
78.2	94.3	HRI	Diorite		green	massive	Small alteration halos at both contacts with the dolomitic siltstone.
94.3	136.9	G2	Dolomitic Siltstone		grey	massive	Mineralization in top half of interval; Veining present but not abundant.
136.9	136.9	G2	Dolomitic Siltstone		black	gouge	
136.9	161.2	G2	Dolomitic Siltstone	Arg Dolomite	grey	bedded	Interbedded dolomitic and argillaceous beds; No mineralization; veining only dolomite + qtz; Broken ground and gouge within; Gouge at top of interval; Possible faults (?) within interval separating from mineralized core above.
161.2	198.4	G2	Arg Dolomite		black	bedded	Bedding and laminations planar; Interval unmineralized and mostly unveined; Veins are dol/Qtz; Few graphitic layers.
198.4	210	G2	Dolomitic Siltstone		grey	bedded	Bedding well defined; Open folding present at 204.8 to 206.5 m; Bedding subparallel to core axis; Unmineralized.
210	225.2	G2	Dolomitic Siltstone		grey	massive	Rubbly section and unmineralized brecciation within.
225.2	273.4	G2	Dolomitic Siltstone		grey	banded	Unmineralized and generally unveined.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
9.7	14.7	VEINED	galena	8	pyrite	5	sphalerite	2	Min oriented approx 25 deg from core-axis. Crosscuts bedding.
25.3	29.9	BRECCIATED	galena	0.5	sphalerite	0.5	pyrite	1	Mineralization only within breccia matrix.
35.6	41	BRECCIATED	galena	5	pyrite	1			Min host in matrix of breccia. Sulphides are oxidized, with most of the gn escaping oxidation.
75.3	76.4	VEINLETS	sphalerite	0.5	galena	0.5	pyrite	0.5	Very fine scattered veinlets of mineralization.
95.5	108	VEINED	sphalerite	0.5	galena	0.1	chalcopryrite	0.1	Mineralization spaced and only present in veins. No mineralization present between min veins.
119.6	120.3	BRECCIATED	sphalerite	2					

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
25.3	29.9	Pack Breccia	Rubble	SUBROUNDED		Mixed	Dolomite	Quartz	Breccia zone not dense, fairly spread out. Galena mineralization.
36.5	40.4	Pack Breccia	Rubble	SUBROUNDED		Mixed			Framework lithology quite varied. Both framework and matrix are oxidized, except gn. Breccia crosscuts primary fabric of host rock.
119.6	120.3	Float Breccia	Dissolution	SUBROUNDED		Mixed	Quartz		Sph-bearing.
211.4	214.9	Float Breccia	Rubble	SUBANGULAR		Cement	Dolomite		Some fragments allogenic.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
9.7	14.7	3	8		White	BRECCIATED	Dolomite	Quartz	Mineralized veins. Generally low angle to core-axis, crosscutting bedding. Most veins are dominantly sulphide.
95.5	108		1.52		yellow	BRECCIATED	Dolomite	Quartz	Spaced sph-bearing veins. Each vein is its own small breccia zone.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
25.9	2.5	18	grey	MASSIVE	None			Vein contains small clasts of host rock. Avg. 2 mm.
27.9	1.5	5	brownish	MASSIVE	Pyrite	None		Highly oxidized with trace amounts of galena.
73.7	0.5	5	white	DRUSY	Dolomite	Quartz		Minor Sulphides in vein.
116	1	23	white	MASSIVE	Dolomite	Quartz		Trace amounts of cpy.
134.2	1	90	milky	MASSIVE	Dolomite			

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
20	20	bedding	63	
27.6	27.6	bedding	55	
34.2	34.2	bedding	55	
137.15	137.15	bedding	55	
149.15	149.15	bedding	55	
153.7	153.7	bedding	26	
165.2	165.2	bedding	50	
169.9	169.9	bedding	55	
179.25	179.25	bedding	80	
183.7	183.7	bedding	68	

Shear Zone

<i>From (m)</i>	<i>To (m)</i>	<i>Deformation</i>	<i>Angle (to CA)</i>	<i>Mineralogy 1 %</i>	<i>Mineralogy 2 %</i>	<i>Alteration 1</i>	<i>Deg</i>	<i>Gauge</i>	<i>Clay</i>	<i>Oxidized</i>	<i>Clean</i>	<i>Note:</i>
136.9	138.9	Brittle				SELECT		3	3	3	3	Soft, black; Argillaceous.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07116-001	2.9	3.9	1.00	0.01	0.02	0.04	0.01	0.02	0.04	0.00	0	0	1.70	1.01	0.05
BE07116-002	3.9	4.9	1.00	0.03	0.02	0.05	0.03	0.02	0.05	0.00	0	0	1.70	1.02	0.05
BE07116-003	4.9	5.9	1.00	0.02	0.03	0.04	0.02	0.03	0.04	0.00	0	0	1.80	0.95	0.05
BE07116-004	5.9	6.9	1.00	0.03	0.03	0.06	0.03	0.03	0.06	0.00	0	0	1.90	1.02	0.07
BE07116-005	6.9	7.9	1.00	0.16	0.75	0.91	0.16	0.75	0.91	0.00	0	0	4.40	1.48	0.87
BE07116-006	7.9	8.9	1.00	0.48	0.74	1.21	0.48	0.74	1.21	0.00	0	0	7.10	1.72	1.01
BE07116-007	8.9	9.9	1.00	2.00	2.91	4.91	0.10	0.61	0.71	1.90	2.3	4.2	30.30	2.67	4.06
BE07116-008	9.9	10.9	1.00	4.60	5.31	9.91	2.50	4.11	6.61	2.10	1.2	3.3	62.50	1.58	7.86
BE07116-009	10.9	11.9	1.00	15.20	7.58	22.78	10.60	6.98	17.58	4.60	0.6	5.2	193.00	4.84	15.86
BE07116-010	11.9	12.9	1.00	2.72	3.33	6.05	1.42	2.97	4.39	1.30	0.36	1.66	41.30	2.86	4.89
BE07116-011	12.9	13.9	1.00	2.11	4.06	6.17	0.81	3.46	4.27	1.30	0.6	1.9	34.70	2.79	5.30
BE07116-012	13.9	14.9	1.00	3.26	3.00	6.26	1.56	2.50	4.06	1.70	0.5	2.2	49.70	4.24	4.87
BE07116-013	14.9	15.9	1.00	1.85	0.87	2.72	0.84	0.52	1.36	1.01	0.35	1.36	30.40	1.6	1.96
BE07116-014	15.9	16.9	1.00	6.83	2.46	9.29	2.63	2.11	4.74	4.20	0.35	4.55	95.10	2.52	6.28
BE07116-015	16.9	17.9	1.00	0.79	1.14	1.93	0.33	0.94	1.27	0.46	0.2	0.66	14.10	1.81	1.62
BE07116-016	17.9	18.9	1.00	0.58	0.92	1.49	0.58	0.92	1.49	0.00	0	0	11.60	1.74	1.28
BE07116-017	18.9	19.9	1.00	0.37	0.88	1.25	0.37	0.88	1.25	0.00	0	0	8.30	1.09	1.13
BE07116-018	19.9	20.9	1.00	0.08	0.17	0.25	0.08	0.17	0.25	0.00	0	0	2.80	0.93	0.24
BE07116-019	20.9	21.9	1.00	0.13	0.11	0.24	0.13	0.11	0.24	0.00	0	0	7.00	1.06	0.24
BE07116-020	21.9	22.9	1.00	0.35	0.15	0.50	0.35	0.15	0.50	0.00	0	0	5.40	0.73	0.35
BE07116-021	22.9	23.9	1.00	0.31	0.24	0.55	0.31	0.24	0.55	0.00	0	0	4.80	0.88	0.42
BE07116-022	23.9	24.9	1.00	0.23	0.41	0.63	0.23	0.41	0.63	0.00	0	0	3.80	0.88	0.54
BE07116-023	24.9	25.9	1.00	0.81	4.31	5.12	0.40	2.61	3.01	0.41	1.7	2.11	10.30	1.72	4.75
BE07116-024	25.9	26.9	1.00	0.51	0.83	1.34	0.51	0.83	1.34	0.00	0	0	10.70	1.16	1.16
BE07116-025	26.9	27.9	1.00	0.10	0.16	0.27	0.10	0.16	0.27	0.00	0	0	4.70	0.88	0.26
BE07116-026	27.9	28.9	1.00	0.58	1.38	1.96	0.02	0.28	0.30	0.56	1.1	1.66	18.10	1.3	1.82
BE07116-027	28.9	29.9	1.00	0.25	2.51	2.76	0.03	1.11	1.14	0.22	1.4	1.62	5.20	1.35	2.67
BE07116-028	29.9	30.9	1.00	0.37	0.49	0.86	0.37	0.49	0.86	0.00	0	0	5.80	1.52	0.71
BE07116-029	30.9	31.9	1.00	0.51	2.14	2.65	0.25	1.64	1.89	0.26	0.5	0.76	13.40	1.07	2.50
BE07116-030	31.9	32.9	1.00	0.42	1.25	1.67	0.27	0.98	1.25	0.15	0.27	0.42	16.50	0.93	1.61
BE07116-031	32.9	33.9	1.00	0.24	0.19	0.43	0.24	0.19	0.43	0.00	0	0	8.70	1.04	0.38
BE07116-032	33.9	34.9	1.00	0.11	0.14	0.25	0.11	0.14	0.25	0.00	0	0	9.00	1.13	0.29
BE07116-033	34.9	35.9	1.00	0.33	0.35	0.69	0.33	0.35	0.69	0.00	0	0	25.80	1.11	0.78
BE07116-034	35.9	36.9	1.00	0.58	0.97	1.56	0.58	0.97	1.56	0.00	0	0	24.40	1.24	1.49
BE07116-035	36.9	37.9	1.00	2.73	4.20	6.93	0.23	0.80	1.03	2.50	3.4	5.9	58.00	1.19	5.96
BE07116-036	37.9	38.9	1.00	1.85	3.28	5.13	0.25	1.08	1.33	1.60	2.2	3.8	61.60	1.01	4.73
BE07116-037	38.9	39.9	1.00	3.90	3.34	7.24	0.20	1.04	1.24	3.70	2.3	6	115.00	1.16	6.22
BE07116-038	39.9	40.9	1.00	1.02	4.73	5.75	0.16	1.73	1.89	0.86	3	3.86	26.20	1.61	5.44
BE07116-039	40.9	41.9	1.00	0.10	0.18	0.29	0.10	0.18	0.29	0.00	0	0	4.50	1.07	0.28
BE07116-040	41.9	42.9	1.00	0.04	0.06	0.10	0.04	0.06	0.10	0.00	0	0	2.00	0.94	0.09
BE07116-041	42.9	43.9	1.00	0.11	0.11	0.22	0.11	0.11	0.22	0.00	0	0	3.50	2.15	0.20
BE07116-042	43.9	44.9	1.00	0.97	0.24	1.21	0.97	0.24	1.21	0.00	0	0	16.80	2.58	0.82
BE07116-043	44.9	45.8	0.90	0.16	0.06	0.22	0.16	0.06	0.22	0.00	0	0	3.90	1.08	0.17
BE07116-044	45.8	46.8	1.00	0.09	0.05	0.14	0.09	0.05	0.14	0.00	0	0	3.70	1.02	0.13

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07116-045	46.8	47.8	1.00	0.02	0.05	0.08	0.02	0.05	0.08	0.00	0	0	1.80	1.08	0.08
BE07116-046	47.8	48.8	1.00	0.02	0.05	0.07	0.02	0.05	0.07	0.00	0	0	1.30	0.89	0.07
BE07116-047	48.8	49.8	1.00	0.06	0.04	0.11	0.06	0.04	0.11	0.00	0	0	2.60	0.88	0.10
BE07116-048	49.8	50.8	1.00	0.05	0.08	0.12	0.05	0.08	0.12	0.00	0	0	6.10	1.13	0.16
BE07116-049	50.8	51.8	1.00	0.17	0.08	0.26	0.17	0.08	0.26	0.00	0	0	17.50	1.2	0.35
BE07116-050	51.8	52.8	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.00	1.63	0.05
BE07116-051	52.8	53.8	1.00	0.02	0.07	0.09	0.02	0.07	0.09	0.00	0	0	0.00	1.94	0.08
BE07116-052	53.8	54.8	1.00	0.01	0.09	0.10	0.01	0.09	0.10	0.00	0	0	0.00	2	0.10
BE07116-053	54.8	55.8	1.00	0.01	0.54	0.55	0.01	0.54	0.55	0.00	0	0	0.00	1.59	0.55
BE07116-054	55.8	56.8	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	0.70	1.51	0.06
BE07116-055	56.8	57.8	1.00	0.02	0.06	0.08	0.02	0.06	0.08	0.00	0	0	0.00	1.59	0.07
BE07116-056	57.8	58.8	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.00	2.47	0.04
BE07116-057	58.8	59.8	1.00	0.01	0.14	0.15	0.01	0.14	0.15	0.00	0	0	1.70	1.8	0.16
BE07116-058	59.8	60.8	1.00	0.02	0.06	0.08	0.02	0.06	0.08	0.00	0	0	0.80	1.86	0.08
BE07116-059	60.8	61.8	1.00	0.11	0.64	0.75	0.11	0.64	0.75	0.00	0	0	5.00	1.71	0.74
BE07116-060	61.8	62.8	1.00	0.07	0.67	0.75	0.07	0.67	0.75	0.00	0	0	1.40	2.4	0.72
BE07116-061	62.8	63.9	1.10	0.26	0.43	0.69	0.26	0.43	0.69	0.00	0	0	9.30	2.66	0.64
BE07116-062	63.9	64.9	1.00	0.99	2.50	3.49	0.44	1.80	2.24	0.55	0.7	1.25	34.00	2.51	3.29
BE07116-063	64.9	65.9	1.00	0.15	0.81	0.97	0.15	0.81	0.97	0.00	0	0	9.30	2.9	0.98
BE07116-064	65.9	66.9	1.00	0.06	0.58	0.64	0.06	0.58	0.64	0.00	0	0	2.60	2.11	0.63
BE07116-065	66.9	67.9	1.00	0.19	0.02	0.20	0.19	0.02	0.20	0.00	0	0	1.30	2.41	0.11
BE07116-066	67.9	68.9	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.00	2.51	0.03
BE07116-067	68.9	69.9	1.00	0.03	0.04	0.06	0.03	0.04	0.06	0.00	0	0	1.00	1.85	0.06
BE07116-068	69.9	70.9	1.00	0.05	0.03	0.08	0.05	0.03	0.08	0.00	0	0	2.10	1.48	0.07
BE07116-069	70.9	71.9	1.00	0.05	0.03	0.08	0.05	0.03	0.08	0.00	0	0	0.80	1.26	0.06
BE07116-070	71.9	72.9	1.00	0.08	0.32	0.40	0.08	0.32	0.40	0.00	0	0	29.00	1.18	0.68
BE07116-071	72.9	73.9	1.00	0.23	0.18	0.41	0.23	0.18	0.41	0.00	0	0	24.70	1.02	0.56
BE07116-072	73.9	74.9	1.00	0.09	0.54	0.62	0.09	0.54	0.62	0.00	0	0	5.70	1.15	0.64
BE07116-073	74.9	75.9	1.00	0.53	0.79	1.32	0.37	0.72	1.09	0.16	0.07	0.23	44.00	1.06	1.51
BE07116-074	75.9	76.9	1.00	0.10	0.42	0.51	0.10	0.42	0.51	0.00	0	0	2.00	2.03	0.48
BE07116-075	76.9	77.9	1.00	0.10	0.45	0.55	0.10	0.45	0.55	0.00	0	0	3.20	3.35	0.53
BE07116-076	77.9	78.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.70	6.38	0.03
BE07116-077	78.9	79.9	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	7.75	0.02
BE07116-078	79.9	81	1.10	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	8.06	0.03
BE07116-079	81	82	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.50	5.25	0.02
BE07116-080	82	83	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	6.67	0.03
BE07116-081	83	84	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.00	6.66	0.03
BE07116-082	84	85	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	6.87	0.02
BE07116-083	85	86	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	6.53	0.02
BE07116-084	86	87	1.00	0.01	0.01	0.03	0.01	0.01	0.03	0.00	0	0	0.00	5.57	0.02
BE07116-085	87	88	1.00	0.02	0.01	0.04	0.02	0.01	0.04	0.00	0	0	0.60	5.69	0.03
BE07116-086	88	89	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	6.5	0.02
BE07116-087	89	90	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	6.71	0.02
BE07116-088	90	91	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.40	7.29	0.02

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07116-089	91	92	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	7.14	0.02
BE07116-090	92	93	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	5.93	0.02
BE07116-091	93	94	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.00	6.93	0.02
BE07116-139	94	95	1.00	0.03	0.22	0.25	0.03	0.22	0.25	0.00	0	0	2.10	3.33	0.26
BE07116-092	95	96	1.00	0.02	0.93	0.96	0.02	0.93	0.96	0.00	0	0	1.70	1.94	0.96
BE07116-093	96	97	1.00	0.01	0.13	0.14	0.01	0.13	0.14	0.00	0	0	4.10	1.47	0.19
BE07116-094	97	98	1.00	0.05	0.27	0.32	0.05	0.27	0.32	0.00	0	0	19.90	1.7	0.52
BE07116-095	98	99	1.00	0.01	0.04	0.04	0.01	0.04	0.04	0.00	0	0	0.00	0.99	0.04
BE07116-096	99	100	1.00	0.05	0.59	0.64	0.03	0.56	0.59	0.02	0.03	0.05	42.00	1.01	1.09
BE07116-097	100	101	1.00	0.09	0.47	0.56	0.09	0.47	0.56	0.00	0	0	11.40	1.59	0.63
BE07116-098	101	102	1.00	0.02	0.14	0.16	0.02	0.14	0.16	0.00	0	0	1.40	0.99	0.16
BE07116-099	102	103	1.00	0.23	1.28	1.51	0.18	1.25	1.43	0.05	0.03	0.08	30.00	1.04	1.72
BE07116-100	103	104	1.00	0.09	0.74	0.82	0.09	0.74	0.82	0.00	0	0	3.40	0.74	0.81
BE07116-101	104	105	1.00	0.65	2.60	3.25	0.42	2.54	2.96	0.23	0.06	0.29	20.00	0.68	3.09
BE07116-102	105	106	1.00	0.21	5.60	5.81	0.15	5.53	5.68	0.06	0.07	0.13	14.00	0.95	5.85
BE07116-103	106	107	1.00	0.18	1.22	1.40	0.12	1.16	1.28	0.06	0.06	0.12	10.00	0.77	1.41
BE07116-104	107	108	1.00	0.14	0.57	0.71	0.14	0.57	0.71	0.00	0	0	4.60	0.71	0.67
BE07116-105	108	109	1.00	0.11	0.06	0.16	0.11	0.06	0.16	0.00	0	0	1.60	0.67	0.12
BE07116-106	109	110	1.00	0.12	0.14	0.26	0.12	0.14	0.26	0.00	0	0	7.70	0.89	0.28
BE07116-107	110	111	1.00	0.16	0.03	0.19	0.16	0.03	0.19	0.00	0	0	3.10	0.98	0.13
BE07116-108	111	112	1.00	0.07	0.04	0.11	0.07	0.04	0.11	0.00	0	0	1.00	0.82	0.08
BE07116-109	112	113	1.00	0.09	0.13	0.21	0.09	0.13	0.21	0.00	0	0	2.70	0.92	0.19
BE07116-110	113	114	1.00	0.19	0.10	0.29	0.19	0.10	0.29	0.00	0	0	4.90	0.81	0.23
BE07116-111	114	115	1.00	0.37	0.44	0.82	0.37	0.44	0.82	0.00	0	0	11.20	0.7	0.72
BE07116-112	115	116	1.00	0.15	0.02	0.17	0.15	0.02	0.17	0.00	0	0	4.90	0.74	0.14
BE07116-113	116	117	1.00	0.10	0.09	0.20	0.10	0.09	0.20	0.00	0	0	4.40	0.78	0.19
BE07116-114	117	118	1.00	0.07	0.50	0.57	0.07	0.50	0.57	0.00	0	0	2.90	0.65	0.56
BE07116-115	118	119	1.00	0.04	0.43	0.47	0.04	0.43	0.47	0.00	0	0	4.50	0.69	0.50
BE07116-116	119	120	1.00	0.21	0.64	0.85	0.21	0.64	0.85	0.00	0	0	26.20	0.77	1.02
BE07116-117	120	121	1.00	0.09	0.18	0.27	0.09	0.18	0.27	0.00	0	0	29.60	0.71	0.56
BE07116-118	121	122	1.00	0.02	0.05	0.07	0.02	0.05	0.07	0.00	0	0	5.20	0.8	0.12
BE07116-119	122	123	1.00	0.02	0.05	0.07	0.02	0.05	0.07	0.00	0	0	7.90	0.65	0.15
BE07116-120	123	124	1.00	0.02	0.07	0.09	0.02	0.07	0.09	0.00	0	0	1.90	0.77	0.10
BE07116-121	124	125	1.00	0.01	0.07	0.08	0.01	0.07	0.08	0.00	0	0	1.30	0.72	0.09
BE07116-122	125	126	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	1.40	0.77	0.05
BE07116-123	126	127	1.00	0.03	0.03	0.06	0.01	0.01	0.02	0.02	0.02	0.04	92.00	0.73	1.10
BE07116-124	127	128	1.00	0.03	0.03	0.06	0.03	0.02	0.05	0.00	0.01	0.01	102.00	0.63	1.21
BE07116-125	128	129	1.00	0.03	0.03	0.06	0.02	0.02	0.04	0.01	0.01	0.02	100.00	0.63	1.19
BE07116-126	129	130	1.00	0.02	0.05	0.06	0.02	0.05	0.06	0.00	0	0	1.10	0.65	0.06
BE07116-127	130	131	1.00	0.12	0.02	0.14	0.12	0.02	0.14	0.00	0	0	8.10	0.53	0.16
BE07116-128	131	132	1.00	1.20	0.10	1.30	0.81	0.09	0.90	0.39	0.01	0.4	38.00	0.75	1.02
BE07116-129	132	133	1.00	0.49	0.05	0.53	0.49	0.05	0.53	0.00	0	0	12.40	0.8	0.38
BE07116-130	133	134	1.00	3.20	0.18	3.38	1.40	0.16	1.56	1.80	0.02	1.82	56.00	0.75	2.10
BE07116-131	134	135	1.00	2.70	0.15	2.85	1.98	0.12	2.10	0.72	0.03	0.75	72.00	0.45	2.05

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07116-132	135	136	1.00	0.07	0.19	0.27	0.07	0.19	0.27	0.00	0	0	18.80	0.96	0.44
BE07116-133	136	137	1.00	0.07	0.08	0.15	0.07	0.08	0.15	0.00	0	0	4.10	1.45	0.16
BE07116-134	137	138	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	1.34	0.01
BE07116-135	138	139	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	1.34	0.02
BE07116-136	139	140	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.60	1.71	0.02
BE07116-137	140	141	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.35	0.00
BE07116-138	141	142	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.29	0.00

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07117	213.4	175	-50	95.51	Far West Zone	515489.367	7142764.439	1593.5	01/07/2007	Mike Moroskat

Host Rock Summary

The drill hole is dominantly dolomitic siltstone of the upper Gillespie Lake Group, with interlayers of argillaceous dolomite in the bottom 100m. It has a massive to thinly bedded texture, and an oxidized zone is present from top of hole to 31m. A single intersection was made with diorite of the Hart River Intrusive suite at 73m. The upper contact of the intrusive with the wall rock exhibits minor alteration.

Mineralization Summary

Mineralization is intersected in the top half of the drill hole, consisting of breccia and vein hosted galena and sphalerite (with minor chalcopyrite). The sulphides are oxidized within the top 30m of the hole.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	3.05	OVCN	Overburden				No recovery.
3.05	22.8	G2	Dolomitic Siltstone		grey	laminated	Core rubbly and fractured; Some vein-hosted mineralization; Veins mildly oxidized.
22.8	30.9	G2	Dolomitic Siltstone		grey	laminated	Mineralization present and moderately oxidized; Host rock has light grey alteration - bleaching(?).
30.9	73.4	G2	Dolomitic Siltstone		grey	bedded	Mild bleaching in sections throughout interval; Some broken ground; Small mineralized breccias present and crosscutting bedding fabric.
73.4	91.4	HRI	Diorite		green	massive	Few small veins within, and brown (Fe?) staining along cracks and fractures.
91.4	122.2	G2	Dolomitic Siltstone		grey	soft sediment deformation	Mineralized breccias within interval; Unaltered.
122.2	182.9	G2	Dolomitic Siltstone	Arg Dolomite	grey	bedded	Gouge at top of interval and short sections spaced throughout interval; Bedding is planar to moderately wavy; Unmineralized and generally unveined.
182.9	213.4	G2	Dolomitic Siltstone	Arg Dolomite	grey	bedded	Unmineralized and only a few small dolomite veins; Bedding and laminations are planar.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
6	7.6	VEINED	galena	2					Galena mineralization in discrete veins. May have been other sulphides with the gn, but weathered/oxidized (?).
24.2	27.2	BRECCIATED	sphalerite	1	galena	3	chalcopryrite	0.5	Pyrite also present.
42.8	44.7	VEINED	galena	3					
107.6	109.7	BRECCIATED	sphalerite	1					Two phases of sphalerite present. One as cement in crackle bx and second coarse phase within coarse dol/qtz vein within the bx interval. Coarse sph may be later.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
24.2	27.2	Float Breccia	Mosaic	SUBANGULAR		Cement	Dolomite	Quartz	
107.6	109.7	Pack Breccia	Crackle	SUBANGULAR		Cement	Dolomite	Quartz	Crackle breccia cement is sphalerite. Dol/qtz is in coarse vein within the breccia. Possibly later and crosscutting.
116.5	117.5	Float Breccia	Dissolution	SUBANGULAR		Cement	Dolomite	Quartz	Unmineralized.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
6	7.6	4	3.125		orange	DRUSY	Dolomite	Quartz	
42.8	44.7	3	2.6316		orangish	BRECCIATED	Dolomite	Quartz	

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
9.1	1	35	orangish	MASSIVE	Dolomite			Dolomite stained by oxides.
10.5	4	45	orangish	DRUSY	Dolomite	Quartz	OXIDATION	Very coarse grained gn min.
16.5	2	20	orangish	MASSIVE	Dolomite	Calcite		Dolomite stained by oxides.
93.2	22	43	milky	MASSIVE	Dolomite	Quartz		Trace amounts of galena and sphalerite.
95.8	15	35	yellowish	BRECCIATED	Dolomite	Quartz		Short mineralized breccia interval.
97.8	0.5	25	yellowish	MASSIVE	None			Preceded by 2 smaller sphal. veins approx. 2 cm apart at similar angles.
101.5	5	20	yellowish	BRECCIATED	Dolomite	Quartz		Small sph-bearing breccia.
102.65	1.5	37	white	MASSIVE	Dolomite	Calcite		
102.75	1.5	37	white	MASSIVE	Dolomite			
107.85	1.5	45	white	MASSIVE	Dolomite	Quartz		Vein widens to area of highly concentrated min. Trace cpy.
118.3	1	10	white	MASSIVE	Dolomite			Vein continues at angle for 30 cm.
164.6	0.5	40	white	MASSIVE	Dolomite			
209.9	1.5	47	white	MASSIVE	Dolomite	Quartz		

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
145.2	145.2	bedding	56	Banded.
171.7	171.7	bedding	50	Laminated.
189.4	189.4	bedding	57	Banded.
190.1	1901	bedding	0	Laminated. Consistent angle for 20 cm interval.
191.6	191.6	bedding	53	Bands of lamination in massive host rock.
212.5	212.5	bedding	37	Laminated..

Shear Zone

<i>From (m)</i>	<i>To (m)</i>	<i>Deformation</i>	<i>Angle (to CA)</i>	<i>Mineralogy 1 %</i>	<i>Mineralogy 2 %</i>	<i>Alteration 1</i>	<i>Deg</i>	<i>Gauge</i>	<i>Clay</i>	<i>Oxidized</i>	<i>Clean</i>	<i>Note:</i>
122.2	124.2	Brittle				SELECT		3	3	3	3	Soft , black; argillaceous.

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
22.8	30.9	BLEACHED	2	OXIDATION	2			Host rock exhibits bleaching and oxidation localized on mineralized veins/breccias.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07117-001	3.1	4.1	1.00	0.04	0.33	0.38	0.04	0.33	0.38	0.00	0	0	2.10	1.47	0.38
BE07117-002	4.1	5.1	1.00	0.02	0.04	0.06	0.02	0.04	0.06	0.00	0	0	0.70	1.12	0.06
BE07117-003	5.1	6.1	1.00	0.09	0.21	0.30	0.09	0.21	0.30	0.00	0	0	1.40	1.61	0.26
BE07117-004	6.1	7.1	1.00	3.80	3.14	6.94	3.80	3.14	6.94	0.00	0	0	41.60	3.04	5.13
BE07117-005	7.1	8.1	1.00	1.01	0.55	1.56	1.01	0.55	1.56	0.00	0	0	10.80	1.76	1.08
BE07117-006	8.1	9.1	1.00	4.26	2.24	6.50	4.26	2.24	6.50	0.00	0	0	50.20	2.18	4.51
BE07117-007	9.1	10.1	1.00	1.33	0.74	2.07	1.33	0.74	2.07	0.00	0	0	15.30	1.56	1.45
BE07117-008	10.1	11.1	1.00	1.02	0.60	1.62	1.02	0.60	1.62	0.00	0	0	11.30	1.09	1.14
BE07117-009	11.1	12.1	1.00	0.29	0.39	0.68	0.29	0.39	0.68	0.00	0	0	2.10	1.32	0.53
BE07117-010	12.1	13.1	1.00	0.32	0.88	1.20	0.32	0.88	1.20	0.00	0	0	3.40	1.25	1.05
BE07117-011	13.1	14.1	1.00	0.15	0.27	0.42	0.15	0.27	0.42	0.00	0	0	2.00	1.05	0.35
BE07117-012	14.1	15.1	1.00	0.12	0.11	0.23	0.12	0.11	0.23	0.00	0	0	1.40	0.99	0.17
BE07117-013	15.1	16.1	1.00	5.84	2.87	8.71	5.84	2.87	8.71	0.00	0	0	94.80	2.27	6.29
BE07117-014	16.1	17.1	1.00	0.92	0.75	1.67	0.92	0.75	1.67	0.00	0	0	11.50	1.84	1.25
BE07117-015	17.1	18.1	1.00	0.38	0.18	0.57	0.38	0.18	0.57	0.00	0	0	7.80	1.43	0.43
BE07117-016	18.1	19.1	1.00	0.71	0.65	1.36	0.71	0.65	1.36	0.00	0	0	11.10	1.8	1.06
BE07117-017	19.1	20.1	1.00	1.31	1.01	2.32	1.31	1.01	2.32	0.00	0	0	14.70	1.58	1.70
BE07117-018	20.1	21.1	1.00	1.32	0.51	1.83	1.32	0.51	1.83	0.00	0	0	12.90	1.34	1.18
BE07117-019	21.1	22.1	1.00	0.34	0.20	0.53	0.34	0.20	0.53	0.00	0	0	3.80	1.08	0.38
BE07117-020	22.1	23.1	1.00	0.59	0.80	1.39	0.59	0.80	1.39	0.00	0	0	6.90	1.41	1.11
BE07117-021	23.1	24.1	1.00	0.17	0.19	0.36	0.17	0.19	0.36	0.00	0	0	3.30	2.09	0.30
BE07117-022	24.1	25.1	1.00	0.61	4.59	5.20	0.61	4.59	5.20	0.00	0	0	6.80	1.62	4.91
BE07117-023	25.1	26.1	1.00	0.19	1.61	1.80	0.19	1.61	1.80	0.00	0	0	34.70	1.67	2.09
BE07117-024	26.1	27.1	1.00	0.28	4.29	4.57	0.28	4.29	4.57	0.00	0	0	21.60	1.33	4.65
BE07117-025	27.1	28.1	1.00	0.17	0.31	0.49	0.17	0.31	0.49	0.00	0	0	10.10	1.12	0.50
BE07117-026	28.1	29.1	1.00	0.09	0.88	0.97	0.09	0.88	0.97	0.00	0	0	2.40	1.57	0.94
BE07117-027	29.1	30.1	1.00	0.35	1.03	1.38	0.35	1.03	1.38	0.00	0	0	6.80	1.95	1.25
BE07117-028	30.1	31.1	1.00	0.35	0.58	0.93	0.35	0.58	0.93	0.00	0	0	5.70	1.3	0.79
BE07117-029	31.1	32.1	1.00	1.17	3.58	4.75	1.17	3.58	4.75	0.00	0	0	14.60	0.9	4.21
BE07117-030	32.1	33.1	1.00	0.99	0.53	1.52	0.99	0.53	1.52	0.00	0	0	81.80	1.16	1.87
BE07117-031	33.1	34.1	1.00	0.91	1.01	1.92	0.91	1.01	1.92	0.00	0	0	27.20	1.03	1.69
BE07117-032	34.1	35.1	1.00	0.16	0.14	0.31	0.16	0.14	0.31	0.00	0	0	6.60	0.94	0.29
BE07117-033	35.1	36.1	1.00	0.17	0.19	0.36	0.17	0.19	0.36	0.00	0	0	20.40	0.96	0.49
BE07117-034	36.1	37.1	1.00	0.29	1.57	1.86	0.29	1.57	1.86	0.00	0	0	11.70	1.19	1.82
BE07117-035	37.1	38.1	1.00	0.11	0.30	0.41	0.11	0.30	0.41	0.00	0	0	5.80	0.84	0.41
BE07117-036	38.1	39.1	1.00	0.16	0.34	0.50	0.16	0.34	0.50	0.00	0	0	7.00	0.84	0.48
BE07117-037	39.1	40.1	1.00	0.20	1.03	1.23	0.20	1.03	1.23	0.00	0	0	12.50	0.9	1.25
BE07117-038	40.1	41.1	1.00	0.34	0.32	0.65	0.34	0.32	0.65	0.00	0	0	12.50	0.84	0.60
BE07117-039	41.1	42.1	1.00	0.14	0.19	0.33	0.14	0.19	0.33	0.00	0	0	9.90	0.89	0.36
BE07117-040	42.1	43.1	1.00	0.34	0.43	0.77	0.34	0.43	0.77	0.00	0	0	18.60	1.38	0.78
BE07117-041	43.1	44.1	1.00							0.00	0	0			
BE07117-042	44.1	45.1	1.00	0.15	0.05	0.20	0.15	0.05	0.20	0.00	0	0	2.30	1.22	0.13
BE07117-043	45.1	46.1	1.00	0.06	0.06	0.13	0.06	0.06	0.13	0.00	0	0	2.30	1.56	0.11
BE07117-044	46.1	47.1	1.00	0.24	0.47	0.71	0.24	0.47	0.71	0.00	0	0	5.40	1.2	0.63

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07117-045	47.1	48.1	1.00	0.17	0.38	0.55	0.17	0.38	0.55	0.00	0	0	3.90	2.36	0.49
BE07117-046	48.1	49.1	1.00	0.19	1.14	1.33	0.19	1.14	1.33	0.00	0	0	3.00	3.56	1.25
BE07117-047	49.1	50.1	1.00	0.10	0.20	0.29	0.10	0.20	0.29	0.00	0	0	1.30	0.97	0.25
BE07117-048	50.1	51.1	1.00	0.49	0.95	1.44	0.49	0.95	1.44	0.00	0	0	10.00	0.91	1.26
BE07117-049	51.1	52.1	1.00	0.36	1.48	1.84	0.36	1.48	1.84	0.00	0	0	9.30	0.87	1.73
BE07117-050	52.1	53.1	1.00	0.11	1.00	1.11	0.11	1.00	1.11	0.00	0	0	6.30	0.82	1.12
BE07117-051	53.1	54.1	1.00	0.15	1.00	1.15	0.15	1.00	1.15	0.00	0	0	5.60	0.91	1.12
BE07117-052	54.1	55.1	1.00	0.18	1.00	1.18	0.18	1.00	1.18	0.00	0	0	6.80	1.02	1.15
BE07117-053	55.1	56.1	1.00	0.50	1.00	1.50	0.50	1.00	1.50	0.00	0	0	22.30	1.17	1.46
BE07117-054	56.1	57.1	1.00	0.37	1.00	1.37	0.37	1.00	1.37	0.00	0	0	12.30	1.1	1.29
BE07117-055	57.1	58.1	1.00	1.00	0.55	1.55	1.00	0.55	1.55	0.00	0	0	30.00	1.4	1.29
BE07117-056	58.1	59.1	1.00	0.89	1.00	1.89	0.89	1.00	1.89	0.00	0	0	1.50	1.11	1.37
BE07117-057	59.1	60.1	1.00	0.00	0.07	0.08	0.00	0.07	0.08	0.00	0	0	2.40	1.27	0.10
BE07117-058	60.1	61.1	1.00	0.01	0.72	0.73	0.01	0.72	0.73	0.00	0	0	1.80	0.9	0.74
BE07117-059	61.1	62.1	1.00	0.00	0.09	0.09	0.00	0.09	0.09	0.00	0	0	2.50	0.88	0.12
BE07117-060	62.1	63.1	1.00	1.00	0.80	1.80	1.00	0.80	1.80	0.00	0	0	30.00	1.44	1.55
BE07117-061	63.1	64.1	1.00	0.28	0.20	0.48	0.28	0.20	0.48	0.00	0	0	30.00	1.44	0.65
BE07117-062	64.1	65.1	1.00	0.05	0.13	0.18	0.05	0.13	0.18	0.00	0	0	1.40	1.26	0.17
BE07117-063	65.1	66.1	1.00	0.11	0.54	0.65	0.11	0.54	0.65	0.00	0	0	1.60	1.26	0.60
BE07117-064	66.1	67.1	1.00	0.04	0.04	0.08	0.04	0.04	0.08	0.00	0	0	0.40	1.22	0.06
BE07117-065	67.1	68.1	1.00	0.10	0.21	0.31	0.10	0.21	0.31	0.00	0	0	1.60	0.98	0.27
BE07117-066	68.1	69.1	1.00	0.04	0.73	0.77	0.04	0.73	0.77	0.00	0	0	2.40	1.01	0.78
BE07117-067	69.1	70.1	1.00	0.05	0.64	0.69	0.05	0.64	0.69	0.00	0	0	1.70	1.17	0.68
BE07117-068	70.1	71.1	1.00	0.19	0.19	0.38	0.19	0.19	0.38	0.00	0	0	2.30	1.35	0.29
BE07117-069	71.1	72.1	1.00	0.03	0.06	0.09	0.03	0.06	0.09	0.00	0	0	0.40	1.74	0.08
BE07117-070	72.1	73.1	1.00	0.02	0.19	0.21	0.02	0.19	0.21	0.00	0	0	0.40	2.16	0.20
BE07117-071	73.1	74.1	1.00	0.01	0.02	0.04	0.01	0.02	0.04	0.00	0	0	0.00	5.6	0.03
BE07117-072	74.1	75.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	9.37	0.03
BE07117-073	75.1	76.1	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.30	8.54	0.05
BE07117-074	76.1	77.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.20	8.22	0.03
BE07117-075	77.1	78.1	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	0.20	9.3	0.06
BE07117-076	78.1	79.1	1.00	0.01	0.08	0.08	0.01	0.08	0.08	0.00	0	0	0.20	9.08	0.08
BE07117-077	79.1	80.1	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	10	0.03
BE07117-078	80.1	81.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.00	10	0.03
BE07117-079	81.1	82.1	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.20	9.3	0.02
BE07117-080	82.1	83.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30	9.99	0.03
BE07117-081	83.1	84.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.00	9.19	0.02
BE07117-082	84.1	85.1	1.00	0.01	0.04	0.04	0.01	0.04	0.04	0.00	0	0	0.00	9.11	0.04
BE07117-083	85.1	86.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.20	8.77	0.03
BE07117-084	86.1	87.1	1.00	0.02	0.04	0.06	0.02	0.04	0.06	0.00	0	0	0.30	6.81	0.05
BE07117-085	87.1	88.1	1.00	0.02	0.02	0.04	0.02	0.02	0.04	0.00	0	0	0.60	6.69	0.03
BE07117-086	88.1	89.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	5.84	0.03
BE07117-087	89.1	90.1	1.00	0.01	0.07	0.08	0.01	0.07	0.08	0.00	0	0	0.00	6.34	0.07
BE07117-088	90.1	91.1	1.00	0.01	0.06	0.07	0.01	0.06	0.07	0.00	0	0	0.30	5.82	0.07

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07117-089	91.1	92.1	1.00	0.17	0.94	1.12	0.17	0.94	1.12	0.00	0	0	3.60	3.28	1.05
BE07117-090	92.1	93.1	1.00	0.26	0.53	0.79	0.26	0.53	0.79	0.00	0	0	5.00	1.99	0.69
BE07117-091	93.1	94.1	1.00	0.38	0.48	0.86	0.38	0.48	0.86	0.00	0	0	25.30	1.51	0.93
BE07117-092	94.1	95.1	1.00	0.95	0.36	1.31	0.95	0.36	1.31	0.00	0	0	30.00	0.94	1.08
BE07117-093	95.1	96.1	1.00	1.00	1.00	2.00	1.00	1.00	2.00	0.00	0	0	30.00	1.12	1.74
BE07117-094	96.1	97.1	1.00	0.37	0.18	0.55	0.37	0.18	0.55	0.00	0	0	10.90	0.97	0.45
BE07117-095	97.1	98.1	1.00	0.37	1.00	1.37	0.37	1.00	1.37	0.00	0	0	30.00	1.18	1.49
BE07117-096	98.1	99.1	1.00	0.14	0.72	0.87	0.14	0.72	0.87	0.00	0	0	5.30	0.87	0.84
BE07117-097	99.1	100.1	1.00	0.08	0.25	0.34	0.08	0.25	0.34	0.00	0	0	2.80	0.92	0.32
BE07117-098	100.1	101.1	1.00	0.02	0.00	0.02	0.02	0.00	0.02	0.00	0	0	1.70	0.89	0.03
BE07117-099	101.1	102.1	1.00	0.05	0.00	0.05	0.05	0.00	0.05	0.00	0	0	12.70	0.94	0.17
BE07117-100	102.1	103.1	1.00	0.09	0.51	0.60	0.07	0.50	0.57	0.02	0.01	0.03	31.90	0.95	0.91
BE07117-101	103.1	104.1	1.00	0.01	0.12	0.13	0.01	0.12	0.13	0.00	0	0	2.80	0.69	0.16
BE07117-102	104.1	105.1	1.00	0.02	0.66	0.69	0.02	0.66	0.69	0.00	0	0	1.30	0.65	0.69
BE07117-103	105.1	106.1	1.00	0.02	0.32	0.34	0.02	0.32	0.34	0.00	0	0	1.50	0.72	0.35
BE07117-104	106.1	107.1	1.00	0.03	0.16	0.19	0.03	0.16	0.19	0.00	0	0	2.50	0.66	0.20
BE07117-105	107.1	108.1	1.00	0.12	2.63	2.75	0.09	2.59	2.68	0.03	0.04	0.07	19.20	1.11	2.90
BE07117-106	108.1	109.1	1.00	0.06	1.04	1.10	0.06	1.04	1.10	0.00	0	0	5.90	0.74	1.13
BE07117-107	109.1	110.1	1.00	0.12	0.86	0.98	0.10	0.80	0.90	0.02	0.06	0.08	25.70	1.01	1.20
BE07117-108	110.1	111.1	1.00	0.09	0.10	0.19	0.09	0.10	0.19	0.00	0	0	2.10	0.8	0.16
BE07117-109	111.1	112.1	1.00	0.03	0.06	0.09	0.03	0.06	0.09	0.00	0	0	5.30	0.9	0.13
BE07117-110	112.1	113.1	1.00	0.06	0.14	0.20	0.06	0.14	0.20	0.00	0	0	13.40	0.77	0.32
BE07117-111	113.1	114.1	1.00	0.03	0.25	0.28	0.03	0.25	0.28	0.00	0	0	26.60	0.62	0.57
BE07117-112	114.1	115.1	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	2.40	0.83	0.07
BE07117-113	115.1	116.1	1.00	0.02	0.07	0.09	0.02	0.07	0.09	0.00	0	0	4.90	0.88	0.13
BE07117-114	116.1	117.1	1.00	0.03	0.61	0.64	0.03	0.61	0.64	0.00	0	0	15.70	0.76	0.80
BE07117-115	117.1	118.1	1.00	0.04	0.36	0.41	0.04	0.36	0.41	0.00	0	0	25.90	0.74	0.68
BE07117-116	118.1	119.1	1.00	0.01	0.78	0.79	0.01	0.78	0.79	0.00	0	0	20.80	0.77	1.02
BE07117-117	119.1	120.1	1.00	0.01	0.06	0.06	0.01	0.06	0.06	0.00	0	0	2.70	0.42	0.09
BE07117-118	120.1	121.1	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.80	0.87	0.03
BE07117-119	121.1	122.1	1.00	0.01	0.11	0.11	0.01	0.11	0.11	0.00	0	0	1.60	0.85	0.13
BE07117-120	122.1	123.1	1.00	0.04	0.50	0.54	0.04	0.50	0.54	0.00	0	0	2.30	1.41	0.55
BE07117-121	123.1	124.1	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	2.03	0.02
BE07117-122	124.1	125.1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.15	0.00
BE07117-123	125.1	126.1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.91	0.00

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07118	209.4	200	-45	90.46	Far West Zone	515415.852	7142802.244	1550.089	03/07/2007	Mike Moroskat

Host Rock Summary

The wall rock is massive to laminated dolomitic siltstone of the upper Gillespie Lake Group. Fault gouge is intersected at 95m, with oxidation within adjacent veins. Two intrusive bodies of diorite are present both above and below the intersected fault. Alteration and oxidation is present at the wall rock contacts of both intrusive bodies.

Mineralization Summary

Sphalerite, galena and chalcopyrite mineralization is present to a depth of 90m (not extending below the fault). It is hosted dominantly as breccia matrix, with minor mineralization vein hosted. No mineralization is present within the diorite intrusives and there is no oxide zone at the top of the hole.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	9.1	OVB	Overburden				No recovery.
9.1	45.7	G2	Dolomitic Siltstone		grey	soft sediment deformation	Mineralized throughout interval, right up to contact with mafic intrusive.
45.7	62.1	HRI	Diorite		green	massive	Weathered and oxidized margins (not wide) and oxidization around fractures within diorite.
62.1	82.3	G2	Dolomitic Siltstone		grey	soft sediment deformation	No bedding/laminations clearly defined; Good sp/cpy-min at end of interval.
82.3	94.5	G2	Dolomitic Siltstone		grey	laminated	Brecciated and mineralized throughout.
94.5	99.6	G2	Gouge	Arg Dolomite	grey	gouge	Gouge and broken ground; 8 or 9 m interval of washed core and very poor recovery; Interval marks the end of mineralization.
99.6	140.2	G2	Dolomitic Siltstone		grey	bedded	Unmineralized with small dol veins.
140.2	168.7	G2	Dolomitic Siltstone		grey	altered	Sharp contact with underlying unaltered rock; Unmineralized.
168.7	183.5	G2	Dolomitic Siltstone		grey	banded	Unmineralized; Generally unveined.
183.5	185.1	HRI	Diorite		green	massive	Oxidation at boundaries and along fractures.
185.1	211	G2	Dolomitic Siltstone		grey	banded	Interbeds of grey dolomitic siltstone and black argillaceous layers.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
9.1	12.9	VEINED	sphalerite	3	galena	2	pyrite	0.5	Min only within the veins, none found alone in host rock. Many of the veins are isolated/short breccia zones.
19.3	20.2	BRECCIATED	galena	2	sphalerite	1			Min hosted in the breccia matrix.
27.4	41.1	BRECCIATED	sphalerite	2	galena	1	chalcopryrite	0.5	Few higher grade sections, but short and rare.
66.4	68	BRECCIATED	sphalerite	15	pyrite	1			
73.1	84.1	VEINED	sphalerite	1	chalcopryrite	0.4			Scattered and spaced out mineralized veins and small breccia zones (<10cm). Some veins cpy-bearing, others are not.
85	86.2	BRECCIATED	chalcopryrite	3	sphalerite	1			
86.2	89.4	BRECCIATED	sphalerite	5					

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
19.1	20.2	Pack Breccia	Mosaic	SUBROUNDED		Cement	Dolomite	Quartz	
20.1	24.2	Float Breccia	Rubble	SUBROUNDED	5	Mixed	Dolomite	Quartz	Breccia matrix does not host mineralization, although there are mineralized veins crosscutting the breccia zone.
27.4	41.1	Pack Breccia	Mosaic	SUBANGULAR	100	Cement	Dolomite	Quartz	Breccia switches between dense and spaced brecciation. Matrix hosts sph+gn+cpy min.
66.4	68	Float Breccia	Mosaic	SUBANGULAR		Cement	Quartz	Dolomite	Sph hosted in the breccia matrix. Breccia fabric oriented approx 45 deg to core axis.
85	86.2	Float Breccia	Mosaic	SUBANGULAR		Cement	Dolomite	Quartz	Sph and cpy bearing. Top 20 cm of interval has mild oxidation around edges of breccia and rims of breccia clasts.
86.2	89.4	Float Breccia	Mosaic	SUBANGULAR		Cement	Dolomite	Quartz	

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
9.1	12.9	3	2.6316		yellow	BRECCIATED	Dolomite	Quartz	Sph and gn min hosted in the veins.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
17.1	2	5	grey	BRECCIATED	Dolomite	Quartz		
18.6	5	28	yellowish	BRECCIATED	Dolomite	Quartz		
73.6	2	85						Vein with only cpy.
74.4	2	90	white	DRUSY	Dolomite	Quartz		
78.3	1	45	white	DRUSY	Dolomite	Quartz		Sph and cpy concentrated on the outer edge of the vein, with the dol/qtz filling the center.

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
105.1	105.1	bedding	47	Banded/wavy.
110.2	110.2	bedding	30	Banded.
119	119	bedding	40	Banded.
134.6	134.6	bedding	54	Laminated.

Shear Zone

<i>From (m)</i>	<i>To (m)</i>	<i>Deformation</i>	<i>Angle (to CA)</i>	<i>Mineralogy 1 %</i>	<i>Mineralogy 2 %</i>	<i>Alteration 1</i>	<i>Deg</i>	<i>Gauge</i>	<i>Clay</i>	<i>Oxidized</i>	<i>Clean</i>	<i>Note:</i>
94.5	99.6	Brittle				SELECT		3	3	3	3	Black, soft argillaceous material with rounded pieces of host.

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
19.6	24.2	BLEACHED	1	NONE		NONE		
89.2	94.5	OXIDATION	2	NONE		NONE		Oxidation concentrated to veins.
140.2	168.7	BLEACHED	2					

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07118-001	9.1	10.1	1.00	0.11	1.41	1.52	0.11	1.41	1.52	0.00	0	0	3.70	2.5	1.50
BE07118-002	10.1	11.1	1.00	1.14	4.60	5.74	1.14	4.60	5.74	0.00	0	0	36.00	1.48	5.47
BE07118-003	11.1	12.1	1.00	0.95	1.01	1.96	0.95	1.01	1.96	0.00	0	0	20.30	1.01	1.62
BE07118-004	12.1	13.1	1.00	0.90	3.60	4.50	0.90	3.60	4.50	0.00	0	0	17.00	1.27	4.15
BE07118-005	13.1	14.1	1.00	0.07	0.10	0.17	0.07	0.10	0.17	0.00	0	0	1.90	1.11	0.15
BE07118-006	14.1	15.1	1.00	0.18	0.71	0.88	0.18	0.71	0.88	0.00	0	0	3.30	0.99	0.81
BE07118-007	15.1	16.1	1.00	0.28	0.80	1.07	0.28	0.80	1.07	0.00	0	0	6.80	1.13	0.99
BE07118-008	16.1	17.1	1.00	0.23	0.70	0.92	0.23	0.70	0.92	0.00	0	0	5.80	0.82	0.85
BE07118-009	17.1	18.1	1.00	0.10	0.18	0.28	0.10	0.18	0.28	0.00	0	0	1.90	0.85	0.24
BE07118-010	18.1	19.1	1.00	0.83	4.00	4.83	0.83	4.00	4.83	0.00	0	0	16.00	1.09	4.52
BE07118-011	19.1	20.1	1.00	1.90	4.10	6.00	1.90	4.10	6.00	0.00	0	0	23.00	1.05	5.12
BE07118-012	20.1	21.1	1.00	0.22	0.28	0.50	0.22	0.28	0.50	0.00	0	0	2.70	1.79	0.40
BE07118-013	21.1	22.1	1.00	0.10	0.11	0.21	0.10	0.11	0.21	0.00	0	0	9.40	1.26	0.26
BE07118-014	22.1	23.1	1.00	0.20	0.44	0.64	0.20	0.44	0.64	0.00	0	0	25.10	3.14	0.81
BE07118-015	23.1	24.1	1.00	0.13	0.19	0.32	0.13	0.19	0.32	0.00	0	0	5.00	1.27	0.30
BE07118-016	24.1	25.1	1.00	0.34	0.42	0.76	0.34	0.42	0.76	0.00	0	0	12.50	1.3	0.70
BE07118-017	25.1	26.1	1.00	1.00	0.56	1.56	1.00	0.56	1.56	0.00	0	0	14.40	1.95	1.13
BE07118-018	26.1	27.1	1.00	0.80	2.40	3.20	0.80	2.40	3.20	0.00	0	0	23.00	1.15	2.98
BE07118-019	27.1	28.1	1.00	4.80	1.27	6.07	4.80	1.27	6.07	0.00	0	0	42.30	1.23	3.67
BE07118-020	28.1	29.1	1.00	0.12	0.91	1.04	0.12	0.91	1.04	0.00	0	0	2.40	0.82	0.99
BE07118-021	29.1	30.1	1.00	0.08	2.70	2.78	0.08	2.70	2.78	0.00	0	0	4.30	0.91	2.78
BE07118-022	30.1	31.1	1.00	0.16	2.20	2.36	0.16	2.20	2.36	0.00	0	0	6.20	1.05	2.34
BE07118-023	31.1	32.1	1.00	0.47	4.30	4.77	0.47	4.30	4.77	0.00	0	0	48.20	1.62	5.04
BE07118-024	32.1	33.1	1.00	0.09	1.45	1.54	0.09	1.45	1.54	0.00	0	0	3.60	1.37	1.53
BE07118-025	33.1	34.1	1.00	1.06	3.90	4.96	1.06	3.90	4.96	0.00	0	0	15.20	1.26	4.50
BE07118-026	34.1	35.1	1.00	0.80	4.10	4.90	0.80	4.10	4.90	0.00	0	0	22.30	1.4	4.68
BE07118-027	35.1	36.1	1.00	1.40	4.40	5.80	1.40	4.40	5.80	0.00	0	0	38.20	1.38	5.40
BE07118-028	36.1	37.1	1.00	1.07	3.50	4.57	1.07	3.50	4.57	0.00	0	0	20.10	1.32	4.16
BE07118-029	37.1	38.1	1.00	1.80	3.70	5.50	1.80	3.70	5.50	0.00	0	0	34.20	1.5	4.81
BE07118-030	38.1	39.1	1.00	1.60	1.90	3.50	1.60	1.90	3.50	0.00	0	0	13.80	1.29	2.70
BE07118-031	39.1	40.1	1.00	0.44	3.30	3.74	0.44	3.30	3.74	0.00	0	0	10.30	1.28	3.59
BE07118-032	40.1	41.1	1.00	0.44	2.50	2.94	0.44	2.50	2.94	0.00	0	0	10.00	1.46	2.79
BE07118-033	41.1	42.1	1.00	0.06	0.35	0.41	0.06	0.35	0.41	0.00	0	0	1.20	1.25	0.39
BE07118-034	42.1	43.1	1.00	0.16	1.90	2.06	0.16	1.90	2.06	0.00	0	0	2.50	1.43	1.99
BE07118-035	43.1	44.1	1.00	0.25	1.21	1.46	0.25	1.21	1.46	0.00	0	0	2.90	1.79	1.34
BE07118-036	44.1	45.1	1.00	0.08	1.02	1.10	0.08	1.02	1.10	0.00	0	0	2.10	3.38	1.08
BE07118-037	45.1	46.1	1.00	0.03	0.43	0.45	0.03	0.43	0.45	0.00	0	0	0.70	6.55	0.45
BE07118-038	46.1	47.1	1.00	0.03	0.73	0.76	0.03	0.73	0.76	0.00	0	0	0.50	9.9	0.74
BE07118-039	47.1	48.1	1.00	0.03	0.43	0.46	0.03	0.43	0.46	0.00	0	0	0.40	10	0.45
BE07118-040	48.1	49.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.30	9.05	0.03
BE07118-041	49.1	50.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.30	8.96	0.03
BE07118-042	50.1	51.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.40	9.44	0.03
BE07118-043	51.1	52.1	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.30	9.45	0.04
BE07118-044	52.1	53.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.30	8.63	0.03

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07118-045	53.1	54.1	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	9.22	0.02
BE07118-046	54.1	55.1	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.20	9.99	0.04
BE07118-047	55.1	56.1	1.00	0.00	0.02	0.03	0.00	0.02	0.03	0.00	0	0	0.00	8.37	0.03
BE07118-048	56.1	57.1	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	7.94	0.01
BE07118-049	57.1	58.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.40	6.06	0.01
BE07118-050	58.1	59.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	6.2	0.01
BE07118-051	59.1	60.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.20	6.12	0.01
BE07118-052	60.1	61.1	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.40	5.97	0.01
BE07118-053	61.1	62.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.30	6.22	0.04
BE07118-054	62.1	63.1	1.00	0.02	0.25	0.27	0.02	0.25	0.27	0.00	0	0	0.60	2.27	0.27
BE07118-055	63.1	64.1	1.00	0.04	0.47	0.51	0.04	0.47	0.51	0.00	0	0	2.10	1.54	0.51
BE07118-056	64.1	65.1	1.00	0.82	0.37	1.18	0.82	0.37	1.18	0.00	0	0	10.70	1.64	0.81
BE07118-057	65.1	66.1	1.00	0.25	0.33	0.58	0.25	0.33	0.58	0.00	0	0	6.10	1.08	0.50
BE07118-058	66.1	67.1	1.00	0.14	5.41	5.55	0.09	5.21	5.30	0.05	0.2	0.25	4.30	1.24	5.52
BE07118-059	67.1	68.1	1.00	0.57	11.70	12.27	0.29	11.45	11.74	0.28	0.25	0.53	19.10	1.41	12.15
BE07118-060	68.1	69.1	1.00	0.05	1.07	1.12	0.00	0.94	0.94	0.05	0.13	0.18	6.10	0.87	1.16
BE07118-061	69.1	70.1	1.00	0.07	0.20	0.27	0.07	0.20	0.27	0.00	0	0	5.50	1.34	0.29
BE07118-062	70.1	71.1	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	0.20	0.85	0.02
BE07118-063	71.1	72.1	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	1.00	0.84	0.06
BE07118-064	72.1	73.1	1.00	0.02	0.11	0.13	0.02	0.11	0.13	0.00	0	0	1.20	0.98	0.13
BE07118-065	73.1	74.1	1.00	0.09	0.46	0.55	0.09	0.46	0.55	0.00	0	0	18.70	1.18	0.71
BE07118-066	74.1	75.1	1.00	0.16	0.43	0.59	0.16	0.43	0.59	0.00	0	0	19.20	1.21	0.71
BE07118-067	75.1	76.1	1.00	0.09	0.08	0.16	0.09	0.08	0.16	0.00	0	0	3.40	0.79	0.15
BE07118-068	76.1	77.1	1.00	0.14	1.50	1.64	0.12	1.41	1.53	0.02	0.09	0.11	7.80	0.81	1.65
BE07118-069	77.1	78.1	1.00	0.02	0.22	0.24	0.02	0.22	0.24	0.00	0	0	1.30	0.78	0.25
BE07118-070	78.1	79.1	1.00	0.02	0.54	0.56	0.02	0.54	0.56	0.00	0	0	2.70	0.72	0.58
BE07118-071	79.1	80.1	1.00	0.01	0.30	0.31	0.01	0.30	0.31	0.00	0	0	3.40	0.68	0.34
BE07118-072	80.1	81.1	1.00	0.01	0.05	0.06	0.01	0.05	0.06	0.00	0	0	2.00	0.71	0.08
BE07118-073	81.1	82.1	1.00	0.03	1.90	1.93	0.03	1.80	1.83	0.00	0.1	0.1	4.00	0.7	1.96
BE07118-074	82.1	83.1	1.00	0.01	0.25	0.26	0.01	0.25	0.26	0.00	0	0	0.90	0.61	0.26
BE07118-075	83.1	84.1	1.00	0.01	0.53	0.55	0.01	0.53	0.55	0.00	0	0	1.80	0.81	0.56
BE07118-076	84.1	85.1	1.00	0.01	0.16	0.17	0.01	0.16	0.17	0.00	0	0	1.80	0.83	0.18
BE07118-077	85.1	86.1	1.00	0.09	1.35	1.44	0.06	1.24	1.30	0.03	0.11	0.14	20.00	1.51	1.62
BE07118-078	86.1	87	0.90	0.03	8.22	8.25	0.03	7.93	7.96	0.00	0.29	0.29	9.20	0.76	8.34
BE07118-079	87	88.1	1.10	0.04	2.61	2.65	0.03	2.49	2.52	0.01	0.12	0.13	8.00	0.7	2.72
BE07118-080	88.1	89.1	1.00	0.02	3.30	3.32	0.02	3.10	3.12	0.00	0.2	0.2	4.00	0.88	3.35
BE07118-081	89.1	90.1	1.00	0.01	5.59	5.60	0.01	4.77	4.78	0.00	0.82	0.82	4.00	0.97	5.64
BE07118-082	90.1	91.1	1.00	0.00	2.73	2.73	0.00	1.83	1.83	0.00	0.9	0.9	2.60	1.06	2.76
BE07118-083	91.1	92.1	1.00	0.21	0.61	0.81	0.21	0.61	0.81	0.00	0	0	9.80	0.76	0.80
BE07118-084	92.1	93.1	1.00	0.09	1.74	1.83	0.02	0.99	1.01	0.07	0.75	0.82	10.00	0.8	1.89
BE07118-085	93.1	94.5	1.40	0.01	0.49	0.50	0.01	0.49	0.50	0.00	0	0	4.50	1.34	0.55

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07119	109	200	-60	93.12	Far West Zone	515415.852	7142802.244	1550.089	04/07/2007	Mike Moroskat

Host Rock Summary

Wall rock is massive dolomitic siltstone of the upper Gillespie Lake Group. Minor stromatolitic horizons are intersected. At 15m an intersection of diorite is made in the middle of the drill hole that has altered contacts with the wall rock.

Mineralization Summary

Sphalerite with minor galena and chalcopyrite mineralization is scattered throughout the length of the drill hole, except within the diorite. It is dominantly breccia hosted, but some mineralization occurs in veins. Minor oxidation is present in the bottom of the hole, but affects pyrite only.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	1.9	OVBN	Overburden				No Recovery.
1.9	44.8	G2	Dolomitic Siltstone		grey	massive	Breccia hosted mineralization present throughout interval; Alteration at bottom interval at contact with intrusive body; Some soft sediment deformation structures scattered throughout.
44.8	59	HRI	Diorite		green	massive	Alteration at contacts with host rock; No mineralization present.
59	109	G2	Dolomitic Siltstone		grey	massive	Mineralized throughout; Slight bleaching present where mineralization is most intense. Minor stromatolitic horizons (?).

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
12.7	14.6	BRECCIATED	sphalerite	3	galena	0.5			Galena only present in coarse veins. Sphalerite as matrix of breccia.
15.3	19.8	VEINED	sphalerite	2	pyrite	1	galena	0.5	Some of the mineralized veins are approaching breccias. out. Where qtz/dol present, it is center of vein, with min at outer margin.
24.1	37.7	BRECCIATED	sphalerite	1.5	chalcopryite	1	pyrite	0.5	Mineralization as matrix of fine crackle breccia.
39.9	44.7	BRECCIATED	sphalerite	2.5	chalcopryite	0.5	galena	0.5	Mineralization extends through altered boundary of intrusive but not into intrusive.
61.3	62.3	BRECCIATED	sphalerite	5					
63.1	69.8	VEINED	sphalerite	1.5					
72.8	80.1	BRECCIATED	sphalerite	10	pyrite	2			Oxidation only affecting the pyrite. Sphalerite present as breccia matrix only.
80.1	99.8	VEINED	sphalerite	0.5					Sphalerite min in spaced veins, scattered throughout the interval. Minor pyrite locally.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
12.7	14.6	Pack Breccia	Mosaic	SUBANGULAR		Cement	Dolomite	Quartz	Sph as large component of bx matrix.
24.1	37.7	Pack Breccia	Crackle	SUBANGULAR		Cement	Dolomite	Quartz	
39.9	44.7	Float Breccia	Mosaic	SUBANGULAR		Cement	Dolomite	Quartz	Breccia matrix dominantly Sphalerite. Breccia fabric at low angle to core axis (approx 20-30°).
61.3	62.3	Pack Breccia	Crackle	ANGULAR		Cement	Dolomite	Quartz	Sphalerite dominant matrix material.
72.8	80.1	Float Breccia	Mosaic	SUBROUNDED		Cement	Dolomite	Quartz	Sphalerite is major component of matrix. Breccia fabric at low angle (20-30°) to core axis.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
15.4	19.8	1.5	4.5455		yellowish	BRECCIATED	Quartz	Dolomite	
63.1	69.8	1	4.9254		yellowish	BRECCIATED	Dolomite	Quartz	
80.1	99.8	1	4.3147		yellowish	BRECCIATED	Dolomite	Quartz	Veins are each small (few cm) breccia zones and are spaced throughout interval. Veins all with shallow angle (20-30°) to core axis.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
26.3	5	5	brownish	BRECCIATED	Pyrite			
27.8	2	50	white	DRUSY	Dolomite	Quartz		
70.1	2	0	white	DRUSY	Dolomite	Quartz		Veins runs the length of the core for almost 1 m. Sph min is rare.
108.9	3	15	white	BULL	Dolomite	Quartz		Appears to be tetrahedrite as sulphide phase. Malachite surrounding the sulphide.

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
41.4	47.1	BLEACHED	1	SILICA	1			At contact between intrusive and host.
55.4	59	BLEACHED	2					At contact of intrusive and host rock. Alteration does not extend into host.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07119-001	6.1	7.1	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.00	0.93	0.03
BE07119-002	7.1	8.1	1.00	0.03	0.08	0.11	0.03	0.08	0.11	0.00	0	0	0.40	0.9	0.09
BE07119-003	8.1	9.1	1.00	0.06	0.13	0.19	0.06	0.13	0.19	0.00	0	0	2.40	1.14	0.18
BE07119-004	9.1	10.1	1.00	0.02	0.11	0.13	0.02	0.11	0.13	0.00	0	0	1.10	1.05	0.13
BE07119-005	10.1	11.1	1.00	0.04	0.18	0.22	0.04	0.18	0.22	0.00	0	0	0.60	0.99	0.20
BE07119-006	11.1	12.1	1.00	0.07	0.90	0.96	0.07	0.90	0.96	0.00	0	0	3.10	1.52	0.96
BE07119-007	12.1	13.1	1.00	0.18	4.09	4.27	0.18	4.09	4.27	0.00	0	0	12.10	1.31	4.30
BE07119-008	13.1	14.1	1.00	0.27	3.87	4.14	0.27	3.87	4.14	0.00	0	0	6.10	1.44	4.05
BE07119-009	14.1	15.1	1.00	0.23	3.26	3.49	0.23	3.26	3.49	0.00	0	0	4.20	1.24	3.40
BE07119-010	15.1	16.1	1.00	0.24	1.08	1.32	0.24	1.08	1.32	0.00	0	0	3.00	0.98	1.21
BE07119-011	16.1	17.1	1.00	0.63	2.78	3.41	0.63	2.78	3.41	0.00	0	0	9.10	0.91	3.14
BE07119-012	17.1	18.1	1.00	0.57	4.74	5.31	0.57	4.74	5.31	0.00	0	0	7.30	1.1	5.05
BE07119-013	18.1	19.1	1.00	0.38	2.44	2.82	0.38	2.44	2.82	0.00	0	0	5.00	1.54	2.65
BE07119-014	19.1	20.1	1.00	0.46	2.16	2.62	0.46	2.16	2.62	0.00	0	0	5.30	1.14	2.40
BE07119-015	20.1	21.1	1.00	0.35	0.41	0.76	0.35	0.41	0.76	0.00	0	0	12.70	1	0.69
BE07119-016	21.1	22.1	1.00	0.95	0.25	1.20	0.95	0.25	1.20	0.00	0	0	120.00	0.64	2.01
BE07119-017	22.1	23.1	1.00	0.07	0.02	0.09	0.07	0.02	0.09	0.00	0	0	50.00	0.74	0.62
BE07119-018	23.1	24.1	1.00	0.07	0.02	0.09	0.07	0.02	0.09	0.00	0	0	13.60	0.86	0.20
BE07119-019	24.1	25.1	1.00	0.20	0.34	0.54	0.20	0.34	0.54	0.00	0	0	28.70	0.93	0.75
BE07119-020	25.1	26.1	1.00	0.09	0.01	0.10	0.09	0.01	0.10	0.00	0	0	2.00	0.88	0.07
BE07119-021	26.1	27.1	1.00	1.06	0.76	1.82	1.06	0.76	1.82	0.00	0	0	19.00	0.8	1.40
BE07119-022	27.1	28.1	1.00	2.21	2.07	4.28	2.21	2.07	4.28	0.00	0	0	86.00	0.8	3.94
BE07119-023	28.1	29.1	1.00	1.52	2.15	3.67	1.52	2.15	3.67	0.00	0	0	72.00	1.1	3.58
BE07119-024	29.1	30.1	1.00	0.55	1.09	1.64	0.55	1.09	1.64	0.00	0	0	46.00	1.02	1.84
BE07119-025	30.1	31.1	1.00	0.48	1.87	2.35	0.48	1.87	2.35	0.00	0	0	68.40	0.73	2.85
BE07119-026	31.1	32.1	1.00	0.20	0.58	0.78	0.20	0.58	0.78	0.00	0	0	11.80	0.76	0.79
BE07119-027	32.1	33.1	1.00	1.10	2.77	3.87	1.10	2.77	3.87	0.00	0	0	66.00	1.75	3.97
BE07119-028	33.1	34.1	1.00	1.87	2.88	4.75	1.87	2.88	4.75	0.00	0	0	94.00	1.96	4.71
BE07119-029	34.1	35.1	1.00	1.21	4.68	5.89	1.21	4.68	5.89	0.00	0	0	46.00	1.86	5.69
BE07119-030	35.1	36.1	1.00	0.27	1.02	1.29	0.27	1.02	1.29	0.00	0	0	9.00	1.23	1.23
BE07119-031	36.1	37.1	1.00	0.11	0.29	0.40	0.11	0.29	0.40	0.00	0	0	7.40	1.04	0.42
BE07119-032	37.1	38.1	1.00	0.24	1.20	1.44	0.24	1.20	1.44	0.00	0	0	7.10	1.51	1.38
BE07119-033	38.1	39.1	1.00	0.54	0.35	0.89	0.54	0.35	0.89	0.00	0	0	72.00	1.23	1.39
BE07119-034	39.1	40.1	1.00	0.23	0.23	0.46	0.23	0.23	0.46	0.00	0	0	5.60	1.03	0.39
BE07119-035	40.1	41.1	1.00	0.75	0.91	1.66	0.75	0.91	1.66	0.00	0	0	66.00	1.45	1.97
BE07119-036	41.1	42.1	1.00	0.38	2.53	2.91	0.38	2.53	2.91	0.00	0	0	16.40	1.9	2.87
BE07119-037	42.1	43.1	1.00	0.10	1.81	1.91	0.10	1.81	1.91	0.00	0	0	4.10	2.35	1.90
BE07119-038	43.1	44.1	1.00	0.07	2.48	2.55	0.07	2.48	2.55	0.00	0	0	4.60	2.35	2.56
BE07119-039	44.1	45.1	1.00	0.14	1.66	1.80	0.14	1.66	1.80	0.00	0	0	5.20	3.63	1.78
BE07119-040	45.1	46.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.50	8.01	0.02
BE07119-041	46.1	47.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.40	9.55	0.03
BE07119-042	47.1	48.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	9.01	0.02
BE07119-043	48.1	49.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.20	8.68	0.03
BE07119-044	49.1	50.1	1.00	0.03	0.02	0.05	0.03	0.02	0.05	0.00	0	0	0.50	8.3	0.04

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07119-045	50.1	51.1	1.00	0.02	0.02	0.04	0.02	0.02	0.04	0.00	0	0	0.40	7.45	0.03
BE07119-046	51.1	52.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.40	7.8	0.03
BE07119-047	52.1	53.1	1.00	0.02	0.02	0.04	0.02	0.02	0.04	0.00	0	0	0.40	7.74	0.03
BE07119-048	53.1	54.1	1.00	0.04	0.03	0.07	0.04	0.03	0.07	0.00	0	0	0.50	8.94	0.05
BE07119-049	54.1	55.1	1.00	0.08	0.03	0.11	0.08	0.03	0.11	0.00	0	0	1.00	9.07	0.07
BE07119-050	55.1	56.1	1.00	0.03	0.02	0.05	0.03	0.02	0.05	0.00	0	0	1.00	8.37	0.04
BE07119-051	56.1	57.1	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.30	5.84	0.01
BE07119-052	57.1	58.1	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.40	6.68	0.03
BE07119-053	58.1	59.1	1.00	0.24	0.80	1.04	0.24	0.80	1.04	0.00	0	0	3.90	2.45	0.94
BE07119-054	59.1	60.1	1.00	0.24	1.01	1.25	0.24	1.01	1.25	0.00	0	0	3.70	1.24	1.15
BE07119-055	60.1	61.1	1.00	0.12	0.27	0.38	0.12	0.27	0.38	0.00	0	0	2.00	1.27	0.34
BE07119-056	61.1	62.1	1.00	0.02	1.76	1.78	0.02	1.76	1.78	0.00	0	0	5.60	1.11	1.83
BE07119-057	62.1	63.1	1.00	0.01	0.25	0.27	0.01	0.25	0.27	0.00	0	0	2.30	1.49	0.29
BE07119-058	63.1	64.1	1.00	0.01	0.54	0.55	0.01	0.54	0.55	0.00	0	0	1.50	1.48	0.56
BE07119-059	64.1	65.1	1.00	0.03	1.00	1.03	0.03	1.00	1.03	0.00	0	0	2.10	1.05	1.04
BE07119-060	65.1	66.1	1.00	0.05	2.91	2.96	0.05	2.91	2.96	0.00	0	0	5.30	1	2.99
BE07119-061	66.1	67.1	1.00	0.08	0.57	0.65	0.08	0.57	0.65	0.00	0	0	2.20	0.71	0.63
BE07119-062	67.1	68.1	1.00	0.09	0.61	0.69	0.09	0.61	0.69	0.00	0	0	2.90	0.61	0.68
BE07119-063	68.1	69.1	1.00	0.35	0.77	1.12	0.35	0.77	1.12	0.00	0	0	4.30	1.62	0.96
BE07119-064	69.1	70.1	1.00	0.11	0.28	0.40	0.11	0.28	0.40	0.00	0	0	3.30	1.28	0.37
BE07119-065	70.1	71.1	1.00	0.08	0.34	0.42	0.08	0.34	0.42	0.00	0	0	2.10	2.19	0.40
BE07119-066	71.1	72.1	1.00	0.17	1.31	1.48	0.17	1.31	1.48	0.00	0	0	3.80	1.58	1.42
BE07119-067	72.1	73.1	1.00	0.12	1.46	1.58	0.12	1.46	1.58	0.00	0	0	12.90	0.89	1.66
BE07119-068	73.1	74.1	1.00	0.13	2.64	2.77	0.13	2.64	2.77	0.00	0	0	190.00	0.81	4.88
BE07119-069	74.1	75.1	1.00	0.08	0.38	0.46	0.08	0.38	0.46	0.00	0	0	14.80	0.83	0.58
BE07119-070	75.1	76.1	1.00	0.73	5.07	5.80	0.73	5.07	5.80	0.00	0	0	24.50	0.94	5.64
BE07119-071	76.1	77.1	1.00	0.06	7.58	7.64	0.06	7.58	7.64	0.00	0	0	5.00	1.09	7.66
BE07119-072	77.1	78.1	1.00	0.12	2.61	2.73	0.12	2.61	2.73	0.00	0	0	6.00	0.95	2.73
BE07119-073	78.1	79.1	1.00	0.24	4.89	5.13	0.24	4.89	5.13	0.00	0	0	7.00	1.95	5.07
BE07119-074	79.1	80.1	1.00	0.17	2.12	2.29	0.17	2.12	2.29	0.00	0	0	17.00	0.92	2.38
BE07119-075	80.1	81.1	1.00	0.01	0.67	0.68	0.01	0.67	0.68	0.00	0	0	1.00	0.75	0.69
BE07119-076	81.1	82.1	1.00	0.08	1.33	1.41	0.08	1.33	1.41	0.00	0	0	6.30	0.77	1.43
BE07119-077	82.1	83.1	1.00	0.02	1.00	1.02	0.02	1.00	1.02	0.00	0	0	5.20	0.79	1.07
BE07119-078	83.1	84.1	1.00	0.01	0.64	0.65	0.01	0.64	0.65	0.00	0	0	1.30	0.74	0.66
BE07119-079	84.1	85.1	1.00	0.02	3.06	3.08	0.02	3.06	3.08	0.00	0	0	14.00	0.91	3.23
BE07119-080	85.1	86.1	1.00	0.00	1.69	1.69	0.00	1.69	1.69	0.00	0	0	7.00	0.73	1.77
BE07119-081	86.1	87.1	1.00	0.01	0.12	0.13	0.01	0.12	0.13	0.00	0	0	1.00	0.73	0.14
BE07119-082	87.1	88.1	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.20	0.75	0.03
BE07119-083	88.1	89.1	1.00	0.04	2.35	2.39	0.04	2.35	2.39	0.00	0	0	3.30	0.84	2.40
BE07119-084	89.1	90.1	1.00	0.01	0.45	0.46	0.01	0.45	0.46	0.00	0	0	0.80	0.79	0.47
BE07119-085	90.1	91.1	1.00	0.06	0.56	0.62	0.06	0.56	0.62	0.00	0	0	2.20	0.78	0.61
BE07119-086	91.1	92.1	1.00	0.04	0.52	0.56	0.04	0.52	0.56	0.00	0	0	4.10	0.69	0.59
BE07119-087	92.1	93.1	1.00	0.02	0.49	0.51	0.02	0.49	0.51	0.00	0	0	1.20	0.68	0.51
BE07119-088	93.1	94.1	1.00	0.09	0.43	0.52	0.09	0.43	0.52	0.00	0	0	3.00	0.73	0.50

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07119-089	94.1	95.1	1.00	0.03	0.23	0.26	0.03	0.23	0.26	0.00	0	0	0.60	0.67	0.25
BE07119-090	95.1	96.1	1.00	0.02	0.47	0.49	0.02	0.47	0.49	0.00	0	0	1.10	0.74	0.49
BE07119-091	96.1	97.1	1.00	0.04	1.91	1.95	0.04	1.91	1.95	0.00	0	0	3.30	0.89	1.96
BE07119-092	97.1	98.1	1.00	0.01	0.27	0.28	0.01	0.27	0.28	0.00	0	0	0.90	0.74	0.29
BE07119-093	98.1	99.1	1.00	0.21	1.38	1.59	0.21	1.38	1.59	0.00	0	0	8.60	1.03	1.56
BE07119-094	99.1	100.1	1.00	0.02	0.16	0.19	0.02	0.16	0.19	0.00	0	0	1.10	0.71	0.19
BE07119-095	100.1	101.1	1.00	0.54	0.32	0.86	0.54	0.32	0.86	0.00	0	0	6.10	0.74	0.60
BE07119-096	101.1	102.1	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.40	1.03	0.04
BE07119-097	102.1	103.1	1.00	0.02	0.05	0.07	0.02	0.05	0.07	0.00	0	0	0.90	1.09	0.07
BE07119-098	103.1	104.1	1.00	0.02	0.05	0.07	0.02	0.05	0.07	0.00	0	0	2.10	0.82	0.09
BE07119-099	104.1	105.1	1.00	0.01	0.03	0.05	0.01	0.03	0.05	0.00	0	0	1.70	0.92	0.06
BE07119-100	105.1	106.1	1.00	0.02	0.01	0.03	0.02	0.01	0.03	0.00	0	0	1.10	0.98	0.03

Diamond Drill Hole Record

<i>DDH Hole Number</i>	<i>DDH Length (m)</i>	<i>DDH Azimuth (Deg)</i>	<i>DDH Dip</i>	<i>% Core Recovery</i>	<i>DDH Location</i>	<i>DDH Easting (NAD83)</i>	<i>DDH Northing (NAD83)</i>	<i>DDH Elevation (m)</i>	<i>Date Complete</i>	<i>Logger</i>
BE07120	90.8	230	-50	94.95	Far West Zone	515415.852	7142802.244	1550.089	05/07/2007	Mike Moroskat

Host Rock Summary

The top half of the hole is light to medium grey dolomitic siltstone of the Upper Gillespie Lake Group. The siltstone is alternating between zones of laminated to massive textures with a minor section of sedimentary breccia for approximately 1 meter at 10.4 meters. There is a fine grained dark green intrusive body of diorite from 43.7 to 59.4. The diorite is host to some veining of green talc and trace chalcopyrite. There are various areas of iron staining and lightening of colour mid-way through the intrusive. The intrusive is followed by massive, light grey dolomitic siltstone with unhealed crackle texture fracturing throughout.

Mineralization Summary

There is vein hosted sphalerite from 23.8 to 32.9 and also from 59.4 to 80.3 meters. The vein density is greater from 59.4 to 80.3 meters. The sphalerite is oxidized in areas at depth.

Lithology

<i>From (m)</i>	<i>To (m)</i>	<i>Map Unit</i>	<i>Major Rock Type</i>	<i>Minor Rock Type</i>	<i>Primary Colour</i>	<i>Primary Texture</i>	<i>Notes:</i>
0	10.4	OBN	Overburden				
10.4	43.7	G2	Dolomitic Siltstone		grey	brecciated	Breccia occurs for approx. 1 m at start of hole; Consists of 10 mm avg. clasts of host rock. Pack brecc; Texture w/ arg. Particulate; Trace py and gal.
43.7	59.4	G2	Diorite		greenish	massive	Some green talc +/- cpy veining; Area of alteration mid-way resulting in lightening of colour; Various areas of iron staining.
59.4	90.8	G2	Dolomitic Siltstone		grey	massive	Unhealed crackle texture fracturing throughout.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
23.8	32.9	VEINLETS	sphalerite	20					
59.4	80.3	VEINLETS	sphalerite	40					Areas of oxidization at end of interval.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
23.8	32.9	1	0		yellowish	MASSIVE	Dolomite	Select	Spider-web veining. Not dense.
59.4	80.3	1	0		yellowish	MASSIVE	Dolomite	Select	Spider-web veining. Areas of oxidization near end of interval. Trace amounts of cpy/py.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
22.3	20	45	reddish	MASSIVE	Dolomite			Highly weathered.
33	2	45	white	MASSIVE	Dolomite	Quartz		
36	5		white	MASSIVE	Dolomite	Quartz		Cavity w/ large qtz crystal. Areas of oxidization.
46.7	1.5	28	brownish	MASSIVE	Dolomite			

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07120-001	10.4	11.4	1.00	0.24	0.62	0.86	0.24	0.62	0.86	0.00	0	0	6.10	1.22	0.79
BE07120-002	11.4	12.4	1.00	0.43	3.23	3.66	0.43	3.23	3.66	0.00	0	0	13.10	1.36	3.55
BE07120-003	12.4	13.4	1.00	0.95	2.06	3.01	0.95	2.06	3.01	0.00	0	0	16.30	1.21	2.63
BE07120-004	13.4	14.4	1.00	1.53	0.70	2.23	1.53	0.70	2.23	0.00	0	0	36.80	1.21	1.73
BE07120-005	14.4	15.4	1.00	1.18	0.75	1.93	1.18	0.75	1.93	0.00	0	0	16.10	1.2	1.41
BE07120-006	15.4	16.4	1.00	0.35	0.55	0.91	0.35	0.55	0.91	0.00	0	0	3.60	0.78	0.74
BE07120-007	16.4	17.4	1.00	0.12	0.51	0.64	0.12	0.51	0.64	0.00	0	0	5.50	0.83	0.63
BE07120-008	17.4	18.4	1.00	0.24	2.61	2.85	0.24	2.61	2.85	0.00	0	0	9.20	1.09	2.81
BE07120-009	18.4	19.4	1.00	0.15	0.02	0.17	0.15	0.02	0.17	0.00	0	0	15.90	0.77	0.27
BE07120-010	19.4	20.4	1.00	0.06	0.12	0.19	0.06	0.12	0.19	0.00	0	0	5.10	0.77	0.21
BE07120-011	20.4	21.4	1.00	0.10	0.02	0.12	0.10	0.02	0.12	0.00	0	0	9.30	0.85	0.17
BE07120-012	21.4	22.4	1.00	0.41	0.63	1.04	0.41	0.63	1.04	0.00	0	0	69.70	0.97	1.59
BE07120-013	22.4	23.4	1.00	0.82	1.31	2.13	0.82	1.31	2.13	0.00	0	0	61.30	0.97	2.34
BE07120-014	23.4	24.4	1.00	0.14	1.14	1.28	0.14	1.14	1.28	0.00	0	0	11.60	0.99	1.33
BE07120-015	24.4	25.4	1.00	0.69	10.20	10.89	0.69	10.20	10.89	0.00	0	0	50.40	1.52	11.05
BE07120-016	25.4	26.4	1.00	0.11	0.73	0.83	0.11	0.73	0.83	0.00	0	0	4.50	0.74	0.82
BE07120-017	26.4	27.4	1.00	0.38	1.51	1.89	0.38	1.51	1.89	0.00	0	0	14.10	0.72	1.82
BE07120-018	27.4	28.4	1.00	0.23	2.89	3.12	0.23	2.89	3.12	0.00	0	0	9.80	0.74	3.09
BE07120-019	28.4	29.4	1.00	0.07	2.73	2.80	0.07	2.73	2.80	0.00	0	0	8.20	0.95	2.85
BE07120-020	29.4	30.4	1.00	0.02	1.09	1.12	0.02	1.09	1.12	0.00	0	0	3.70	0.83	1.15
BE07120-021	30.4	31.4	1.00	0.08	1.95	2.03	0.08	1.95	2.03	0.00	0	0	4.50	0.84	2.03
BE07120-022	31.4	32.4	1.00	0.09	0.24	0.34	0.09	0.24	0.34	0.00	0	0	4.80	0.81	0.34
BE07120-023	32.4	33.4	1.00	0.10	0.75	0.84	0.10	0.75	0.84	0.00	0	0	2.90	1.1	0.82
BE07120-024	33.4	34.4	1.00	0.30	0.76	1.06	0.30	0.76	1.06	0.00	0	0	5.80	0.85	0.94
BE07120-025	34.4	35.4	1.00	0.13	0.38	0.51	0.13	0.38	0.51	0.00	0	0	2.90	0.93	0.47
BE07120-026	35.4	36.4	1.00	0.27	0.47	0.74	0.27	0.47	0.74	0.00	0	0	4.50	1.14	0.63
BE07120-027	36.4	37.4	1.00	0.19	0.36	0.54	0.19	0.36	0.54	0.00	0	0	5.40	1.62	0.49
BE07120-028	37.4	38.4	1.00	0.03	0.04	0.07	0.03	0.04	0.07	0.00	0	0	0.80	1.2	0.06
BE07120-029	38.4	39.4	1.00	0.05	0.12	0.17	0.05	0.12	0.17	0.00	0	0	2.20	1.08	0.16
BE07120-030	39.4	40.4	1.00	0.12	0.11	0.23	0.12	0.11	0.23	0.00	0	0	3.20	1.19	0.20
BE07120-031	40.4	41.4	1.00	0.02	0.06	0.08	0.02	0.06	0.08	0.00	0	0	0.40	1.77	0.07
BE07120-032	41.4	42.4	1.00	0.02	0.24	0.26	0.02	0.24	0.26	0.00	0	0	0.30	2.26	0.26
BE07120-033	42.4	43.4	1.00	0.18	1.20	1.38	0.18	1.20	1.38	0.00	0	0	3.20	2.43	1.31
BE07120-034	43.4	44.4	1.00	0.11	3.52	3.63	0.11	3.52	3.63	0.00	0	0	3.60	1.16	3.61
BE07120-035	44.4	45.4	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	1.00	2.36	0.04
BE07120-036	45.4	46.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.60	6.24	0.01
BE07120-037	46.4	47.4	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	7.82	0.01
BE07120-038	47.4	48.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	9.45	0.01
BE07120-039	48.4	49.4	1.00	0.01	0.02	0.02	0.01	0.02	0.02	0.00	0	0	0.20	9.74	0.02
BE07120-040	49.4	50.4	1.00	0.02	0.03	0.04	0.02	0.03	0.04	0.00	0	0	0.50	8.8	0.04
BE07120-041	50.4	51.4	1.00	0.01	0.03	0.05	0.01	0.03	0.05	0.00	0	0	0.30	8.72	0.04
BE07120-042	51.4	52.4	1.00	0.02	0.02	0.04	0.02	0.02	0.04	0.00	0	0	0.40	8.75	0.04
BE07120-043	52.4	53.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.40	8.65	0.05
BE07120-044	53.4	54.4	1.00	0.01	0.04	0.05	0.01	0.04	0.05	0.00	0	0	0.50	7.9	0.05

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07120-045	54.4	55.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.40	8.47	0.03
BE07120-046	55.4	56.4	1.00	0.01	0.03	0.03	0.01	0.03	0.03	0.00	0	0	0.60	7.79	0.04
BE07120-047	56.4	57.4	1.00	0.01	0.02	0.03	0.01	0.02	0.03	0.00	0	0	0.60	5.91	0.03
BE07120-048	57.4	58.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.00	6.45	0.03
BE07120-049	58.4	59.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.30	7.37	0.04
BE07120-050	59.4	60.4	1.00	0.09	5.82	5.91	0.09	5.82	5.91	0.00	0	0	7.90	2.79	5.95
BE07120-051	60.4	61.4	1.00	0.08	4.89	4.97	0.08	4.89	4.97	0.00	0	0	30.20	2.11	5.27
BE07120-052	61.4	62.4	1.00	0.37	1.66	2.03	0.37	1.66	2.03	0.00	0	0	21.10	1.14	2.05
BE07120-053	62.4	63.4	1.00	0.01	0.52	0.52	0.01	0.52	0.52	0.00	0	0	2.20	1.5	0.55
BE07120-054	63.4	64.4	1.00	0.00	0.50	0.51	0.00	0.50	0.51	0.00	0	0	1.00	1.96	0.52
BE07120-055	64.4	65.4	1.00	0.05	5.70	5.75	0.05	5.70	5.75	0.00	0	0	10.70	1.5	5.84
BE07120-056	65.4	66.4	1.00	0.04	6.86	6.90	0.04	6.86	6.90	0.00	0	0	12.20	1.93	7.02
BE07120-057	66.4	67.4	1.00	0.01	4.78	4.79	0.01	4.78	4.79	0.00	0	0	3.30	1.59	4.82
BE07120-058	67.4	68.4	1.00	0.02	9.26	9.28	0.02	9.26	9.28	0.00	0	0	3.90	1.4	9.31
BE07120-059	68.4	69.4	1.00	0.08	5.28	5.36	0.08	5.28	5.36	0.00	0	0	9.50	1.49	5.42
BE07120-060	69.4	70.4	1.00	0.11	9.20	9.31	0.11	9.20	9.31	0.00	0	0	39.80	2.05	9.70
BE07120-061	70.4	71.4	1.00	0.04	4.17	4.21	0.04	4.17	4.21	0.00	0	0	27.20	1.93	4.50
BE07120-062	71.4	72.4	1.00	0.04	1.00	1.04	0.04	1.00	1.04	0.00	0	0	11.60	1.67	1.15
BE07120-063	72.4	73.4	1.00	0.05	0.17	0.22	0.05	0.17	0.22	0.00	0	0	7.40	1.27	0.27
BE07120-064	73.4	74.4	1.00	0.18	0.51	0.69	0.18	0.51	0.69	0.00	0	0	4.90	1.08	0.64
BE07120-065	74.4	75.4	1.00	0.03	0.33	0.35	0.03	0.33	0.35	0.00	0	0	3.40	1.15	0.38
BE07120-066	75.4	76.4	1.00	0.01	0.74	0.75	0.01	0.74	0.75	0.00	0	0	0.70	1.84	0.75
BE07120-067	76.4	77.4	1.00	0.02	5.87	5.89	0.02	5.87	5.89	0.00	0	0	1.20	2.47	5.89
BE07120-068	77.4	78.4	1.00	0.02	5.43	5.45	0.02	5.43	5.45	0.00	0	0	5.30	2.85	5.50
BE07120-069	78.4	79.4	1.00	0.06	3.88	3.94	0.06	3.88	3.94	0.00	0	0	5.80	1.65	3.97
BE07120-070	79.4	80.4	1.00	0.10	2.46	2.56	0.10	2.46	2.56	0.00	0	0	11.00	1.11	2.63
BE07120-071	80.4	81.4	1.00	0.04	0.14	0.18	0.04	0.14	0.18	0.00	0	0	1.40	1.12	0.17
BE07120-072	81.4	82.4	1.00	0.03	0.14	0.17	0.03	0.14	0.17	0.00	0	0	1.20	1.05	0.17
BE07120-073	82.4	83.4	1.00	0.13	0.32	0.46	0.13	0.32	0.46	0.00	0	0	2.20	0.76	0.40
BE07120-074	83.4	84.4	1.00	0.01	1.25	1.26	0.01	1.25	1.26	0.00	0	0	8.80	1.22	1.36
BE07120-075	84.4	85.4	1.00	0.00	0.06	0.06	0.00	0.06	0.06	0.00	0	0	1.90	0.81	0.08
BE07120-076	85.4	86.4	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	4.00	0.75	0.08
BE07120-077	86.4	87.4	1.00	0.02	0.07	0.09	0.02	0.07	0.09	0.00	0	0	1.20	0.99	0.09
BE07120-078	87.4	88.4	1.00	0.02	0.06	0.08	0.02	0.06	0.08	0.00	0	0	1.60	0.99	0.08
BE07120-079	88.4	89.4	1.00	0.02	0.15	0.16	0.02	0.15	0.16	0.00	0	0	3.80	0.84	0.20
BE07120-080	89.4	90.4	1.00	0.04	0.35	0.39	0.04	0.35	0.39	0.00	0	0	79.20	1.38	1.28
BE07120-081	90.4	90.8	0.40	0.01	0.20	0.21	0.01	0.20	0.21	0.00	0	0	1.50	4	0.22

Diamond Drill Hole Record

<i>DDH Hole Number</i>	<i>DDH Length (m)</i>	<i>DDH Azimuth (Deg)</i>	<i>DDH Dip</i>	<i>% Core Recovery</i>	<i>DDH Location</i>	<i>DDH Easting (NAD83)</i>	<i>DDH Northing (NAD83)</i>	<i>DDH Elevation (m)</i>	<i>Date Complete</i>	<i>Logger</i>
BE07121	155.4	200	-45	95.42	Far West Zone	515333.249	7142847.419	1503.085	07/07/2007	Mike Moroskat

Host Rock Summary

The main lithology is massive to bedded dolomitic siltstone of the upper Gillespie Lake Group. Mild alteration is present at 100m depth, and fault gouge is intersected at 82m. No brecciation and very little veining is present within the dolomitic siltstone.

Mineralization Summary

No mineralization is intersected in the drill hole.

Lithology

<i>From (m)</i>	<i>To (m)</i>	<i>Map Unit</i>	<i>Major Rock Type</i>	<i>Minor Rock Type</i>	<i>Primary Colour</i>	<i>Primary Texture</i>	<i>Notes:</i>
0	6.1	OVPN	Overburden				No recovery.
6.1	82	G2	Dolomitic Siltstone		grey	bedded	Well defined planar laminations and bedding characterize interval; No mineralization present, very little veining.
82	89.6	G2	Dolomitic Siltstone	Gouge	grey	gouge	Broken ground and gouge; Possible fault.
89.6	103.3	G2	Dolomitic Siltstone		grey	massive	Unmineralized/unveined; Ranges from massive to poorly defined bedding.
103.3	124.7	G2	Dolomitic Siltstone		grey	banded	Mild alteration of alternating layers; Light green alteration.
124.7	155.4	G2	Dolomitic Siltstone		grey	massive	Unmineralized. Poorly defined bedding. Some rubbly sections within interval, but not extensive.

Shear Zone

<i>From (m)</i>	<i>To (m)</i>	<i>Deformation</i>	<i>Angle (to CA)</i>	<i>Mineralogy 1 %</i>	<i>Mineralogy 2 %</i>	<i>Alteration 1</i>	<i>Deg</i>	<i>Gauge</i>	<i>Clay</i>	<i>Oxidized</i>	<i>Clean</i>	<i>Note:</i>
82	89.6	Brittle				SELECT		3	3	3	3	Soft, black; Argillaceous

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
103.3	124.7	BLEACHED	1					

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07122	185.3	180	-45	97.95	Far West Zone	515333.249	7142847.419	1503.085	09/07/2007	Mike Moroskat

Host Rock Summary

The lithology is dominantly massive to banded dolomitic siltstone of the upper Gillespie Lake Group, with a very short (1m) intersection of diorite intrusive at 164m. Some soft sediment deformation texture is present in the dolomitic siltstone at the bottom of the hole. The diorite is altered and exhibits oxidized boundaries with the wall rock.

Mineralization Summary

No mineralization is present within the drill hole.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	5.5	OVBN	Overburden				No recovery.
5.5	86.4	G2	Dolomitic Siltstone	Arg Dolomite	grey	bedded	Unmineralized, generally unveined; Few qtz/dol veins scattered throughout, with short unmineralized and healed breccia; Bedding and laminations planar with minimal deformation.
86.4	91.3	G2	Dolomitic Siltstone	Gouge	grey	gouge	Possible fault?
91.3	159.5	G2	Dolomitic Siltstone		grey	banded	Bands made of discontinuous layers; Unmineralized.
159.5	164.4	G2	Dolomitic Siltstone		grey	massive	Similar to previous interval, but less distinct layering.
164.4	165.2	HRI	Diorite		grey	massive	Short/altered intersection, with oxidized boundaries.
165.2	185.3	G2	Dolomitic Siltstone		grey	soft sediment deformation	Unmineralized and unveined.

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
11.7	11.7	bedding	62	Laminated.
13.7	13.7	bedding	66	Laminated.
19.2	19.2	cleavage	20	
19.3	19.3	bedding	60	Banded/laminated.
25.2	25.2	bedding	56	Laminated.
33	33	bedding	52	Banded.
42.2	42.2	bedding	60	Laminated.
53.8	53.8	bedding	60	Laminated.
59.2	59.7	bedding	60	Laminated.
61.8	61.8	bedding	70	Laminated.
67.3	67.3	bedding	55	Laminated.
75.8	75.8	bedding	67	Banded. Contact between argillaceous bedding and light grey, massive dolostone.
113.7	113.7	bedding	55	Alternating bands of light and med. dolostone.
136.6	136.6	bedding	55	Alternating bands of med. and argillaceous dolostone.

Shear Zone

<i>From (m)</i>	<i>To (m)</i>	<i>Deformation</i>	<i>Angle (to CA)</i>	<i>Mineralogy 1</i>	<i>%</i>	<i>Mineralogy 2</i>	<i>%</i>	<i>Alteration 1</i>	<i>Deg</i>	<i>Gauge</i>	<i>Clay</i>	<i>Oxidized</i>	<i>Clean</i>	<i>Note:</i>
86.4	91.3	Brittle						SELECT		3	3	3	3	Soft, black; argillaceous, gouge

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07123	170.4	160	-45	98.11	Far West Zone	515333.249	7142847.419	1503.085	10/07/2007	Mike Moroskat

Host Rock Summary

The entire hole is argillaceous to medium grey dolomitic siltstone of the Upper Gillespie Lake Group. From 5.8 to 80 meters the siltstone is alternating between zones of laminated to massive textures. From 80 to 111 meters there are alternating layers of dark and lighter grey bedding and minor areas of sedimentary breccia. There is argillaceous material to a depth of 154 m where the siltstone becomes light in colour with a massive texture. There is brecciation from 80 to 97.4 meters. The breccia consists of subangular clasts mainly supported by argillaceous particulate.

Mineralization Summary

Breccia hosted mineralization occurs from 80 to 85 meters. The dominant mineral is pyrite with trace amounts of chalcopyrite. There are some areas of oxidization.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	5.8	OVBN	Overburden				
5.8	80	G2	Arg Dolomite	Dolomitic Siltstone	grey	laminated	Alternating areas of laminated and massive textures; Light to dark grey.
80	111	G2	Arg Dolomite	Dolomitic Siltstone	grey	laminated	Mineralized from 80-85 m. Alternating layers of dark and lighter grey; Small areas of sed. breccia.
111	170.4	G2	Arg Dolomite	Dolomitic Siltstone	grey	banded	Rubble between 111 and 115 m. Argillaceous material to 154 m depth; from 154 to 170 m siltstone becomes lighter in colour with a massive texture.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
80	85	BRECCIATED	pyrite	10	chalcopyrite				Trace amounts of cpy. Some oxidization. Possibly pyrrhotite.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
80	85	Float Breccia	Rubble	SUBANGULAR	10	Mixed	Dolomite	Pyrite	Mineralization mostly pyrite. Trace cpy. Possibly pyrrhotite. Mainly argillaceous matrix supporting lighter grey clasts of host rock.
85	97.4	Float Breccia	Rubble	SUBANGULAR	20	Mixed	Dolomite		Sedimentary breccia. Argillaceous material supporting lighter clasts of host rock. Small areas with massive or bedded textures throughout. Small area of iron staining.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
12.1	1	30	white	MASSIVE	Dolomite	Quartz		Non-continuous bedding at contacts.
27.1	2	12	white	MASSIVE	Dolomite	Quartz		Trace amounts of pyrite and oxidized hematite/pyrite.
53.3	0.5	22	white	MASSIVE	Dolomite			
64	1	35	white	MASSIVE	Dolomite	Quartz		
78.1	5	50	white	MASSIVE	Dolomite	Quartz		Areas of dissolved host rock and staining from oxidized min. Sed. breccia w/ 1cm. avg., angular clasts at contacts.
87.1	7	30	greyish	MASSIVE	Dolomite	Quartz		Trace amounts of cpy, sph, and malachite.
125.3	2	30	white	MASSIVE	Dolomite	Quartz		
128	1	0	white	MASSIVE	Dolomite	Quartz		1 m interval running approx. parallel to core axis. Disseminated oxidized iron.
134.7	1	20	white	MASSIVE	Dolomite	Quartz		
137.1	1	23	white	MASSIVE	Dolomite	Quartz		
159.7	1	52	white	MASSIVE	Dolomite	Calcite		
165.6	2.5	40	white	MASSIVE	Dolomite	Quartz		
167.6	1	20	white	MASSIVE	Dolomite	Calcite		Disseminated oxidized iron.

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
12	12	bedding	55	Laminated.
16.4	16.4	bedding	60	
21	21	bedding	60	Laminated.
25.5	25.5	bedding	50	Laminated.
36.4	36.4	bedding	55	Laminated.
43.3	43.3	bedding	53	Laminated.
49.4	49.4	bedding	60	Laminated.
53.8	53.8	cleavage	35	
57	57	bedding	45	Laminated.
66.9	66.9	bedding	45	Laminated.
77.9	77.9	bedding	50	Laminated.
98.6	98.6	bedding	45	Laminated.
105.4	105.4	bedding	35	Laminated.
107.4	107.4	bedding	30	Laminated.
109.4	109.4	bedding	40	
110.1	110.1	bedding	45	Laminated.
126.6	126.6	bedding	25	Banded.
135.7	135.7	bedding	25	Banded.
139.1	1391	cleavage	45	Dolomite filling cleavage.
141.3	141.3	cleavage	55	Dolomite filling cleavage.
144	144	bedding	20	Banded.
149.6	149.6	bedding	25	Banded. Small scale faulting.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07123-001	75.5	76.5	1.00	0.01	0.00	0.01	0.01	0.00	0.01	0.00	0	0	0.00	1.91	0.01
BE07123-002	76.5	77.5	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.20	2.01	0.01
BE07123-003	77.5	78.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20	2.02	0.01
BE07123-004	78.5	79.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.64	0.01
BE07123-005	79.5	80.5	1.00	0.02	0.01	0.03	0.02	0.01	0.03	0.00	0	0	0.90	1.84	0.03
BE07123-006	80.5	81.5	1.00	0.02	0.02	0.04	0.02	0.02	0.04	0.00	0	0	2.50	4.93	0.06
BE07123-007	81.5	82.5	1.00	0.02	0.01	0.03	0.02	0.01	0.03	0.00	0	0	2.30	4.07	0.05
BE07123-008	82.5	83.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20	1.62	0.01
BE07123-009	83.5	84.5	1.00	0.01	0.01	0.02	0.01	0.01	0.02	0.00	0	0	1.10	3.03	0.03
BE07123-010	84.5	85.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.30	2.19	0.01
BE07123-011	85.5	86.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.17	0.01
BE07123-012	86.5	87.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	3.46	0.00
BE07123-013	87.5	88.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	2.09	0.00

Diamond Drill Hole Record

DDH Hole Number	DDH Length (m)	DDH Azimuth (Deg)	DDH Dip	% Core Recovery	DDH Location	DDH Easting (NAD83)	DDH Northing (NAD83)	DDH Elevation (m)	Date Complete	Logger
BE07124	152.1	140	-45	97.29	Far West Zone	515333.249	7142847.419	1503.085	11/07/2007	Mike Moroskat

Host Rock Summary

The entire hole is argillaceous to medium grey dolomitic siltstone of the Upper Gillespie Lake Group. The siltstone is alternating between zones of laminated to massive textures with an interval of breccia from 63.5 to 75.6 meters. The breccia consists of subrounded clasts with mainly argillaceous particulate. From 133.8 to 152.1 meters there is dissolution breccia that cross cuts bedding structures. It contains trace pyrite and does not have the appearance of typical breccia.

Mineralization Summary

There is vein hosted sphalerite from 23.8 to 32.9 and also from 59.4 to 80.3 meters. The vein density is greater from 59.4 to 80.3 meters. The sphalerite is oxidized in areas at depth.

Lithology

From (m)	To (m)	Map Unit	Major Rock Type	Minor Rock Type	Primary Colour	Primary Texture	Notes:
0	8.5	OVB	Overburden				
8.5	63.5	G2	Arg Dolomite	Dolomitic Siltstone	grey	laminated	
63.5	75.6	G2	Dolomitic Siltstone	Arg Dolomite	grey	brecciated	
75.6	152.1	G2	Dolomitic Siltstone	Arg Dolomite	grey	laminated	Brecciated at 133.8 m.

Mineralization

<i>From (m)</i>	<i>To (m)</i>	<i>Mineralization Style</i>	<i>Mineralization 1</i>	<i>%</i>	<i>Mineralization 2</i>	<i>%</i>	<i>Mineralization 3</i>	<i>%</i>	<i>Notes:</i>
11.9	16.5	VEINED	pyrite	70					Areas of oxidization.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
63.5	75.6	Float Breccia	Rubble	SUBROUNDED	10	Mixed	Dolomite		Sed. breccia w/ dolomite veinlets. 40 cm interval of dolomite crystallization at start of interval. At 69.9 m, 1 cm blebs of cpy. At 72.5 m arg. particulate around clasts.
133.8	152.1	Float Breccia	Dissolution	SUBANGULAR		Mixed	Dolomite		Breccia cross-cutting bedding. Not typical appearance of breccia. Trace pyrite.

Vein - Interval

<i>From (m)</i>	<i>To (m)</i>	<i>Average Width (cm)</i>	<i>Density (/m)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Note:</i>
11.9	16.5	1	0		White	MASSIVE	Dolomite	Quartz	Series of spider-webbing veins of different widths throughout interval. Areas of oxidization.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
17.5	0.25	20	brownish	MASSIVE	Dolomite			
41.1	1	30	white	MASSIVE	Dolomite	Quartz		
46	2	90	white	MASSIVE	Dolomite			
50.9	3	42	brownish	MASSIVE	Dolomite	None		Areas of iron staining. Weathered dolomite.
54.8	0.5	47	white	MASSIVE	Dolomite			
55.7	0.5	55	brownish	MASSIVE				Following same angle as bedding structure. Small amount of dolomite at vein contact with host rock.
55.9	1	30	white	MASSIVE	Dolomite	Quartz		
56.1	0.5	55	brownish	MASSIVE				Following same angle as bedding. Remaining material is light grey host rock surrounded by laminated, argillaceous bedding.
56.4	0.5	25	greyish	MASSIVE	Dolomite			Cross-cutting bedding. Vein hosts dissolved country rock.
57.8	1	43	white	MASSIVE	Dolomite	Quartz		Disseminated oxidized iron.
63.3	14	52	white	MASSIVE	Dolomite			Angular clasts of host rock (avg. 1 cm) in vein.
85.8	1		white	MASSIVE	Dolomite			Vein structure in core reveals no definite angle. Vein forms circular pattern.
86	0.5	22	white	MASSIVE	Dolomite			
86.1	1	0	white	MASSIVE	Dolomite			Majority of vein runs parallel to core axis for approx. 30 cm.
98.3	1.5	22	white	MASSIVE	Dolomite	Talc		Pink/green talc alt. in vein.
98.5	1	0	white	MASSIVE	Dolomite			Approx. 30 cm in length.
105.4	1	30	white	MASSIVE	Dolomite	Quartz		

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
17.1	17.1	bedding	30	Laminated.
18.3	18.3	bedding	22	Laminated.
22.5	22.5	bedding	50	Laminated.
26.8	26.8	bedding	55	Laminated.
39.7	39.7	bedding	55	Laminated. Area of clay alteration.
52.6	52.6	bedding	50	Laminated.
58.6	58.6	bedding	56	Argillaceous, laminated.
89	89	bedding	40	Laminated.
91.2	91.2	bedding	10	Small scale faulting in this area.
100	100	bedding	15	Laminated. Alternating light and dark layers.
105	105	bedding	35	Laminated.
106.1	106.1	bedding	20	Laminated.
109.1	109.1	bedding	25	Laminated, argillaceous.
114.8	114.8	bedding	30	Laminated.
120.4	120.4	bedding	20	Laminated.
127.8	127.8	bedding	0	Laminated. Bedding runs parallel to core axis for approx. 2 m.
137.2	137.2	bedding	20	Laminated. Small scale faulting.

Alteration

<i>From (m)</i>	<i>To (m)</i>	<i>Alteration 1</i>	<i>Degree</i>	<i>Alteration 2</i>	<i>Degree</i>	<i>Alteration 3</i>	<i>Degree</i>	<i>Note:</i>
38.1	40.2	CLAY	3	NONE		NONE		Alteration along bedding and veins. Areas of unaltered country rock throughout. Cross-cutting veins terminates alt. in some areas. Clay is tan in colour.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07124-001	8.5	9.5	1.00	0.01	0.06	0.06	0.01	0.06	0.06	0.00	0	0	0.40	2.11	0.07
BE07124-002	9.5	10.5	1.00	0.03	0.06	0.08	0.03	0.06	0.08	0.00	0	0	0.70	2.17	0.08
BE07124-003	10.5	11.5	1.00	0.04	0.02	0.06	0.04	0.02	0.06	0.00	0	0	1.50	4.38	0.06
BE07124-004	11.5	12.5	1.00	0.03	0.03	0.05	0.03	0.03	0.05	0.00	0	0	1.40	5.05	0.05
BE07124-005	12.5	13.5	1.00	0.07	0.03	0.10	0.07	0.03	0.10	0.00	0	0	2.70	7.74	0.09
BE07124-006	13.5	14.5	1.00	0.08	0.05	0.13	0.08	0.05	0.13	0.00	0	0	3.60	9.65	0.12
BE07124-007	14.5	15.5	1.00	0.04	0.05	0.09	0.04	0.05	0.09	0.00	0	0	2.40	7.05	0.09
BE07124-008	15.5	16.5	1.00	0.01	0.02	0.04	0.01	0.02	0.04	0.00	0	0	1.50	3.4	0.05
BE07124-009	16.5	17.5	1.00	0.01	0.03	0.04	0.01	0.03	0.04	0.00	0	0	0.60	2.64	0.04
BE07124-010	17.5	18.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.49	0.01
BE07124-011	18.5	19.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	2.32	0.00
BE07124-012	19.5	20.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	2.14	0.00
BE07124-013	20.5	21.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.86	0.01
BE07124-014	21.5	22.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.17	0.01
BE07124-015	22.5	23.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.11	0.00
BE07124-016	23.5	24.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.01	0.00
BE07124-017	24.5	25.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	2.04	0.00
BE07124-018	25.5	26.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.13	0.01
BE07124-019	26.5	27.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.72	0.01
BE07124-020	27.5	28.5	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.20	1.83	0.01
BE07124-021	28.5	29.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2	0.01
BE07124-022	29.5	30.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.95	0.01
BE07124-023	30.5	31.5	1.00	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0	0	0.30	2.13	0.01
BE07124-024	31.5	32.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.78	0.00
BE07124-025	32.5	33.5	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.78	0.00
BE07124-026	33.5	34.5	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	1.78	0.01
BE07124-027	34.5	35.5	1.00	0.00	0.03	0.03	0.00	0.03	0.03	0.00	0	0	0.00	1.55	0.03
BE07124-028	35.5	36.5	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.00	1.98	0.02
BE07124-029	67.4	68.4	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	2.18	0.01
BE07124-030	68.4	69.4	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.00	1.96	0.00
BE07124-031	69.4	70.4	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	0.00	2.05	0.01
BE07124-032	70.4	71.4	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	1.40	2.14	0.02
BE07124-033	71.4	72.4	1.00	0.00	0.01	0.02	0.00	0.01	0.02	0.00	0	0	0.00	3.19	0.02
BE07124-034	72.4	73.4	1.00	0.00	0.02	0.02	0.00	0.02	0.02	0.00	0	0	0.20	2.72	0.02

Diamond Drill Hole Record

<i>DDH Hole Number</i>	<i>DDH Length (m)</i>	<i>DDH Azimuth (Deg)</i>	<i>DDH Dip</i>	<i>% Core Recovery</i>	<i>DDH Location</i>	<i>DDH Easting (NAD83)</i>	<i>DDH Northing (NAD83)</i>	<i>DDH Elevation (m)</i>	<i>Date Complete</i>	<i>Logger</i>
BE07125	196.3	180	-45	100.63	Far West Zone	515333.249	7142847.419	1503.085	14/07/2007	Mike Moroskat

Host Rock Summary

The entire hole is argillaceous dolomitic siltstone of the Upper Gillespie Lake Group. From 8.5 to 96.9 meters the siltstone has a laminated texture and is mainly argillaceous with bedding alternating light to dark. There is small scale faulting in areas. From 96.9 to 196.3 meters soft sediment deformation causes the pinching of bedding giving the appearance of elongated, rounded clasts.

Mineralization Summary

At 101 meter depth a vein of chalcopyrite occurs.

Lithology

<i>From (m)</i>	<i>To (m)</i>	<i>Map Unit</i>	<i>Major Rock Type</i>	<i>Minor Rock Type</i>	<i>Primary Colour</i>	<i>Primary Texture</i>	<i>Notes:</i>
0	8.5	OVBN	Overburden				
8.5	96.9	G2	Arg Dolomite	Dolomitic Siltstone	grey	laminated	Alternating light to dark; Trace cpy. Some small scale faulting. ex. 70 m.
96.9	196.3	G2	Arg Dolomite	Dolomitic Siltstone	grey	banded	Soft sediment deformation causing the pinching of bedding giving the appearance of elongated, rounded clasts.

Breccia

<i>From (m)</i>	<i>To (m)</i>	<i>Class</i>	<i>Sub-class</i>	<i>Fragment Angularity</i>	<i>Ave. Size (mm)</i>	<i>Matrix Type</i>	<i>Matrix 1</i>	<i>Matrix 2</i>	<i>Notes</i>
96	96	Float Breccia	Rubble	SUBROUNDED	10	Mixed			Sed. breccia of host rock. Mainly arg. particulate. 30 cm interval of dark broken ground at 98.5 m.
96.9	101.6	Float Breccia	Rubble	SUBROUNDED	10	Particulate	Dolomite		Arg. particulate. Area of broken ground at 98.5 m. At 100.5 m, 0.5 m interval of tectonic breccia displaying clasts w/ bedding in various orientations.

Vein - Point

<i>Depth (m)</i>	<i>Width (cm)</i>	<i>Angle (to CA)</i>	<i>Colour</i>	<i>Primary Texture</i>	<i>Mineralogy 1</i>	<i>Mineralogy 2</i>	<i>Alteration 1</i>	<i>Note:</i>
19.5	1	63	brownish	MASSIVE	Dolomite			
29.7	1	15	white	MASSIVE	Dolomite	Quartz		
39	1	20	white	MASSIVE	Dolomite	Quartz		
48.7	1	15	white	MASSIVE	Dolomite	Quartz		
49	1	15	white	MASSIVE	Dolomite	Quartz		
58.9	0.75	20	white	MASSIVE	Dolomite	Talc		Areas if pink talc alt. in vein.
61.7	1	65	white	MASSIVE	Dolomite			
62.1	0.25	45	brownish	MASSIVE	Dolomite			
72.9	0.5	40	white	MASSIVE	Dolomite			
75.7	11	50	grey	MASSIVE	Dolomite			Disseminated pyrite. Dissolved host rock. Clasts of host rock ranging from 2-30 mm.
101.5	10	60	yellow	MASSIVE	Dolomite			Some areas of oxidization.
101.8	2	60	yellowish		Dolomite			Areas of oxidization.
123.6	1	50	white	MASSIVE	Dolomite	Quartz		
168.3	1	45	white	MASSIVE	Dolomite	Quartz		

Structure

<i>From (m)</i>	<i>To (m)</i>	<i>Structural Measurement</i>	<i>Angle (to CA)</i>	<i>Note:</i>
16	16	bedding	65	Laminated.
21.1	21.1	bedding	55	Laminated/banded.
25.8	25.8	bedding	55	Laminated/massive.
34.7	34.7	bedding	57	Laminated.
39.4	39.4	bedding	56	Arg., laminated.
45.9	45.9	bedding	55	Arg., laminated. Small scale faulting.
59.6	59.6	bedding	60	Laminated.
66.55	66.55	bedding	55	Arg., laminated.
71.1	71.1	bedding	60	Laminated.
77.9	77.9	bedding	65	Laminated.
81.6	81.6	bedding	45	Laminated.
90.5	90.5	bedding	75	Arg., laminated.
92	92	bedding	60	Arg., laminated.
95.7	95.7	bedding	55	Laminated.
108.7	108.7	bedding	60	Arg./med. grey banding.
135.1	135.1	bedding	55	Banded.
142.9	142.9	bedding	40	Banded.
164.3	164.3	bedding	35	Arg., banded.
190.4	190.4	bedding	57	Banded.

Geochemistry

Sample Number	From (m)	To (m)	Sample Length (m)	Pb Total %	Zn Total %	Pb + Zn Total %	PbS %	ZnS %	(Pb+Zn) S %	Pb NonS %	Zn NonS %	(Pb+Zn) NonS %	Ag g/t	Fe %	Zn Equ. %
BE07125-001	99.2	100.2	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.84	0.00
BE07125-002	100.2	101.2	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0	0	0.00	1.7	0.00
BE07125-003	101.2	102.2	1.00	0.00	0.01	0.01	0.00	0.01	0.01	0.00	0	0	11.10	2.53	0.14
BE07125-004	102.2	103.2	1.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0	0	0.90	1.6	0.02
BE07125-005	103.2	104.2	1.00	2.59	1.63	4.22	2.59	1.63	4.22	0.00	0	0	17.10	1.66	2.86

3.2 – Strip Logs

Hole Name :BE07111				Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.							
Length(m) :313.7			Azimuth(Deg) :40				Dip(Deg) :-50								
Easting :516738.2		Northing :7141806.8		Elevation(m) :1736.8		Accuracy(m) :0.9			Located By :Mike Moroskat		Location Method :DGPS-COR				
Hole Status :COMPLETE			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.				
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
					Overburden		No Recovery								
					Dolomitic Siltstone		Sections of green alt? Some soft sediment deformation, but rock generally has planar laminations.								
					Dolomitic Siltstone		Same as previous with red layers inter bedded with grey dol Siltstone; Some soft sed deformation of fine laminations; Local cleavage development.								
					Dolomitic Siltstone		Local red zones throughout; Local pyrite nodules (oxidized); Soft sediment def and local cleavage development; Broken ground @ 37-39 m (fault?).								
50					Dolomitic Siltstone		Changes between bedded and laminated throughout interval; no colour contrast between layers.								1698.50
					Dolomitic Siltstone		Abundant soft sed deformation with short laminated section within.								
100					Dolomitic Siltstone		Unaltered and generally unveined but few unmineralized dolomite vein's present.								1660.20
					Dolomitic Siltstone		10 cm breccia at base of interval with sphalerite(?).								
					Dolomitic Siltstone		Texture changes between bedded and laminated. Small (20 cm) oxidized zones w/in interval.								
150					Dolomitic Siltstone										1621.89
					Dolomitic Siltstone										
					Dolomitic Siltstone										
200					Dolomitic Siltstone										1583.59
					Dolomitic Siltstone										
					Dolomitic Siltstone										
					Dolomitic Siltstone										
250					Dolomitic Siltstone		Alternating bedded and laminated w/ soft sed def found locally.								1545.29
					Dolomitic Siltstone										
					Dolomitic Siltstone										
300					Dolomitic Siltstone										1506.99
					Dolomitic Siltstone										

Hole Name :BE07112		Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.												
Length(m) :325.6			Azimuth(Deg) :30				Dip(Deg) :-50											
Easting :519809.7		Northing :7139405.7		Elevation(m) :1750.3		Accuracy(m) :1		Located By :Mike Moroskat			Location Method :DGPS-COR							
Hole Status :COMPLETE		Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.							
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes			Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
50					Dolomitic Siltstone		No Recovery									SHA	1712.00	
					Dolomitic Siltstone		Lighter grey colour than typical; Slightly silicified.									SHA		
					Dolomitic Siltstone		Unaltered dolomitic siltstone; Unveined.									SHA		
					Dolomitic Siltstone		Slight silicification and beginning to see hematization; Primary features difficult to see.									SHA		
					Dolomitic Siltstone		Generally unaltered except minor silicification; Small dol/qtz veins throughout interval.									SHA		
					Dolomitic Siltstone		Where layering is present, they are deformed prior to lithification; Slightly silicified with some possible hematite alteration of quartz.									SHA		
					Dolomitic Siltstone		Very altered, silicified with talc/serpentine? Hematite found throughout as well. Unmineralized.									SHA		
					Dolomitic Siltstone		Moderately altered with no mineralization.									SHA		
					Dolomitic Siltstone		Heavily altered by serpentine/talc, with red hematite staining; Unmineralized.									SHA		
	100					Dolomitic Siltstone		Small qtz/dol veins throughout interval, rarely py bearing; Where primary structure seen, deformed pre-lithification.										
					Dolomitic Siltstone		Unmineralized/unaltered; Few small dol/qtz veins.											
					Dolomitic Siltstone		Slightly altered; Some primary laminations, but they are rare.											
					Dolomitic Siltstone		Alternating fine beds and oolitic layers; Bedding crosscut and offset by cleavage and small dol/qtz veins; Minor Fe-oxide/ hematite staining.											
					Dolomitic Siltstone		Small qtz/dol veins within; Slightly altered, giving lighter colour; Minor yellow Fe-oxide alteration, assoc with veins.											
					Dolomitic Siltstone		Laminations offset and deformed by cleavage development/slip along cleavage plane. Some orange colouration along small cleavage parallel veins from oxidation.											
					Dolomitic Siltstone		Moderately altered, bedding still evident throughout; Basal contact with mafic intrusive; Alteration decreases as hole approaches the intrusive.											
					Dolomitic Siltstone		Sharp contact with host (70 deg to CA); Contacts have prominent alteration halos at diorite contacts; no strong alt of surrounding host.											
					Dolomitic Siltstone		Generally unaltered, some minor green discoloration; Small unmineralized dolomite veins throughout.											
					Dolomitic Siltstone		Strongly talc/serp altered; Rare hematite veins.											
150					Dolomitic Siltstone		Moderately altered; Small dol veins throughout exhibit hematite alteration.										1635.39	
					Dolomitic Siltstone		Mineralized at bottom half of interval; Unaltered.											
					Dolomitic Siltstone		Primary bedding well preserved but alteration has given rock a green colouration; Bottom contact is with mafic intrusive.											
					Diorite													
					Dolomitic Siltstone		Extensive alteration not apparent; Darker colour may be mild alteration.											
					Diorite		Mild alteration at the margins of the dyke.											
					Dolomitic Siltstone		Altered +/- hematite; unmineralized.											
					Dolomitic Siltstone													
					Dolomitic Siltstone													
	200					Dolomitic Siltstone												
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
250					Dolomitic Siltstone												1558.79	
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
300					Dolomitic Siltstone												1520.49	
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													
					Dolomitic Siltstone													

Hole Name : BE07112 Project Name: Blende Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.

Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation
			Overburden	21000																	
			Dolomitic Siltstone	21001-21005																	
			Dolomitic Siltstone	21006-21010																	
			Dolomitic Siltstone	21011-21015																	
			Dolomitic Siltstone	21016-21020																	
50			Dolomitic Siltstone	21021-21025																	1712.00
			Dolomitic Siltstone	21026-21030																	
			Dolomitic Siltstone	21031-21035																	
			Dolomitic Siltstone	21036-21040																	
100			Dolomitic Siltstone	21041-21045																	1673.70
			Dolomitic Siltstone	21046-21050																	
			Dolomitic Siltstone	21051-21055																	
			Dolomitic Siltstone	21056-21060																	
			Dolomitic Siltstone	21061-21065																	
150			Dolomitic Siltstone	21066-21070																	1635.39
			Dolomitic Siltstone	21071-21075																	
			Dolomitic Siltstone	21076-21080																	
			Dolomitic Siltstone	21081-21085																	
			Dolomitic Siltstone	21086-21090																	
200			Dolomitic Siltstone	21091-21095																	1597.09
			Dolomitic Siltstone	21096-21100																	
			Dolomitic Siltstone	21101-21105																	
			Dolomitic Siltstone	21106-21110																	
250			Dolomitic Siltstone	21111-21115																	1558.79
			Dolomitic Siltstone	21116-21120																	
			Diorite	21121-21125																	
			Dolomitic Siltstone	21126-21130																	
			Dolomitic Siltstone	21131-21135																	
300			Dolomitic Siltstone	21136-21140																	1520.49
			Dolomitic Siltstone	21141-21145																	

11.0m @ 0.9% Zn+Pb
3.0m @ 1.6% Zn+Pb

Scale 1:890

01/22/08

17:34:58

Hole Name :BE07113		Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.									
Length(m) :350			Azimuth(Deg) :30				Dip(Deg) :-60								
Easting :519809.7		Northing :7139405.7		Elevation(m) :1750.3		Accuracy(m) :1		Located By :Mike Moroskat		Location Method :DGPS-COR					
Hole Status :COMPLETE			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.				
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
					Overburden		No recovery.								
					Dolomitic Siltstone		Few qtz/dol veins; Mild alteration at bottom half of interval							SHA	1707.00
					Dolomitic Siltstone		Breccia unmineralized; Slight red colour from hem?							SHA	
					Dolomitic Siltstone		Talc (?) altered; Brown alteration mineral concentrated in parallel planes (cleavage?). Primary fabric indistinguishable. Unmineralized.							SHA	1663.70
					Dolomitic Siltstone		Unmineralized/unaltered; Few small qtz/dol veins present.							SHA	
					Dolomitic Siltstone		One mildly altered interval; Unmineralized.							SHA	
					Dolomitic Siltstone									SHA	1620.40
					Dolomitic Siltstone		Unaltered/unmineralized. Short alteration zone at base of interval along contsat with mafic intrusive.							SHA	
					Diorite		Few unmineralized qtz/dol veins within; Unmineralized; Contact aureoles at contacts.							SHA	
					Dolomitic Siltstone		Unmineralized/unaltered; Scattered smal qtz/dol veins.							SHA	1577.09
					Dolomitic Siltstone		Heavily altered; Unmineralized.							SHA	
					Dolomitic Siltstone		Geberally unveined; Unmineralized.							SHA	
					Dolomitic Siltstone		Mostly unveined; Increased oxidation (to limonite) last 10 m of interval.							SHA	1533.79
					Dolomitic Siltstone									SHA	
					Dolomitic Siltstone		Oxidized; If any sulphides are present they are oxidized.							SHA	1490.49
					Dolomitic Siltstone									SHA	
					Dolomitic Siltstone		Unmineralized; Mostly unaltered with some oxidation.							SHA	
Scale 1:1029						01/22/08				17:18:13					

Hole Name :BE07113 Project Name: Blende Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.

Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation	
			Overburden																			
			Dolomitic Siltstone																			
50			Dolomitic Siltstone	BE07113-001 BE07113-002																	1707.00	
			Dolomitic Siltstone																			
100			Dolomitic Siltstone																		1663.70	
			Dolomitic Siltstone																			
			Dolomitic Siltstone	BE07113-005 BE07113-006																		
150			Dolomitic Siltstone																		1620.40	
			Dolomitic Siltstone																			
			Diorite																			
			Dolomitic Siltstone																			
200			Dolomitic Siltstone																		1577.09	
			Dolomitic Siltstone																			
			Dolomitic Siltstone																			
250			Dolomitic Siltstone																		1533.79	
			Dolomitic Siltstone	BE07113-009 BE07113-010 BE07113-011 BE07113-012 BE07113-013 BE07113-014 BE07113-015 BE07113-016 BE07113-017 BE07113-018 BE07113-019 BE07113-020 BE07113-021 BE07113-022 BE07113-023 BE07113-024 BE07113-025 BE07113-026 BE07113-027 BE07113-028 BE07113-029 BE07113-030 BE07113-031 BE07113-032 BE07113-033 BE07113-034 BE07113-035 BE07113-036 BE07113-037 BE07113-038 BE07113-039 BE07113-040 BE07113-041 BE07113-042 BE07113-043 BE07113-044 BE07113-045 BE07113-046 BE07113-047 BE07113-048 BE07113-049 BE07113-050																		
300			Dolomitic Siltstone																		1490.49	
			Dolomitic Siltstone																			
			Diorite																			
			Dolomitic Siltstone																			

Hole Name :BE07114			Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Length(m) :374.7			Azimuth(Deg) :0				Dip(Deg) :-55										
Easting :519809.7		Northing :7139405.7		Elevation(m) :1750.3		Accuracy(m) :1			Located By :Mike Moroskat			Location Method :DGPS-COR					
Hole Status :COMPLETE			Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes			Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
					Overburden		No Recovery										
					Dolomitic Siltstone		Unaltered; Generally unveined and unmineralized; 30 cm oolitic horizon at 16.6m.									SHA	1709.34
50					Dolomitic Siltstone		Heavily altered host; Talc/serpentine alteration with red hematite staining; Samples within alteration to test oxidized veins/breccia (2@5cm).									SHA	
					Dolomitic Siltstone											SHA	
100					Dolomitic Siltstone											SHA	1668.38
					Dolomitic Siltstone												
					Dolomitic Siltstone												
150					Dolomitic Siltstone		Mild alteration through interval.									SHA	1627.43
					Dolomitic Siltstone		Argillaceous bands within typical dolomitic siltstone.										
					Dolomitic Siltstone											SHA	
200					Dolomitic Siltstone		Few small cm-scale veins within; Contact @ 58 deg.										
					Dolomitic Siltstone		Unmineralized and altered at contact with diorite intrusive.									SHA	1586.47
					Diorite		Altered at both contacts; calcite veining throughout, some py or cpy bearing veins.										
					Dolomitic Siltstone		Minor pyrite veining.										
					Diorite		Alteration at both contacts; Py-bearing (± chalcopyrite) calcite veins throughout.										
250					Dolomitic Siltstone		Heavily altered interval of GLG; Primary features no longer present.									SHA	1545.51
					Dolomitic Siltstone		Fine veining throughout, veins oxidized, appear unmineralized; Core generally incompetent, some rubble within; 275.6-276.8m very soft...fault gouge?									SHA	
300					Dolomitic Siltstone		Interval extremely altered and partly oxidized; Soft gouge? Sections within contain minor talc/serpentine alteration.									SHA	1504.55
					Dolomitic Siltstone											SHA	
					Dolomitic Siltstone											SHA	
350					Dolomitic Siltstone		Unaltered; Veins scattered throughout; Sph-bearing breccia within interval, as well as py throughout.										
											5%	3%	1%				
											5%						
											4%						
											3.5%	2%					
Scale 1:1102						01/22/08						17:18:20					

Hole Name :BE07115		Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.											
Length(m) :291.4			Azimuth(Deg) :200				Dip(Deg) :-45										
Easting :515489.367		Northing :7142764.439		Elevation(m) :1593.5		Accuracy(m) :0.6			Located By :Mike Moroskat			Location Method :DGPS-COR					
Hole Status :COMPLETE		Geologist :Emily Vanderstaal				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.						
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes		Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
					Overburden		No recovery.										
					Dolomitic Siltstone		Alternating intervals of banded and massive textures; Half meter interval of sedimentary breccia at 54.1m with angular clasts varying from 2-20 mm.		7%	5%							
50					Dolomitic Siltstone		Contains areas with massive texture amongst areas of soft sediment deformation; Interval terminates at visible contact with igneous intrusive; 70 cm interval of off-set bedding at 69.9 m.		7%	5%							
					Diorite		1-3 meter areas of lighter intrusive material at contacts w/ colour deepening toward center of dike due to silica alteration. Small mm-scale veins of green serpentine/talc.										
100					Dolomitic Siltstone		Soft sediment deformation; 40 cm section of broken ground at end of interval.		10%								
					Dolomitic Siltstone		Sections of massive and/or banded argillaceous material throughout. Approx. one meter interval of dark broken ground with a clay like texture at 130.6 m. Approx. 2 m interval of broken ground with a rubblely texture with areas of consolidation at 138.6 m.										
150					Arg Dolomite		Areas of soft sediment deformation near contact; Off-set bedding at 256.5 due to small scale faulting.										
200					Dolomitic Siltstone												
250																	
Scale 1:857						01/22/08				17:18:16							

Hole Name :BE07116		Project Name: Blende			Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.											
Length(m) :273.4			Azimuth(Deg) :200				Dip(Deg) :-60									
Easting :515489.367		Northing :7142764.439		Elevation(m) :1593.5		Accuracy(m) :0.6			Located By :Mike Moroskat			Location Method :DGPS-COR				
Hole Status :COMPLETE		Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
					Overburden		No recovery.									
					Dolomitic Siltstone		Top of interval very rubbly; Veined, brecciated and mineralized sections throughout; Bedding changes between steep and shallow core-axis angles.		8%	5%	2%					
					Dolomitic Siltstone		Oxidation throughout associated with veining and mineralization; Light alteration from mild silica(?) alteration; Mineralized and rubbly sections.		0.5%	0.5%	1%					
					Dolomitic Siltstone		Generally unmineralized except one vein at end of interval.		5%	1%						
					Dolomitic Siltstone		Small alteration halos at both contacts with the dolomitic siltstone.		0.5%	0.5%	0.5%					
					Diorite											
					Dolomitic Siltstone		Mineralization in top half of interval; Veining present but not abundant.		0.5%	0.1%	0.1%					
					Dolomitic Siltstone		Interbedded dolomitic and argillaceous beds; No mineralization; veining only dolomite + qtz; Broken ground and gouge within; Gouge at top of interval; Possible faults (?) within interval separating from mineralized core above.		2%							
					Arg Dolomite		Bedding and laminations planar; Interval unmineralized and mostly unveined; Veins are dol/qtz; Few graphitic layers.									
					Dolomitic Siltstone		Bedding well defined; Open folding present at 204.8 to 206.5 m; Bedding subparallel to core axis; Unmineralized.									
					Dolomitic Siltstone		Rubbly section and unmineralized brecciation within.									
					Dolomitic Siltstone		Unmineralized and generally unveined.									
Scale 1:804						01/22/08						17:18:23				

Hole Name :BE07117		Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Length(m) :213.4			Azimuth(Deg) :175				Dip(Deg) :-50									
Easting :515489.367		Northing :7142764.439		Elevation(m) :1593.5		Accuracy(m) :0.6		Located By :Mike Moroskat			Location Method :DGPS-COR					
Hole Status :COMPLETE		Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
					Overburden		No recovery.									
					Dolomitic Siltstone		Core rubby and fractured; Some vein-hosted mineralization; Veins mildly oxidized.	2%								
25					Dolomitic Siltstone		Mineralization present and moderately oxidized; Host rock has light grey alteration - bleaching(?).		1%	3%	0.5%			CM	1574.35	
50					Dolomitic Siltstone		Mild bleaching in sections throughout interval; Some broken ground; Small mineralized breccias present and crosscutting bedding fabric.	3%							1555.20	
75					Diorite		Few small veins within, and brown (Fe?) staining along cracks and fractures.								1536.05	
100					Dolomitic Siltstone		Mineralized breccias within interval; Unaltered.	1%							1516.90	
125															1497.74	
150					Dolomitic Siltstone		Gouge at top of interval and short sections spaced throughout interval; Bedding is planar to moderately wavy; Unmineralized and generally unveined.								1478.59	
175					Dolomitic Siltstone		Unmineralized and only a few small dolomite veins; Bedding and laminations are planar.								1459.44	
200					Dolomitic Siltstone										1440.29	
Scale 1:627						01/22/08						17:18:27				

Hole Name :BE07118			Project Name: Blende			Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Length(m) :209.4			Azimuth(Deg) :200			Dip(Deg) :-45										
Easting :515415.852		Northing :7142802.244		Elevation(m) :1550.089		Accuracy(m) :0.7		Located By :Mike Moroskat			Location Method :DGPS-COR					
Hole Status :COMPLETE			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
					Overburden		No recovery.									
25					Dolomitic Siltstone		Mineralized throughout interval, right up to contact with mafic intrusive.		3%	2%	0.5%			CM	1532.41	
50					Diorite		Weathered and oxidized margins (not wide) and oxidization around fractures within diorite.								1514.73	
75					Dolomitic Siltstone		No bedding/laminations clearly defined; Good sp/cpy-min at end of interval.		15%	1%					1497.06	
					Dolomitic Siltstone		Brecciated and mineralized throughout.		3%	1%				CM		
100					Gouge		Gouge and broken ground; 8 or 9 m interval of washed core and very poor recovery; Interval marks the end of mineralization.		5%						1479.38	
125					Dolomitic Siltstone		Unmineralized with small dol veins.								1461.70	
150					Dolomitic Siltstone		Sharp contact with underlying unaltered rock; Unmineralized.							CM	1444.02	
175					Dolomitic Siltstone		Unmineralized; Generally unveined.								1426.35	
					Diorite		Oxidation at boundaries and along fractures.									
200					Dolomitic Siltstone		Interbeds of grey dolomitic siltstone and black argillaceous layers.								1408.67	
Scale 1:620						01/22/08						17:18:30				

Hole Name :BE07119			Project Name: Blende			Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Length(m) :109			Azimuth(Deg) :200			Dip(Deg) :-60										
Easting :515415.852		Northing :7142802.244		Elevation(m) :1550.089		Accuracy(m) :0.7			Located By :Mike Moroskat			Location Method :DGPS-COR				
Hole Status :ABANDONED			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
10					Overburden		No Recovery.								1541.43	
20					Dolomitic Siltstone		Breccia hosted mineralization present throughout interval; Alteration at bottom interval at contact with intrusive body; Some soft sediment deformation structures scattered throughout.		3%	0.5%					1532.77	
30					Dolomitic Siltstone				2%	1%	0.5%				1524.11	
40					Dolomitic Siltstone				1.5%	1%	0.5%				1515.45	
50					Diorite		Alteration at contacts with host rock; No mineralization present.								1506.79	
60					Dolomitic Siltstone				5%						1498.13	
70					Dolomitic Siltstone				1.5%						1489.47	
80					Dolomitic Siltstone		Mineralized throughout; Slight bleaching present where mineralization is most intense. Minor stromatolitic horizons (?).		10%	2%					1480.81	
90					Dolomitic Siltstone				0.5%						1472.15	
100					Dolomitic Siltstone										1463.49	
Scale 1:320						01/22/08						17:18:34				

Hole Name :BE07120			Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.								
Length(m) :90.8			Azimuth(Deg) :230				Dip(Deg) :-50								
Easting :515415.852		Northing :7142802.244		Elevation(m) :1550.089		Accuracy(m) :0.7		Located By :Mike Moroskat		Location Method :DGPS-COR					
Hole Status :ABANDONED			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.				
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
10					Overburden										1542.43
20					Dolomitic Siltstone										1534.77
30					Dolomitic Siltstone		Breccia occurs for approx. 1 m at start of hole; Consists of 10 mm avg. clasts of host rock. Pack brecc; Texture w/ arg. Particulate; Trace py and gal.		20%						1527.11
40					Diorite										1519.45
50					Diorite		Some green talc +/- cpy veining; Area of alteration mid-way resulting in lightening of colour; Various areas of iron staining.								1511.79
60					Dolomitic Siltstone				40%						1504.13
70					Dolomitic Siltstone		Unhealed crackle texture fracturing throughout.								1496.47
80					Dolomitic Siltstone										1488.81
90					Dolomitic Siltstone										1481.15
Scale 1:267						01/22/08				17:18:38					

Hole Name :BE07121			Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.									
Length(m) :155.4			Azimuth(Deg) :200				Dip(Deg) :-45									
Easting :515333.249		Northing :7142847.419		Elevation(m) :1503.085		Accuracy(m) :0.7			Located By :Mike Moroskat			Location Method :DGPS-COR				
Hole Status :COMPLETE			Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.				
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)	
					Overburden		No recovery.									
25					Dolomitic Siltstone		Well defined planar laminations and bedding characterize interval; No mineralization present, very little veining.								1485.41	
50					Dolomitic Siltstone										1467.73	
75					Dolomitic Siltstone										1450.05	
					Dolomitic Siltstone		Broken ground and gouge; Possible fault.									
100					Dolomitic Siltstone		Unmineralized/unveined; Ranges from massive to poorly defined bedding.								1432.37	
					Dolomitic Siltstone		Mild alteration of alternating layers; Light green alteration.							CM		
125					Dolomitic Siltstone										1414.70	
					Dolomitic Siltstone		Unmineralized. Poorly defined bedding. Some rubbly sections within interval, but not extensive.									
150					Dolomitic Siltstone										1397.02	
Scale 1:457						01/22/08			17:18:41							

Hole Name :BE07121			Project Name: Blende										Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.									
Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation	
			Overburden																			
25			Dolomitic Siltstone																			1485.41
50			Dolomitic Siltstone																			1467.73
75			Dolomitic Siltstone																			1450.05
100			Dolomitic Siltstone																			1432.37
125			Dolomitic Siltstone																			1414.70
150			Dolomitic Siltstone																			1397.02
Scale 1:425								01/22/08								17:35:20						

Hole Name :BE07122		Project Name: Blende			Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.											
Length(m) :185.3			Azimuth(Deg) :180				Dip(Deg) :-45									
Easting :515333.249		Northing :7142847.419		Elevation(m) :1503.085		Accuracy(m) :0.7			Located By :Mike Moroskat			Location Method :DGPS-COR				
Hole Status :COMPLETE		Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes		Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
					Overburden		No recovery.									
25					Dolomitic Siltstone		Unmineralized, generally unveined; Few qtz/dol veins scattered throughout, with short unmineralized and healed breccia; Bedding and laminations planar with minimal deformation.									1485.41
50					Dolomitic Siltstone											1467.73
75					Dolomitic Siltstone											1450.05
100					Dolomitic Siltstone		Possible fault?									1432.37
125					Dolomitic Siltstone		Bands made of discontinuous layers; Unmineralized.									1414.70
150					Dolomitic Siltstone		Similar to previous interval, but less distinct layering.									1397.02
175					Dolomitic Siltstone		Short/alterted intersection, with oxidized boundaries.									1379.34
					Dolomitic Siltstone		Unmineralized and unveined.									1379.34
Scale 1:545						01/22/08				17:18:44						

Hole Name :BE07122				Project Name: Blende								Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation	
			Overburden																			
25			Dolomitic Siltstone																			1485.41
50			Dolomitic Siltstone																			1467.73
75			Dolomitic Siltstone																			1450.05
100			Dolomitic Siltstone																			1432.37
125			Dolomitic Siltstone																			1414.70
150			Dolomitic Siltstone																			1397.02
175			Dolomitic Siltstone																			1379.34
Scale 1:507								01/22/08								17:35:22						

Hole Name :BE07123			Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.								
Length(m) :170.4			Azimuth(Deg) :160				Dip(Deg) :-45								
Easting :515333.249		Northing :7142847.419		Elevation(m) :1503.085		Accuracy(m) :0.7		Located By :Mike Moroskat		Location Method :DGPS-COR					
Hole Status :COMPLETE			Geologist :Mike Moroskat				Core Size :NQ		Drill Type :DIAMOND		Drill Company :APEX Drilling Ltd.				
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
					Overburden										
25					Arg Dolomite		Alternating areas of laminated and massive textures; Light to dark grey.								1485.41
50					Arg Dolomite										1467.73
75					Arg Dolomite										1450.05
100					Arg Dolomite		Mineralized from 80-85 m. Alternating layers of dark and lighter grey; Small areas of sed. breccia.		10%						1432.37
125					Arg Dolomite										1414.70
150					Arg Dolomite		Rubble between 111 and 115 m. Argillaceous material to 154 m depth; from 154 to 170 m siltstone becomes lighter in colour with a massive texture.								1397.02
Scale 1:501						01/22/08				17:18:47					

Hole Name :BE07123					Project Name: Blende					Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.									
---------------------------	--	--	--	--	-----------------------------	--	--	--	--	---	--	--	--	--	--	--	--	--	--

Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation	
			Overburden																			
25			Arg Dolomite																			1485.41
50			Arg Dolomite																			1467.73
75			Arg Dolomite																			1450.05
				BE07123-001 BE07123-002 BE07123-003 BE07123-004 BE07123-005 BE07123-006 BE07123-007 BE07123-008 BE07123-009 BE07123-010 BE07123-011 BE07123-012 BE07123-013																		
100			Arg Dolomite																			1432.37
125			Arg Dolomite																			1414.70
150			Arg Dolomite																			1397.02

Hole Name :BE07124			Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.								
Length(m) :152.1			Azimuth(Deg) :140				Dip(Deg) :-45								
Easting :515333.249		Northing :7142847.419		Elevation(m) :1503.085		Accuracy(m) :0.7		Located By :Mike Moroskat		Location Method :DGPS-COR					
Hole Status :ABANDONED			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND		Drill Company :APEX Drilling Ltd.					
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)
					Overburden										
25					Arg Dolomite				70%						1485.41
50					Arg Dolomite										1467.73
75					Dolomitic Siltstone										1450.05
100					Dolomitic Siltstone										1432.37
125					Dolomitic Siltstone		Brecciated at 133.8 m.								1414.70
150															1397.02
Scale 1:447						01/22/08				17:18:51					

Hole Name :BE07124					Project Name: Blende								Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation		
			Overburden																				
			Arg Dolomite	BE07124-001																			
				BE07124-002																			
				BE07124-003																			
				BE07124-004																			
				BE07124-005																			
				BE07124-006																			
				BE07124-007																			
				BE07124-008																			
				BE07124-009																			
				BE07124-010																			
				BE07124-011																			
				BE07124-012																			
				BE07124-013																			
				BE07124-014																			
				BE07124-015																			
				BE07124-016																			
				BE07124-017																			
				BE07124-018																			
				BE07124-019																			
				BE07124-020																			
				BE07124-021																			
				BE07124-022																			
				BE07124-023																			
				BE07124-024																			
				BE07124-025																			
				BE07124-026																			
				BE07124-027																			
				BE07124-028																			
			Dolomitic Siltstone	BE07124-029																			
				BE07124-030																			
				BE07124-031																			
				BE07124-032																			
				BE07124-033																			
				BE07124-034																			
			Dolomitic Siltstone																				

Hole Name :BE07125			Project Name: Blende				Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.										
Length(m) :196.3			Azimuth(Deg) :180				Dip(Deg) :-45										
Easting :515333.249		Northing :7142847.419		Elevation(m) :1503.085		Accuracy(m) :0.7		Located By :Mike Moroskat		Location Method :DGPS-COR							
Hole Status :ABANDONED			Geologist :Mike Moroskat			Core Size :NQ		Drill Type :DIAMOND			Drill Company :APEX Drilling Ltd.						
Depth (m)	Recovery (%)	Bedding (to CA)	Cleavage (to CA)	Map Unit	Rock Type	Shear Zone	Lithology Notes	Min Style	Vis Sp	Vis Ga	Vis Py	Oxidation	Breccia Type	Alt Assem	Elev (m)		
					Overburden												
25					Arg Dolomite		Alternating light to dark; Trace cpy. Some small scale faulting. ex. 70 m.								1485.41		
50																	1467.73
75																	1450.05
100																	1432.37
125																	1414.70
150						Arg Dolomite			Soft sediment deformation causing the pinching of bedding giving the appearance of elongated, rounded clasts.								1397.02
175																	1379.34
Scale 1:577						01/22/08				17:18:55							

Hole Name : BE07125				Project Name: Blende								Client: Eagle Plains Resources Ltd. / Blind Creek Resources Ltd.												
Depth At	Recovery (%)	Unit	Rock Type	Sample Number	(Pb+Zn) Total (%)	Zn Total (%)	Pb Total (%)	(Pb+Zn) S (%)	ZnS (%)	PbS (%)	(Pb+Zn) NonS (%)	Zn NonS (%)	Pb NonS (%)	Ag_g_T	Cu (%)	Fe (%)	Zn Equv (%)	Length @ ZnPb_Tot_%	Including	Also Including	Elevation			
			Overburden																			1485.41		
25			Arg Dolomite																			1467.73		
50																							1450.05	
75																							1432.37	
100					BE07125-001 BE07125-002 BE07125-003 BE07125-004 BE07125-005																		1414.70	
125																							1397.02	
150				Arg Dolomite																				1379.34
175																								
Scale 1:537				01/22/08								17:35:30												

APPENDIX IV – Sample Locations and Descriptions

4.1 – Rock Samples

4.1 – Rock Samples

Appendix 4.1 - Rock Sample Locations and Descriptions

Sample Number	Sampler	Date (m/d/y)	UTM - East	UTM - North	Channel (m)	Channel (Az)	Map Unit	Rock Type - Major	Rock Type - Minor	Colour - Fresh	Colour - Weathered	Grain Size	Texture	Metamorphic Indicator	Mineralization - Major	Mineralization - Minor	Mineralization Style	Min. %	Alteration	Alt. Degree	Rock Description
JRBER001	JR	11/06/2007	515207	7143104	0		515207	Quartzite		white	rusty	fine-medium	massive		hematite		DISSEMINATED	0.1	CLAY	1	
JRBER002	JR	14/06/2007	515024	7143396			515024	Dolomitic Siltstone							chalcopyrite	arsenopyrite	DISSEMINATED	0.1	SILICA	2	Occurs as float within contact of Taiga / Gillespe contact
MMBER011	MM	09/06/2007	515439.6	7142709.4			515439.6	Gouge	Dolomitic Siltstone	dark	bluish	fine	brecciated		galena	chalcopyrite	SEMIMASSIVE	5			altered quartzite and healed breccia, pervasive alteration of matrix to calcsilicate, trace disseminated hematite.
MMBER012	MM	12/06/2007	515279.27	7142969.8			515279.27	Gabbro		green	green	medium-coarse	massive								Lost in the field